Revision: 1.0 Date: 21.10.2015



ACCORDING TO OSHA HCS (29 CFR 1910.1200)

www.vishaypg.com

1. SECTION 1: IDENTIFICATION

1.1 Product identifier

Product Name QA-500 Part B

Chemical Name Benzene-1,2,4-tricarboxylic acid 1,2-anhydride

CAS No. 552-30-7 EINECS No. 209-008-0

1.2 Relevant identified uses of the substance or mixture

and uses advised against

Identified Use(s) Adhesives.
Uses Advised Against None known.

1.3 Details of the supplier of the safety data sheet

Company Identification VISHAY MEASUREMENTS GROUP, INC.

Post Office Box 27777 Raleigh, NC 27611

USA

 Telephone
 919-365-3800

 Fax
 919-365-3945

E-Mail (competent person) mm.us@vishaypg.com

1.4 Emergency telephone number 1-800-424-9300

CHEMTREC

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Skin Sens. 1; H317 Eye Dam. 1; H318 Resp. Sens. 1; H334 STOT SE 3; H335

2.2 Label elements GHS Classification Product Name QA-500 Part B

Hazard Pictogram(s)

GHS Classification

2.1.1







Signal Word(s) Danger

Hazard Statement(s) H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335: May cause respiratory irritation.

Precautionary Statement(s) P261: Avoid breathing dust.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P304+P341: IF INHALED: If breathing is difficult, remove victim to fresh air and

keep at rest in a position comfortable for breathing.

P342+P311: If experiencing respiratory symptoms: Call a POISON

CENTER/doctor.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.

OSHA Defined Hazard May form combustible dust concentrations in air.

Revision: 1.0 Date: 21.10.2015



ACCORDING TO OSHA HCS (29 CFR 1910.1200)

www.vishaypg.com

2.3 Other hazards None.

3. **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

3.1 **Substances**

Chemical identity of the substance	CAS No.	EC No.
Benzene-1,2,4-tricarboxylic acid 1,2-anhydride (Trimellitic anhydride, TMA)	552-30-7	209-008-0

3.2 Mixtures Not applicable

SECTION 4: FIRST AID MEASURES 4.



4.1 Description of first aid measures

Self-protection of the first aider

Inhalation

Skin Contact

Eye Contact

Ingestion

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

Notes to a physician:

Avoid breathing dust. Wear suitable protective clothing. Wear suitable respiratory protective equipment if exposure to high levels of material are likely. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. If breathing is laboured, oxygen should be administered by qualified personnel. If breathing has stopped, apply artificial respiration. IF ON SKIN: Remove contaminated clothing. Brush off loose particles from skin. Wash affected skin with soap and water. Contaminated clothing should be thoroughly cleaned. If skin irritation or rash occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Obtain prompt consultation, preferably from an ophthalmologist. Continue irrigation until medical attention can be obtained. IF SWALLOWED: Rinse mouth. Give plenty of water to drink. Do not give anything by mouth to an unconscious person. Do NOT induce vomiting. If

vomiting occurs spontaneously, keep head below hips to prevent aspiration into the lungs. Immediately call a POISON CENTER/doctor.

Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. May cause an allergic skin reaction. Aspiration into the lungs may cause chemical pneumonitis, which can be fatal.

Treat symptomatically.

IF IN EYES: Chemical eye burns may require extended irrigation. IF INHALED: Acute asthmatic reactions to Trimellitic Anhydride (TMA) should be treated like acute asthma from any cause. If the patient is cyanotic or acutely dyspneic, consider supplemental oxygen and systemic corticosteroids. The primary treatment for the late onset respiratory systemic syndrome (TMA flu) is

SECTION 5: FIREFIGHTING MEASURES 5.

5.1 **Extinguishing media**

Unsuitable extinguishing media

5.2 Special hazards arising from the substance or mixture

5.3 Advice for fire-fighters

Suitable Extinguishing media

As appropriate for surrounding fire. Extinguish with foam or dry chemical. Do not use water jet. Direct water jet may spread the fire.

systemic corticosteroids plus antipyretics and bronchodilators as needed.

May form combustible dust clouds in air. Avoid dust generation. Finely dispersed particles form explosive mixtures with air. Hazardous decomposition product(s): Carbon monoxide, Carbon dioxide.

Fight fire with normal precautions from a reasonable distance. Use low-pressure

Revision: 1.0 Date: 21.10.2015



ACCORDING TO OSHA HCS (29 CFR 1910.1200)

www.vishaypg.com

medium fog streams to avoid dust clouds. Apply agent gently to avoid dust clouds. Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Avoid all contact. Do not allow run-off from fire fighting to enter drains or water courses.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Eliminate all ignition sources if safe to do so. Avoid breathing dust. Avoid contact with skin, eyes or clothing. In case of inadequate ventilation wear respiratory protection. Use personal protective equipment as required. See Section: 8.

6.2 Environmental precautions

Avoid release to the environment. Do not allow to enter drains, sewers or watercourses

6.3 Methods and material for containment and cleaning up

Stop leak if safe to do so. Ensure suitable personal protection during removal of spillages. Vacuum spilled material. Recommended: High efficiency particulate air filter (HEPA filter). Use only non-sparking tools. Avoid dust generation. Do not use compressed air for cleaning purposes. Transfer to a lidded container for disposal or recovery. Ventilate the area and wash spill site after material pick-up is complete. Dispose of this material and its container as hazardous waste.

6.4 Reference to other sections

See Section: 8, 13

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Use personal protective equipment as required. See Section: 8. Avoid dust generation. Keep away from fire, sparks and heated surfaces - no smoking. Take precautionary measures against static discharge. Do not allow dust to accumulate on surfaces and equipment. Do not use in confined spaces. Wash hands thoroughly after handling. Contaminated clothing should be thoroughly cleaned. Protect from moisture.

7.2 Conditions for safe storage, including any

Ground/bond container and receiving equipment. Keep in a cool, dry, well ventilated place. Keep only in original container. Keep away from fire, sparks and heated surfaces. Protect from moisture.

incompatibilities

Stable at ambient temperatures.

Stable under normal conditions.

Storage temperature Storage life Incompatible materials

Keep away from: Strong oxidising agents, Acids and Alkalis. Protect from

moisture.

Specific end use(s)

See Section: 1.2.

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

7.3

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Benzene-1,2,4-tricarboxylic acid 1,2-anhydride	552-30-7	0.005	0.04	-	-	NIOSH
		0.0005	0.002	-	-	ACGIH, inhalable fraction and vapour

Note: NIOSH RELs / ACGIH TLVs. OSHA PELs have not been established for this substance.

8.1.2 Biological limit value

Not established.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure adequate ventilation or use appropriate containment. Atmospheric levels should be controlled in compliance with the occupational exposure limit. Use non-sparking ventilation systems, approved explosion-proof equipment, and

Revision: 1.0 Date: 21.10.2015

MICRO E MEASUREMENTS AVPG Broad

ACCORDING TO OSHA HCS (29 CFR 1910.1200)

www.vishaypg.com

intrinsically safe electrical systems.

8.2.2 Individual protection measures, such as personal protective equipment (PPE)

General hygiene measures for the handling of chemicals are applicable. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Wash hands before breaks and after work. Keep work clothes separately. Contaminated clothing should be thoroughly cleaned. Do not eat, drink or smoke at the work place. Do not use in confined spaces.

Eye/ face protection

0

Use eye protection designed to protect against dusts. Have available eyewash

bottle with clean water.



Hand protection: Wear impervious gloves. Gloves should be changed regularly to avoid permeation problems. The gloves type used must be chosen based on the work activity and duration as well as concentration/quantity of material being handled.

Body protection: Wear dustproof working clothes. Wear impervious protective clothing, including boots, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection



Use only with adequate ventilation or closed system ventilation. Wear suitable respiratory protective equipment if processing involves working in areas where dusts or vapours are likely to be evolved. If above exposure limits are likely to be exceeded, breathing mask with fine dust filter. If concentration is unknown, a self-contained breathing apparatus should be used to avoid inhalation of the product.

noddol.

Thermal hazards Not applicable.

8.2.3 Environmental Exposure Controls

Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance White Solid
Odour Pungent
Odour threshold Not determined.
pH Not applicable
Melting point/freezing point 165 ℃ (329 ℃)

Initial boiling point and boiling range $390 \,^{\circ}\text{C} (734 \,^{\circ}\text{F})$ Flash point $227 \,^{\circ}\text{C} (440 \,^{\circ}\text{F}) [\text{Closed cup}]$

Evaporation rate Not applicable Flammability (solid, gas) Non-flammable

Upper/lower flammability or explosive limits Flammable Limits (Lower) (%v/v): 1 Flammable Limits (Upper) (%v/v): 7

Vapour pressure Not applicable Vapour density Not applicable Relative density 1.54 (Water = 1)

Solubility(ies) Soluble in water (After hydrolysis to Benzene-1,2,4-tricarboxylic acid (Trimellitic

acid) (CAS No. 528-44-9))

Partition coefficient: n-octanol/water Log Pow 0.06 @ 40 °C and pH 7.2

Auto-ignition temperature Not determined.

Decomposition Temperature Not determined.

Viscosity Not applicable

Explosive properties Not explosive (May form combustible dust clouds in air).

Oxidising properties Not oxidising.

9.2 Other information None known.

Revision: 1.0 Date: 21.10.2015



ACCORDING TO OSHA HCS (29 CFR 1910.1200)

www.vishaypg.com

10.	SECTION 10: STABILITY AND REACTIVITY	
10.1	Reactivity	Stable under normal conditions.
10.2	Chemical stability	Stable under normal conditions.
10.3	Possibility of hazardous reactions	May form combustible dust clouds in air. Contact with water or moist air causes production of opaque and corrosive fumes.
10.4	Conditions to avoid	Keep away from fire, sparks and heated surfaces. Take precautionary measures against static discharge. Do not use in confined spaces. Protect from moisture.
10.5	Incompatible materials	Keep away from: Strong oxidising agents, Acids and Alkalis.

SECTION 11: TOXICOLOGICAL INFORMATION 11.

Hazardous decomposition product(s)

11.1 Information on toxicological effects (Substances in preparations / mixtures)

Acute toxicity

10.6

Ingestion Based upon the available data, the classification criteria are not met.

LC50 > 2000 mg/kg bw/day.

Inhalation Based upon the available data, the classification criteria are not met.

LC50 (Dusts) > 5 mg/l.

Skin Contact Based upon the available data, the classification criteria are not met.

LC50 > 2000 mg/kg bw/day.

Skin corrosion/irritation Based upon the available data, the classification criteria are not met.

Eye Dam. 1: Causes serious eye damage. Serious eye damage/irritation

Serious eye damage/irritation: Positive. Severely irritating to eyes (rabbit) (1991)

Respiratory or skin sensitization Skin Sens. 1: May cause an allergic skin reaction.

Sensitisation (guinea pig) - Positive (1987). Buehler test, equivalent or similar to

May decompose in a fire giving off toxic fumes. (Carbon monoxide, Carbon

OECD Guideline 406.

Resp. Sens. 1: May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

Sensitisation: Positive. (rat) (2006)

Germ cell mutagenicity Based upon the available data, the classification criteria are not met. Carcinogenicity Based upon the available data, the classification criteria are not met. Reproductive toxicity Based upon the available data, the classification criteria are not met.

STOT - single exposure STOT SE 3: May cause respiratory irritation.

STOT - repeated exposure Based upon the available data, the classification criteria are not met. Aspiration hazard Based upon the available data, the classification criteria are not met.

11.2 Other information

Likely routes of exposure

Yes, when dust is dispersed. Inhalation

Ingestion Accidental Skin Contact Yes

Further Carinogenicity Information

NTP Report on Carcinogens None of the components are listed

IARC Monographs None of the components are listed as Groups 1 or 2.

Regulated as a Carcinogen by OSHA None of the components are listed

SECTION 12: ECOLOGICAL INFORMATION 12.

12.1 **Ecotoxicity** Based upon the available data, the classification criteria are not met.

EC50 (48 hour): > 792 mg/l (Daphnia magna)

LC50 (96 hour): > 957 mg/l (Fish)

12.2 Persistence and degradability Readily biodegradable. The substance hydrolyses quickly in the presence of

water to: Benzene-1,2,4-tricarboxylic acid (CAS No. 528-44-9).

12.3 Bioaccumulative potential The product has low potential for bioaccumulation.

12.4 Mobility in soil The product is predicted to have high mobility in soil (Soluble in water). 12.5 Other adverse effects

Not classified as PBT or vPvB.

Revision: 1.0 Date: 21.10.2015



ACCORDING TO OSHA HCS (29 CFR 1910.1200)

www.vishaypg.com

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Dispose of this material and its container as hazardous waste. Containers of this

material may be hazardous when empty since they retain product residue. Dispose of wastes in an approved waste disposal facility. Dispose of contents in

accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

Not classified according to the United Nations 'Recommendations on the Transport of Dangerous Goods'

ADR/RID / IMDG / IATA

14.1 **UN number** None assigned. 14.2 **UN proper shipping name** None assigned. 14.3 Transport hazard class(es) None assigned. 14.4 Packing group None assigned. 14.5 **Environmental hazards** Not classified. 14.6 Special precautions for user See Section: 2 14.7 Transport in bulk according to Annex II of MARPOL Not applicable.

73/78 and the IBC Code

14.8 Additional Information None.

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental

regulations/legislation specific for the substance or

mixture

15.1.1 U.S. Federal Regulations

TSCA Inventory Status

Benzene-1,2,4-tricarboxylic acid 1,2-anhydride (CAS# 552-30-7) is listed in the

None known.

Toxic Substance Control Act Chemical Substance Inventory (TSCA).

15.1.2 US State Regulations

15.1.3 European regulations

Authorisations and/or Restrictions On Use None Substance(s) of Very High Concern (SVHCs) None

Wassergefährdungsklasse (Germany) Water hazard class: Not classified (Non-hazardous)

15.2 Chemical Safety Assessment Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

Version 1.0

Date of Preparation 21.10.15

References: Existing Safety Data Sheet (SDS), Harmonised Classification(s) for Benzene-1,2,4-tricarboxylic acid 1,2-anhydride (CAS# 552-30-7), and Existing ECHA registration(s) for Benzene-1,2,4-tricarboxylic acid 1,2-anhydride (CAS# 552-30-7).

LEGEND

ACGIH: American Conference of Governmental Industrial Hygienists PBT: Persistent, Bioaccumulative and Toxic

IARC: International Agency for Research on Cancer PELs: Permissible Exposure Limits

LTEL: Long Term Exposure Limit

NTP: National Toxicology Program

RELs: Recommended Exposure Limits

STEL: Short Term Exposure Limit

OSHA: The Occupational Safety & Health Administration TLVs: Threshold limit values

OECD: Organisation for Economic Cooperation and Development vPvB: very Persistent and very Bioaccumulative

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

DOCUMENT NO. 14074 Page: 6 of 7 REVISION D

Revision: 1.0 Date: 21.10.2015



ACCORDING TO OSHA HCS (29 CFR 1910.1200)

www.vishaypg.com

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.



Legal Disclaimer Notice

Vishay Precision Group, Inc.

Disclaimer

ALL PRODUCTS. PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at vpgsensors.com.

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.

Document No.: 63999 Revision: 15-Jul-2014