Revision: 1.1 Date: 20.05.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com

PCH-12

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name PCH-12
Chemical Name Mixture
CAS No. Mixture
EINECS No. Mixture
REACH Registration No. None assigned.

1.2 Relevant identified uses of the substance or mixture

and uses advised against

Identified Use(s) Photostress® measurements.

Uses Advised Against None known.

1.3 Supplier's details

1.4

Company Identification Vishay Measurements Group, Inc.

Post Office Box 27777 Raleigh, NC 27611

USA

 Telephone
 919-365-3800

 Fax
 919-365-3945

E-Mail (competent person) mm.us@vishaypg.com
Emergency Phone No. 1-800-424-9300 (U.S.)

CHEMTREC

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification Not classified as dangerous for supply/use.

2.2 Label elements According to GHS Classification

Product Name PCH-12

Hazard Pictogram(s)

None assigned.

Signal Word(s) None assigned.

Hazard Statement(s)

None assigned.

Precautionary Statement(s)

None assigned.

2.3 Other hazards None.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Substances in preparations / mixtures

3.2 Mixtures

GHS Classification

Chemical identity of the substance	%W/W	CAS No.	EC No.	Hazard Statement(s)
Ricinus Oil/Castor Oil	>75	8001-79-4	232-293-8	Not classified.
Aluminum	>20	7429-90-5	231-072-3	Flam. Sol. 1; H228
Stearic Acid	<1	57-11-4	200-313-4	Not classified.
Silicon	<1	7440-21-3	231-130-8	Not classified.
Iron	<1	7439-89-6	231-096-4	Not classified.

Revision: 1.1 Date: 20.05.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com

4. **SECTION 4: FIRST AID MEASURES**



4.1 Description of first aid measures

> Inhalation Unlikely route of exposure.

Skin Contact Wash skin with soap and water. If skin irritation occurs: Get medical

advice/attention.

None known.

Eye Contact Flush eyes with water for at least 15 minutes while holding eyelids open. If eye

irritation persists, get medical advice/attention.

Wash out mouth with water and give 200-300 ml (half a pint) of water to drink. Ingestion

Do not induce vomiting. If symptoms persist, obtain medical attention.

4.2 Most important symptoms and effects, both acute

and delayed

4.3 Indication of any immediate medical attention and

special treatment needed

Unlikely to be required but if necessary treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing media**

> Suitable Extinguishing Media Extinguish with carbon dioxide, dry chemical, foam or waterspray.

Unsuitable extinguishing Media Do not use water jet. May spread fire.

5.2 Special hazards arising from the substance or mixture

Advice for fire-fighters

5.3

6.4

May decompose in a fire giving off toxic fumes.

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying

with water if exposed to fire. Avoid run off to waterways and sewers.

6. **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and Wear suitable gloves if prolonged skin contact is likely. Wash hands thoroughly after handling.

emergency procedures **Environmental precautions** Avoid run off to waterways and sewers. 6.2

6.3 Methods and material for containment and cleaning Clean up spill immediately. Wipe up remainder then remove to safe place.

Transfer to a container for disposal. Recover or recycle if possible.

See Section: 8, 13

7. **SECTION 7: HANDLING AND STORAGE**

Reference to other sections

7.1 Precautions for safe handling Wear suitable gloves if prolonged skin contact is likely. Wash hands thoroughly

after handling. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any Store in a well-ventilated place. Keep container tightly closed. Keep away from

heat, sources of ignition and direct sunlight.

Storage temperature Ambient. <43°C

Storage life Stable under normal conditions.

Incompatible materials Keep away from:Oxidizing agents, Acids. fernhalten.

7.3 Specific end use(s) Photostress® measurements.

8. **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

8.1 Control parameters

incompatibilities

Not established. 8.1.1 **Occupational Exposure Limits** 8.1.2 **Biological limit value** Not established. 8.1.3 **PNECs and DNELs**

8.2 **Exposure controls** Not established.

Revision: 1.1 Date: 20.05.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com

8.2.1 Appropriate engineering controls

Ensure adequate ventilation. Atmospheric levels should be controlled in compliance with the occupational exposure limit.

8.2.2 Individual protection measures, such as personal protective equipment (PPE)

Use personal protective equipment as required. Wash contaminated clothing

before reuse. Avoid contact with skin and eyes.

Eye/face protection

Wear protective eye glasses for protection against liquid splashes. Wear eye

protection with side protection (EN166).

Skin protection Wear impervious gloves (EN374).



Respiratory protection Normally no personal respiratory protection is necessary.



Thermal hazards Not applicable.

8.2.3 Environmental Exposure Controls Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Aluminium Coloured liquid

OdourMild odourOdour ThresholdNot available.pHNot established.Melting Point/Freezing PointNot established.

Initial boiling point and boiling range 313 ℃
Flash Point >93 ℃
Evaporation Rate Not available.
Flammability (solid, gas) Non-flammable.
Upper/lower flammability or explosive limits Not available.

Vapour pressure >0.1

Vapour density Not available.

Relative density

Solubility(ies)

Partition coefficient: n-octanol/water

Auto-ignition temperature

Decomposition Temperature

Viscosity

Explosive properties

O.959 g/cm³ (H2O = 1)
Insoluble (Water)

Not available.

Not available.

Not available.

Not available.

Not explosive.

9.2 Other information None.

10. SECTION 10: STABILITY AND REACTIVITY

Oxidising properties

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions Hazardous polymerisation will not occur.

10.4 Conditions to avoid Keep away from heat, sources of ignition and direct sunlight.

10.5 Incompatible materials Oxidizing agents, Acids.

10.6 Hazardous decomposition product(s) May decompose in a fire giving off toxic fumes. Carbon monoxide, Carbon

Not oxidising.

dioxide.

Revision: 1.1 Date: 20.05.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects (Substances in preparations / mixtures)

Acute toxicity

11.2

Ingestion Not classified. Inhalation Not classified. Skin Contact Not classified. Eye Contact Not classified. Irritation Not classified. Corrosivity Not classified. Sensitisation Not classified. Repeated dose toxicity Not classified. Carcinogenicity Not classified. Mutagenicity Not classified. **Toxicity for reproduction** Not classified. Other information NTP: Not Listed

IARC Monographs: Not Listed OSHA Regulated: Not Listed

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Not classified as a Marine Pollutant.

12.2 Persistence and degradability Readily biodegradable.

12.3 Bioaccumulative potential No data.

12.4 Mobility in soil The substance may adsorb onto soils and sediments.

12.5 Results of PBT and VPVB assessment Not classified as PBT or vPvB.

12.6 Other adverse effects None known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Dispose of contents in accordance with local, state or national legislation.

13.2 Additional Information None.

14. SECTION 14: TRANSPORT INFORMATION

ADR/RID / IMDG / IATA

14.1 UN number Not classified as dangerous for transport.

14.2Proper Shipping NameNot classified14.3Transport hazard class(es)Not classified14.4Packing groupNot classified14.5Environmental hazardsNot classified

 14.5
 Environmental hazards
 Not classified

 14.6
 Special precautions for user
 Not classified

14.7 Transport in bulk according to Annex II of Not classified

MARPOL73/78 and the IBC Code

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental None

regulations/legislation specific for the substance or

mixture

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS), Existing ECHA registration(s) for Aluminum (CAS# 7429-90-5), Stearic Acid (CAS#57-11-4), Silicon (CAS# 7440-21-3), Iron (CAS# 7439-89-6) and the Classification and Labelling Inventory for Ricinus Oil/Castor Oil (CAS# 8001-79-4).

Revision: 1.1 Date: 20.05.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure	
Not classified	None.	

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration

PBT PBT: Persistent, Bioaccumulative and Toxic PvB PPT: very Persistent and very Toxic PVP National Toxicology Program

IARC International Agency for Research on Cancer
OSHA Occupational Safety and Health Administration

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.



Legal Disclaimer Notice

Vishay Precision Group, Inc.

Disclaimer

ALL PRODUCTS. PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at vpgsensors.com.

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.

Document No.: 63999 Revision: 15-Jul-2014