Revision: 1.1 Date: 15.09.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010



www.vishaypg.com

PLM-4R

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING 1.1 Product identifier Product Name PLM-4R Bisphenol A Diglycidyl Ether **Chemical Name** CAS No. 25036-25-3 None assigned. EINECS No. **REACH Registration No.** None assigned. 1.2 Recommended use of the chemical and restrictions on use Identified Use(s) Photostress® measurements. Uses Advised Against For professional users only. Supplier's details 1.3 **Company Identification** Vishay Measurements Group, Inc. Post Office Box 27777 Raleigh, NC 27611 USA Telephone 919-365-3800 Fax 919-365-3945 E-Mail (competent person) mm.us@vishaypg.com **Emergency Phone No.** 1.4 1-800-424-9300 (U.S.) CHEMTREC

2.	SECTION 2: HAZARDS IDENTIFICATION	
2.1	Classification of the substance or mixture	
2.1	GHS Classification	Skin Irrit. 2; Causes skin irritation. Skin Sens. 1; May cause sensitization by skin contact. Eye Irrit. 2; Causes serious eye irritation.
2.2	Label elements Product Name	According to GHS Classification PLM-4R
	Hazard Pictogram(s)	
	Signal Word(s)	Warning
	Hazard Statement(s)	H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation.
	Precautionary Statement(s)	P261: Avoid breathing vapours. P280: Wear protective gloves/protective clothing/eye protection/face protection. P302+P352: IF ON SKIN: Wash with plenty of soap and water. P333+P313: If skin irritation or rash occurs: Get medical advice/attention. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention.
2.3	Other hazards	None.

Revision: 1.1 Date: 15.09.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Substances in preparations / mixtures

SECTION 4: FIRST AID MEASURES

GHS Classification

Chemical identity of the substance	%W/W	CAS No.	EC No.	Hazard Statement(s)
Bisphenol A Diglycidyl Ether	100	25036-25-3	-	Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319

3.2 Mixtures Not applicable.



4.

4

4

4.1 Description of first aid measures

4.1	Description of first aid measures	
	Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	Skin Contact	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention.
	Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion	IF SWALLOWED: rinse mouth. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration into the lungs. Make victim drink water. Do not give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
4.2	Most important symptoms and effects, both acute and delayed	Contains epoxy constituents. May produce an allergic reaction. Causes irritation to eyes and skin.
4.3	Indication of any immediate medical attention and special treatment needed	None known. Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1	Extinguishing media	
	Suitable Extinguishing Media	Extinguish with carbon dioxide, dry chemical, foam or waterspray.
	Unsuitable extinguishing Media	Do not use water jet. Direct water jet may spread the fire.
5.2	Special hazards arising from the substance or mixture	May decompose in a fire giving off toxic fumes.
5.3	Advice for fire-fighters	Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and
	emergency procedures
	· · · · · · · · · · · · · · · · ·

6.2 Environmental precautions

6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation. Avoid breathing vapours. Wear protective gloves/protective clothing/eye protection/face protection. Do not allow to enter drains, sewers or watercourses.

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Dispose of this material and its container as hazardous waste.



Revision: 1.1 Date: 15.09.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010



www.vishaypg.com

6.4	Reference to other sections	See Section: 8, 13
7.	SECTION 7: HANDLING AND STORAGE	
7.1	Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing fumes. Ensure adequate ventilation. In case of inadequate ventilation wear respiratory protection. Wear protective gloves/protective clothing/eye protection/face protection. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.
7.2	Conditions for safe storage, including any incompatibilities Storage temperature	Ensure adequate ventilation. Ambient.
	Storage life	Stable under normal conditions.
7.3	Incompatible materials Specific end use(s)	Strong Acids. Strong oxidising agents. Photostress® measurements.
7.5	Specific end use(s)	Filotostiesso measurements.
8.	SECTION 8: EXPOSURE CONTROLS/PERS	ONAL PROTECTION
8.1	Control parameters	
8.1.1	Occupational Exposure Limits	Not established.
8.1.2	Biological limit value	Not established.
8.1.3	PNECs and DNELs	Not established.
8.2 8.2.1	Exposure controls Appropriate engineering controls	Ensure adequate ventilation.
8.2.2	Individual protection measures, such as personal protective equipment (PPE) Eye/face protection	Use personal protective equipment as required. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Wear protective eye glasses for protection against liquid splashes. Wear eye protection with side protection (EN166). Have available eyewash bottle with clean water.
	Skin protection	Wear impervious gloves (EN374). Breakthrough time of the glove material: refer to the information provided by the gloves' producer. The gloves type used must be chosen based on the work activity and duration as well as concentration/quantity of material being handled. Recommended: Butyl rubber, Nitrile rubber, Neoprene, PVC.
	Respiratory protection	Do not use in areas without adequate ventilation. In case of inadequate ventilation wear respiratory protection.
8.2.3	Thermal hazards Environmental Exposure Controls	Not applicable. Avoid release to the environment.
	•	
9.	SECTION 9: PHYSICAL AND CHEMICAL PF	ROPERTIES
9.1	Information on basic physical and chemical properties Appearance	s Clear Amber Coloured liquid

Odour Odour Threshold pH Melting Point/Freezing Point Initial boiling point and boiling range Clear Amber Coloured liquid Not available. Not available. Not established. Not available. 327 °C

Revision: 1.1 Date: 15.09.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Flash Point Evaporation Rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapour pressure Vapour density Relative density Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature Decomposition Temperature Viscosity Explosive properties Oxidising properties Other information 235°C (Closed Cup) Not available. Non-flammable. Not applicable. <1 mmHg Not available. 1.17 (H2O = 1) (Mixture) Insoluble. Not available. Not oxidising. None.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

9.2

- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous decomposition product(s)

Stable under normal conditions.

Stable under normal conditions.

Combustion or thermal decomposition will evolve toxic and irritant vapours. Avoid contact with heat and ignition sources and oxidizers. Strong Oxidizing agents and Nitrates. Strong Acids and Alkalis. Decomposes in a fire giving off toxic fumes: Carbon monoxide, Carbon dioxide, and Aldehydes.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects (Substances in preparations / mixtures)	
	Acute toxicity	
	Ingestion	Not classified.
	Inhalation	Not classified.
	Skin Contact	May cause an allergic skin reaction. Causes skin irritation.
	Eye Contact	Causes serious eye irritation.
	Irritation	Eye Irrit. 2; Skin Irrit. 2 Causes serious eye irritation. Causes skin irritation.
	Corrosivity	Not classified.
	Sensitisation	Skin Sens. 1; May cause an allergic skin reaction.
	Repeated dose toxicity	Not classified.
	Carcinogenicity	Not classified.
	Mutagenicity	Not classified.
	Toxicity for reproduction	Not classified.
11.2	Other information	NTP: Not Listed
		IARC Monographs: Not Listed
		OSHA Regulated: Not Listed

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

- 12.2 Persistence and degradability
- 12.3 Bioaccumulative potential
- 12.4 Mobility in soil
- 12.5 Results of PBT and vPvB assessment
- 12.6 Other adverse effects

Not classified as a Marine Pollutant. Part of the components are biodegradable. The product has no potential for bioaccumulation. The product has low mobility in soil. Not classified as PBT or vPvB. None known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Send after pre-treatment to an appropriate hazardous waste incinerator facility





www.vishaypg.com

13.2

Revision: 1.1 Date: 15.09.2015

Additional Information

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

www.vishaypg.com

according to legislation. Dispose of contents in accordance with local, state or national legislation. None.

14. SECTION 14: TRANSPORT INFORMATION

		ADR/RID / IMDG / IATA
14.1	UN number	UN 3316
14.2	Proper Shipping Name	CHEMICAL KIT
14.3	Transport hazard class(es)	9
14.4	Packing group	III
14.5	Environmental hazards	None.
14.6	Special precautions for user	See Section: 2
14.7	Transport in bulk according to Annex II of	Not applicable.
	MARPOL73/78 and the IBC Code	
14.8	Additional Information	None.

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental None known. regulations/legislation specific for the substance or mixture

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS), the Classification and Labelling Inventory for Bisphenol A Diglycidyl Ether (CAS# 25036-25-3).

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Skin Irrit. 2; H315	Threshold Calculation
Skin Sens. 1; H317	Threshold Calculation
Eye Irrit. 2; H319	Threshold Calculation

LEGEND

LTEL	Long Term Exposure Limit	
STEL	Short Term Exposure Limit	
DNEL	Derived No Effect Level	
PNEC	Predicted No Effect Concentration	
PBT	PBT: Persistent, Bioaccumulative and Toxic	
vPvB	vPvT: very Persistent and very Toxic	
NTP	National Toxicology Program	
IARC	International Agency for Research on Cancer	
OSHA	Occupational Safety and Health Administration	
NIOSH	National Institute for Occupational Safety and Health	
Training advice: Consideration should be given to the work procedures invo		

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

Revision: 1.1 Date: 15.09.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

No information available.



www.vishaypg.com



Disclaimer

ALL PRODUCTS, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at vpgsensors.com.

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.