Revision: 1.1 Date: 20.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010



www.vishaypg.com

PCH-12

1.	SECTION 1: IDENTIFICATION OF THE SUBS	STANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier Product Name Chemical Name CAS No. EINECS No.	PCH-12 Mixture Mixture Mixture
	REACH Registration No.	None assigned.
1.2	Relevant identified uses of the substance or mixture and uses advised against Identified Use(s)	Photostress® measurements.
	Uses Advised Against	None known.
1.3	Supplier's details Company Identification	VISHAY MEASUREMENTS GROUP UK LTD Stroudley Road Basingstoke Hampshire RG24 8FW United Kingdom
	Telephone	+44 (0) 1256 462131
	Fax	+44 (0) 1256 471441
	E-Mail (competent person)	mm.uk@vishaypg.com
1.4	Emergency Phone No.	(00-1) 703-527-3887 CHEMTREC
2.	SECTION 2: HAZARDS IDENTIFICATION	
2.1	Classification of the substance or mixture	
2.1.1	Regulation (EC) No. 1272/2008 (CLP)	Not classified as dangerous for supply/use.
2.1.2	Directive 67/548/EEC & Directive 1999/45/EC	Not classified as dangerous for supply/use.
2.2	Label elements Product Name	According to Regulation (EC) No. 1272/2008 (CLP) PCH-12
	Hazard Pictogram(s)	None assigned.
	Signal Word(s)	None assigned.
	Hazard Statement(s)	None assigned.
	Precautionary Statement(s)	None assigned.
2.3	Other hazards	None.

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

www.vishaypg.com

VTS

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Substances in preparations / mixtures

3.2 Mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the	%W/W	CAS No.	EC No.	Hazard Statement(s)
substance				
Ricinus Oil/Castor Oil	>75	8001-79-4	232-293-8	Not classified.
Aluminum	>20	7429-90-5	231-072-3	Flam. Sol. 1; H228
Stearic Acid	<1	57-11-4	200-313-4	Not classified.
Silicon	<1	7440-21-3	231-130-8	Not classified.
Iron	<1	7439-89-6	231-096-4	Not classified.

Directive 67/548/EEC & Directive 1999/45/EC

Chemical identity of the substance	%W/W	CAS No.	EC No.	EC Classification and Risk Phrases
Ricinus Oil/Castor Oil	>75	8001-79-4	232-293-8	Not classified.
Aluminum	>20	7429-90-5	231-072-3	Not classified.
Stearic Acid	<1	57-11-4	200-313-4	Not classified.
Silicon	<1	7440-21-3	231-130-8	Not classified.
Iron	<1	7439-89-6	231-096-4	Not classified.

SECTION 4: FIRST AID MEASURES 4.



4.1	Description of first aid measures	
	Inhalation	Unlikely route of exposure.
	Skin Contact	Wash skin with soap and water. If skin irritation occurs: Get medical advice/attention.
	Eye Contact	Flush eyes with water for at least 15 minutes while holding eyelids open. If eye irritation persists, get medical advice/attention.
	Ingestion	Wash out mouth with water and give 200-300 ml (half a pint) of water to drink. Do not induce vomiting. If symptoms persist, obtain medical attention.
4.2	Most important symptoms and effects, both acute and delayed	None known.
4.3	Indication of any immediate medical attention and special treatment needed	Unlikely to be required but if necessary treat symptomatically.
5.	SECTION 5: FIRE-FIGHTING MEASURES	
5.1	Extinguishing media	
	Suitable Extinguishing Media	Extinguish with carbon dioxide, dry chemical, foam or waterspray.
	Unsuitable extinguishing Media	Do not use water jet. May spread fire.

- extinguishing iviedia 5.2 Special hazards arising from the substance or mixture
- 5.3 Advice for fire-fighters

ise water jet. May spread fire. May decompose in a fire giving off toxic fumes.

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

SECTION 6: ACCIDENTAL RELEASE MEASURES 6.

6.1 Personal precautions, protective equipment and Wear suitable gloves if prolonged skin contact is likely. Wash hands thoroughly

Revision: 1.1 Date: 20.05.2015

emergency procedures

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Flammability (solid, gas)

Odour Threshold

Evaporation Rate

Flash Point

Melting Point/Freezing Point

Initial boiling point and boiling range

pН

6.2 6.3	Environmental precautions Methods and material for containment and cleaning	Avoid run off to waterways and sewers. Clean up spill immediately. Wipe up remainder then remove to safe place.
6.4	up Reference to other sections	Transfer to a container for disposal. Recover or recycle if possible. See Section: 8, 13
7.	SECTION 7: HANDLING AND STORAGE	
7.1	Precautions for safe handling	Wear suitable gloves if prolonged skin contact is likely. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.
7.2	Conditions for safe storage, including any	Store in a well-ventilated place. Keep container tightly closed. Keep away from
	incompatibilities	heat, sources of ignition and direct sunlight.
	Storage temperature	Ambient. <43 ℃
	Storage life	Stable under normal conditions.
	Incompatible materials	Keep away from:Oxidizing agents, Acids. fernhalten.
7.3	Specific end use(s)	Photostress® measurements.
8.	SECTION 8: EXPOSURE CONTROLS/PERSO	ONAL PROTECTION
8.1	Control parameters	
8.1.1	Occupational Exposure Limits	Not established.
8.1.2	Biological limit value	Not established.
8.1.3	PNECs and DNELs	Not established.
8.2	Exposure controls	
8.2.1	Appropriate engineering controls	Ensure adequate ventilation. Atmospheric levels should be controlled in
		compliance with the occupational exposure limit.
8.2.2	Individual protection measures, such as personal	Use personal protective equipment as required. Wash contaminated clothing
	protective equipment (PPE)	before reuse. Avoid contact with skin and eyes.
	Eye/face protection	Wear protective eye glasses for protection against liquid splashes. Wear eye
	0	protection with side protection (EN166).
	(ana)	
	Skin protection	Wear impervious gloves (EN374).
		······································
	(m ²	
	Despiratory protection	Normally, no normanal reactivatory, protection is personally
	Respiratory protection	Normally no personal respiratory protection is necessary.
	Thermal hazards	Not applicable.
8.2.3	Environmental Exposure Controls	Avoid release to the environment.
9.	SECTION 9: PHYSICAL AND CHEMICAL PR	OPEDTIES
J.	SECTION 9. FITSICAL AND CHEMICAL PR	
9.1	Information on basic physical and chemical properties	3
	Appearance	Aluminium Coloured liquid
	Odour	Mild odour

after handling.



www.vishaypg.com

Not available.

Non-flammable.

Not available.

Not established.

Not established.

313*°*C

>93°C

Revision: 1.1 Date: 20.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010

Upper/lower flammability or explosive limits Vapour pressure Vapour density Relative density Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature **Decomposition Temperature** Viscosity Explosive properties Oxidising properties Other information

Not available. >0.1 Not available. $0.959 \text{ g/cm}^3 (\text{H2O} = 1)$ Insoluble (Water) Not available. Not available. Not available. Not available. Not explosive. Not oxidising. None.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

9.2

- 10.2 **Chemical stability**
- 10.3 Possibility of hazardous reactions
- Conditions to avoid 10.4
- 10.5 Incompatible materials
- Hazardous decomposition product(s) 10.6

Stable under normal conditions. Stable under normal conditions. Hazardous polymerisation will not occur. Keep away from heat, sources of ignition and direct sunlight. Oxidizing agents, Acids. May decompose in a fire giving off toxic fumes. Carbon monoxide, Carbon dioxide.

SECTION 11: TOXICOLOGICAL INFORMATION 11.

11.1	Information on toxicological effects (Substances in preparations / mixtures)		
	Acute toxicity		
	Ingestion	Not classified.	
	Inhalation	Not classified.	
	Skin Contact	Not classified.	
	Eye Contact	Not classified.	
	Irritation	Not classified.	
	Corrosivity	Not classified.	
	Sensitisation	Not classified.	
	Repeated dose toxicity	Not classified.	
	Carcinogenicity	Not classified.	
	Mutagenicity	Not classified.	
	Toxicity for reproduction	Not classified.	
11.2	Other information	None.	

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

- 12.2 Persistence and degradability
- 12.3 **Bioaccumulative potential**
- 12.4 Mobility in soil
- **Results of PBT and VPVB assessment** 12.5
- 12.6 Other adverse effects

Not classified as a Marine Pollutant. Readily biodegradable. No data. The substance may adsorb onto soils and sediments. Not classified as PBT or vPvB. None known.

SECTION 13: DISPOSAL CONSIDERATIONS 13.

13.1 Waste treatment methods

13.2 Additional Information

Dispose of contents in accordance with local, state or national legislation. None.

14. SECTION 14: TRANSPORT INFORMATION


ADR/RID / IMDG / IATA

REVISION H



Revision: 1.1 Date: 20.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 453/2010



14.1	UN number	Not classified as dangerous for transport.
14.2	Proper Shipping Name	Not classified
14.3	Transport hazard class(es)	Not classified
14.4	Packing group	Not classified
14.5	Environmental hazards	Not classified
14.6	Special precautions for user	Not classified
14.7	Transport in bulk according to Annex II of	Not classified
	MARPOL73/78 and the IBC Code	

SECTION 15: REGULATORY INFORMATION 15.

15.1	Safety, health and environmental
	regulations/legislation specific for the substance or
	mixture
15.1.1	Authorisations and/or Restrictions On Use
15.1.2	National regulations
15.2	Chemical Safety Assessment

16. **SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS), Existing ECHA registration(s) for Aluminum (CAS# 7429-90-5), Stearic Acid (CAS#57-11-4), Silicon (CAS# 7440-21-3), Iron (CAS# 7439-89-6) and the Classification and Labelling Inventory for Ricinus Oil/Castor Oil (CAS# 8001-79-4).

None. None known. Not available.

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Not classified	None.

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	PBT: Persistent, Bioaccumulative and Toxic
vPvB	vPvT: very Persistent and very Toxic

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.

www.vishaypg.com





Disclaimer

ALL PRODUCTS, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at vpgsensors.com.

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.