Revision: 1.1 Date: 20.05.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com

PL-8

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name PL-8
Chemical Name Mixture
CAS No. Mixture
EINECS No. Mixture
REACH Registration No. None assigned.

1.2 Recommended use of the chemical and restrictions

on use

Identified Use(s)Photostress® measurements.Uses Advised AgainstFor professional users only.

1.3 Supplier's details

Company Identification VISHAY MEASUREMENTS GROUP UK LTD

Stroudley Road Basingstoke Hampshire RG24 8FW United Kingdom

 Telephone
 +44 (0) 1256 462131

 Fax
 +44 (0) 1256 471441

 E-Mail (competent person)
 mm.uk@vishaypg.com

1.4 Emergency Phone No. (00-1) 703-527-3887

CHEMTREC

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP) Skin Irrit. 2; Causes skin irritation.

Skin Sens. 1; May cause sensitization by skin contact.

Eye Irrit. 2; Causes serious eye irritation.

Repr. 1B; May damage the unborn child. Suspected of damaging fertility.

2.1.2 Directive 67/548/EEC & Directive 1999/45/EC Xi; R36/38: Irritating to eyes and skin.

R43: May cause sensitization by skin contact.

Repr. Cat. 1; R61: May cause harm to the unborn child. Repr. Cat. 3; R62: Possible risk of impaired fertility.

2.2 Label elements According to Regulation (EC) No. 1272/2008 (CLP)

Product Name PL-8

Hazard Pictogram(s)

Precautionary Statement(s)





Signal Word(s) Danger

Hazard Statement(s) H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation.

H360Df: May damage the unborn child. Suspected of damaging fertility.

P201: Obtain special instructions before use.

Revision: 1.1 Date: 20.05.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P309+P311: IF exposed or if you feel unwell: Call a POISON CENTER or

doctor/physician.

2.3 Other hazards

EUH205: Contains epoxy constituents. May produce an allergic reaction.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

- **3.1 Substances** Substances in preparations / mixtures
- 3.2 Mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	Hazard Statement(s)	
Bisphenol A Diglycidyl Ether	84	25036-25-3	-	Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319	
Dibutylphthalate*	16	84-74-2	201-557-4	Repr. 1B; H360Df Aquatic Acute 1; H400	

Directive 67/548/EEC & Directive 1999/45/EC

Chemical identity of the substance	%W/W	CAS No.	EC No.	EC Classification and Risk Phrases
Bisphenol A Diglycidyl Ether	84	25036-25-3	-	Xi; R36/38: Irritating to eyes and skin. R43: May cause sensitization by skin contact.
Dibutylphthalate*	16	84-74-2	201-557-4	R61: May cause harm to the unborn child. R62: Possible risk of impaired fertility. N; R50: Very toxic to aquatic organisms.

^{*} is included on the Candidate List of Substances of Very High Concern for authorisation (REACH Annex XIV).

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Maintain an open airway. Loosen tight clothing such

as a collar, tie, belt or waistband.

Skin Contact IF ON SKIN: Wash with plenty of soap and water. Take off contaminated

clothing and wash before reuse. If skin irritation or rash occurs: Get medical

advice/attention.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/attention.

Ingestion IF SWALLOWED: rinse mouth. Do NOT induce vomiting. If vomiting occurs

spontaneously, keep head below hips to prevent aspiration into the lungs. Make victim drink water. Never give anything by mouth to an unconscious person. Get

medical advice/attention if you feel unwell.

4.2 Most important symptoms and effects, both acute and

Contains epoxy constituents. May produce an allergic reaction. Causes irritation

Revision: 1.1 Date: 20.05.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com

delayed

4.3 Indication of any immediate medical attention and special treatment needed

to eyes and skin. May damage the unborn child. Suspected of damaging fertility. None known. Treat symptomatically.

5. **SECTION 5: FIRE-FIGHTING MEASURES**

5.1 **Extinguishing media**

> Suitable Extinguishing Media Extinguish with carbon dioxide, dry chemical, foam or waterspray. Unsuitable extinguishing Media Do not use water jet. Direct water jet may spread the fire.

5.2 Special hazards arising from the substance or mixture May decompose in a fire giving off toxic fumes.

Advice for fire-fighters 5.3

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

6.2 **Environmental precautions**

6.3 Methods and material for containment and cleaning

6.4

Ensure adequate ventilation. Avoid breathing vapours. Wear protective gloves/protective clothing/eye protection/face protection.

Do not allow to enter drains, sewers or watercourses.

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Dispose of this material and its container as hazardous

waste.

Reference to other sections See Section: 8, 13

7. **SECTION 7: HANDLING AND STORAGE**

7.1 Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing fumes. Ensure adequate ventilation. In case of inadequate ventilation wear respiratory protection. Wear protective gloves/protective clothing/eye protection/face protection. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this

product. Wash hands before breaks and after work. Ensure adequate ventilation.

7.2 Conditions for safe storage, including any

incompatibilities

Storage temperature

Storage life Incompatible materials Ambient

Stable under normal conditions. Strong Acids. Strong oxidising agents.

7.3 Specific end use(s) Photostress® measurements.

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr	LTEL (8 hr	STEL	STEL	Note
		TWA ppm)	TWA mg/m³)	(ppm)	(mg/m³)	
Dibutylphthalate	84-74-2	-	5	-	10	WEL

Note: WEL: Workplace Exposure Limit (UK HSE EH40)

Biological limit value 8.1.2

Not established.

DOCUMENT NO. 14237 Page: 3 of 7 **REVISION L**

Revision: 1.1 Date: 20.05.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com

8.1.3 PNECs and DNELs

DNEL (Dibutylphthalate)	Oral	Inhalation	Dermal
Industry - Long Term - Systemic effects	-	4.17 mg/m ³	7.22 mg/kg bw/day
Industry - Short term - Systemic effects	-	8.52 mg/m ³	-
Consumer - Long Term - Systemic effects	0.22 mg/kg bw/day	0.62 mg/m ³	2.2 mg/kg bw/day

PNEC	Dibutylphthalate	
Aquatic Compartment	PNEC aqua (freshwater) 10 μg/L	
	PNEC aqua (marine water) 10 μg/L	
	PNEC aqua (intermittent releases) 10 μg/L	
	PNEC STP 0.22 mg/L	
	PNEC sediment (freshwater/marine water) 3.1 mg/kg sediment dw	
Terrestrial Compartment	PNEC soil 2 mg/kg soil dw	
	PNEC oral 104 mg/kg food dw	

clean water.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure adequate ventilation. Atmospheric levels should be controlled in compliance with the occupational exposure limit. When no local exhaust ventilation is available, use a properly fitted, air-purifying or air-fed respirator complying with an approved standard.

8.2.2 Individual protection measures, such as personal protective equipment (PPE)

Use personal protective equipment as required. Wash contaminated clothing before reuse. Avoid contact with skin and eyes.

Wear protective eye glasses for protection against liquid splashes. Wear eye protection with side protection (EN166). Have available eyewash bottle with

Eye/face protection

0

Skin protection



Wear impervious gloves (EN374). Breakthrough time of the glove material: refer to the information provided by the gloves' producer. The gloves type used must be chosen based on the work activity and duration as well as

concentration/quantity of material being handled. Recommended: Butyl rubber,

Nitrile rubber, Neoprene, PVC.

Respiratory protection



Do not use in areas without adequate ventilation. In case of inadequate ventilation wear respiratory protection.

Thermal hazards Not applicable.

8.2.3 Environmental Exposure Controls Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties
Appearance

Odour Threshold

рΗ

Odour

Melting Point/Freezing Point Initial boiling point and boiling range

Flash point
Evaporation Rate
Flammability (solid, gas)

Upper/lower flammability or explosive limits

Light Coloured liquid Slight Aromatic Odour

Not available.

Not established. Not available.

200℃

204 °C (Closed Cup)

Not available. Non-flammable. Not applicable.

Revision: 1.1 Date: 20.05.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com

Vapour pressure Not available.
Vapour density Not available.

Relative density 1.13 (H2O = 1) (Mixture)

Solubility(ies)

Partition coefficient: n-octanol/water

Auto-ignition temperature

Decomposition Temperature

Viscosity

Explosive properties

Oxidising properties

Insoluble.

Not available.

Not applicable.

Not available.

Not available.

Not available.

Not oxidising.

9.2 Other information None.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactionsCombustion or thermal decomposition will evolve toxic and irritant vapours.

10.4 Conditions to avoid
 10.5 Incompatible materials
 Avoid contact with heat and ignition sources and oxidizers.
 Strong Oxidizing agents and Nitrates. Strong Acids and Alkalis..

10.6 Hazardous decomposition product(s) Decomposes in a fire giving off toxic fumes: Carbon monoxide, Carbon dioxide,

and Aldehydes.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects (Substances in preparations / mixtures)

Acute toxicity

Ingestion Not classified.
Inhalation Not classified.

Skin Contact May cause an allergic skin reaction. Causes skin irritation.

Eye Contact Causes serious eye irritation.

Irritation Eye Irrit. 2; Skin Irrit. 2 (Diglycidyl Ether of Bisphenol A)

Corrosivity Not classified.

Sensitisation Skin Sens. 1; (Diglycidyl Ether of Bisphenol A)

Repeated dose toxicity Repr. 1B; May damage the unborn child. Suspected of damaging fertility.

(Dibutylphthalate)

CarcinogenicityNot classified.MutagenicityNot classified.Toxicity for reproductionNot classified.

11.2 Other information None.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Not classified as a Marine Pollutant.
 12.2 Persistence and degradability Part of the components are biodegradable.
 12.3 Bioaccumulative potential The product has no potential for bioaccumulation.

12.4 Mobility in soil
 12.5 Results of PBT and VPVB assessment
 12.6 The product has low mobility in soil.
 12.7 Not classified as PBT or vPvB.

12.6 Other adverse effects None known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. (2008/98/EC). Send after pre-treatment to a appropriate hazardous waste incinerator facility according to legislation. Dispose of contents in accordance

Revision: 1.1 Date: 20.05.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

13.2

www.vishaypg.com

with local, state or national legislation.

Additional Information None

14. SECTION 14: TRANSPORT INFORMATION

	ADR/RID / IMDG / IATA
UN number	UN 3316
Proper Shipping Name	CHEMICAL KIT
Transport hazard class(es)	9
Packing group	III
Environmental hazards	None.
Special precautions for user	See Section: 2
Transport in bulk according to Annex II of	Not applicable.
MARPOL73/78 and the IBC Code	
Additional Information	If transported as part of two epoxy reaction kit, otherwise not classified for transport
	Proper Shipping Name Transport hazard class(es) Packing group Environmental hazards Special precautions for user Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU regulations

Authorisations and/or Restrictions On Use Dibutylphthalate is included on the Candidate List of Substances of Very High

Concern for authorisation (REACH Annex XIV).

 15.1.2
 National regulations
 None known.

 15.2
 Chemical Safety Assessment
 Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS), the Classification and Labelling Inventory for Diglycidyl Ether of Bisphenol A (CAS# 25036-25-3) and Existing ECHA registration(s) for Dibutylphthalate (CAS# 84-74-2).

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Skin Irrit. 2; H315	Threshold Calculation
Skin Sens. 1; H317	Threshold Calculation
Eye Irrit. 2; H319	Threshold Calculation
Repr. 1B; H360Df	Threshold Calculation

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration

PBT PBT: Persistent, Bioaccumulative and Toxic PPVB PPT: very Persistent and very Toxic

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Revision: 1.1 Date: 20.05.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.



Legal Disclaimer Notice

Vishay Precision Group, Inc.

Disclaimer

ALL PRODUCTS. PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at vpgsensors.com.

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.

Document No.: 63999 Revision: 15-Jul-2014