Revision: 1.1 Date: 27.10.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com

PLH-10/PLMH-1/PMCH-1

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier 1.1

> PLH-10/PLMH-1/PMCH-1 Product Name Triethylenetetramine Chemical Name

> > (TETA) 112-24-3 203-950-6

> > > None assigned.

REACH Registration No. Recommended use of the chemical and restrictions

on use

1.2

1.4

CAS No.

EINECS No.

Identified Use(s) Photostress® measurements.

Uses Advised Against None.

Supplier's details 1.3

> VISHAY MEASUREMENTS GROUP UK LTD Company Identification

> > Stroudley Road Basingstoke Hampshire RG24 8FW United Kingdom

Telephone +44 (0) 1256 462131 +44 (0) 1256 471441 E-Mail (competent person) mm.uk@vishaypg.com **Emergency Phone No.** (00-1) 703-527-3887

CHEMTREC

2. **SECTION 2: HAZARDS IDENTIFICATION**

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP) Met. Corr. 1; May be corrosive to metals. Acute Tox. 4; Harmful in contact with skin.

Skin Corr. 1B; Causes severe skin burns and eye damage.

Skin Sens. 1; May cause an allergic skin reaction.

Aquatic Chronic 3; Harmful to aquatic life with long lasting effects.

Directive 67/548/EEC & Directive 1999/45/EC Xn: R21: Harmful in contact with skin. 2.1.2

C: R35: Causes severe burns.

R43: May cause sensitization by skin contact.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

Label elements According to Regulation (EC) No. 1272/2008 (CLP) 2.2

PLH-8/PLMH-1/PMCH-1 **Product Name**

Hazard Pictogram(s)





Signal Word(s)

Hazard Statement(s) H290: May be corrosive to metals.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage. H317: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long lasting effects. P234: Keep only in original container.

Precautionary Statement(s)

DOCUMENT NO. 14241 **REVISION K** Page: 1 of 6

Danger

Revision: 1.1 Date: 27.10.2015



MICRO E MEASUREMENTS AVPG Brand

www.vishaypg.com

P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician. None.

2.3 Other hazards

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the	%W/W	CAS No.	EC No.	Hazard Statement(s)
substance				
Triethylenetetramine	100	112-24-3	203-950-6	Acute Tox. 4; H312
(TETA)				Skin Corr. 1B; H314
				Skin Sens. 1; H317
				Aquatic Chronic 3; H412

Directive 67/548/EEC & Directive 1999/45/EC

Chemical identity of the substance	%W/W	CAS No.	EC No.	EC Classification and Risk Phrases
Triethylenetetramine (TETA)	100	112-24-3	203-950-6	Xn; R21: Harmful in contact with skin. R34: Causes burns. R43: May cause sensitization by skin contact. R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3.2 Mixtures Not applicable.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Call a POISON CENTER or doctor/physician if you

feel unwell

Skin Contact IF ON SKIN: Wash with plenty of soap and water. Take off contaminated

clothing and wash before reuse. If irritation (redness, rash, blistering) develops,

get medical attention.

Eye Contact

IF IN EYES: Flush eyes with water for at least 15 minutes while holding eyelids open.Remove contact lenses if worn. Get medical attention if eye irritation

develops or persists. Continue irrigation until medical attention can be obtained. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink two glasses of water. Get medical

attention immediately.

4.2 Most important symptoms and effects, both acute and

delayed

Ingestion

Causes damage to organs through prolonged or repeated exposure. Causes severe burns to skin, eyes, respiratory system and gastrointestinal tract. Fluid build up on the lung (pulmonary oedema) may occur up to 48 hours after

exposure and could prove fatal.

4.3 Indication of any immediate medical attention and special treatment needed

Chemical eye burns may require extended irrigation. Obtain prompt consultation, preferably from an ophthalmologist.

Revision: 1.1 Date: 27.10.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

up

Suitable Extinguishing Media Extinguish with carbon dioxide, dry chemical, foam or waterspray.

Unsuitable extinguishing Media Do not use water jet.

5.2 Special hazards arising from the substance or mixture May decompose in a fire giving off toxic fumes. Carbon monoxide, Carbon

dioxide, Nitrogen oxides.

5.3 Advice for fire-fighters
Fire fighters should wear complete protective clothing including self-contained

breathing apparatus. Do not breathe fumes. Keep containers cool by spraying

with water if exposed to fire. Avoid run off to waterways and sewers.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and Ensure adequate ventilation. Shut off leaks if without risk. Avoid contact with

emergency procedures skin, eyes or clothing. Avoid breathing vapours. Wear protective

gloves/protective clothing/eye protection/face protection.

6.2 Environmental precautionsDo not allow to enter drains, sewers or watercourses.

6.3 Methods and material for containment and cleaning Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to

a container for disposal. Dispose of this material and its container as hazardous $% \left(1\right) =\left(1\right) \left(1\right)$

waste.

6.4 Reference to other sections See Section: 8, 13

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Ensure adequate ventilation. Do not breathe mist/vapours/spray. In case of

inadequate ventilation wear respiratory protection. Wear protective

gloves/protective clothing/eye protection/face protection. Avoid contact with skin,

Store in a well-ventilated place. Keep container tightly closed. Keep away from

eyes or clothing. Do not eat, drink or smoke when using this product. Wash

hands before breaks and after work.

7.2 Conditions for safe storage, including any

incompatibilities

Ambient.

heat and direct sunlight.

Storage temperature

Storage life Stable under normal conditions.

Incompatible materials Keep only in original container. Keep/store away from: Oxidizing agents.

Storage vessels should not be made of: Copper, Aluminium, or Brass.

7.3 Specific end use(s) Photostress® measurements.

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure LimitsNot established.

8.1.2 Biological limit value Not established.

8.1.3 PNECs and DNELs Not established.

8.2 Exposure controls

8.2.1 Appropriate engineering controls Ensure adequate ventilation.

8.2.2 Individual protection measures, such as personal

protective equipment (PPE)

Use personal protective equipment as required. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Guarantee that the eye flushing systems and safety showers are located close to the working place.

dystolilis and safety should also located stood to the morning place.

Eye/face protection Wear goggles giving complete protection to eyes to protect against liquid

splashes (EN166).

Revision: 1.1 Date: 27.10.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com



Skin protection



Wear impervious gloves (EN374). Breakthrough time of the glove material: refer to the information provided by the gloves' producer. Wear chemical resistant apron. Wear suitable protective clothing. Unsuitable gloves materials

Respiratory protection



material are likely. When no local exhaust ventilation is available, use a properly fitted, air-purifying or air-fed respirator complying with an approved standard.

Wear suitable respiratory protective equipment if exposure to high levels of

Thermal hazards Not applicable.

8.2.3 Environmental Exposure Controls Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical

properties

Appearance Yellow Coloured liquid. Odour Amine-like Odour Odour Threshold Not available. Hq Not established. Melting Point/Freezing Point Not established. Initial boiling point and boiling range 277 °C (Mixture) Flash point 149 °C (Setaflash) **Evaporation Rate** <1 (BuAc = 1) Flammability (solid, gas) Non-flammable Upper/lower flammability or explosive limits Not available.

Vapour pressure <1.3e-3 kPa at 20ºC Vapour density 5 (Air = 1)Relative density 0.98 (H2O = 1)Solubility(ies) Soluble in water. Partition coefficient: n-octanol/water Not available. Auto-ignition temperature Not available. **Decomposition Temperature** Not available. Viscosity Not available. Explosive properties Not explosive. Oxidising properties Not oxidising.

9.2 Other information None.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions May decompose in a fire giving off toxic fumes.

10.4 Conditions to avoid Keep away from heat and flame.
 10.5 Incompatible materials Keep away from: Oxidizing agents.

10.6 Hazardous decomposition product(s) Carbon monoxide, Carbon dioxide, Oxides of nitrogen.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects (Substances in preparations / mixtures)

Acute toxicity

Ingestion Will cause corrosion of and damage to the gastrointestinal tract.

Inhalation May cause respiratory irritation.

Revision: 1.1 Date: 27.10.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com

Skin Contact Acute Tox. 4; (Dermal). May cause sensitization by skin contact.

Eye Contact Causes serious eye damage.

Irritation Not classified.

CorrosivitySkin Corr. 1B; Causes severe damage to eyes and skin.SensitisationSkin Sens. 1; May cause sensitization by skin contact.

Repeated dose toxicity Not classified.

Carcinogenicity No evidence of carcinogenicity.

Mutagenicity There is no evidence of mutagenic potential.

Toxicity for reproduction Not classified.

11.2 Other information None.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Toxic to aquatic life with long lasting effects. (Aquatic Chronic 3). TETA is

resistant to biodegradation in biological wastewater treatment plants. It could be

toxic to the biomass in a treatment plant and could be toxic to fish.

12.2 Persistence and degradability The product is poorly biodegradable.

12.3 Bioaccumulative potential The product has low potential for bioaccumulation.

12.4 Mobility in soil The product is predicted to have high mobility in soil. Soluble in water.

12.5 Results of PBT and VPVB assessment Not classified as PBT or vPvB.

12.6 Other adverse effects None known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods This material and its container must be disposed of as hazardous waste.

(2001/118EC). Send after pre-treatment to a appropriate hazardous waste

incinerator facility according to legislation.

13.2 Additional Information Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

ADR/RID / IMDG / IATA

14.1 UN number UN 2259

14.2 Proper Shipping Name TRIETHYLENETHETRAMINE

14.3 Transport hazard class(es)14.4 Packing group

14.5 Environmental hazards Not classified as a Marine Pollutant. / Environmentally hazardous substance

8

14.6 Special precautions for user Causes burns to skin and eyes.

14.7 Transport in bulk according to Annex II of Not applicable.

MARPOL73/78 and the IBC Code

WARPOL/3/76 and the IBC Code

14.8 Additional Information None.

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU regulations

Authorisations and/or Restrictions On Use None.

15.1.2 National regulations None known.

15.2 Chemical Safety Assessment Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS) and Harmonised Classification(s) for Triethylenetetramine (CAS# 112-24-3).

Revision: 1.1 Date: 27.10.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 453/2010

www.vishaypg.com

Classification of the substance or mixture According to	Classification Procedure	
Regulation (EC) No. 1272/2008 (CLP)		
Met. Corr. 1; H290	T.D.G. Classification	
Acute Tox. 4; H312	Harmonised Classification	
Skin Corr. 1B; H314	Harmonised Classification	
Skin Sens. 1; H317	Harmonised Classification	
Aquatic Chronic 3; H412	Summation Calculation	

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration

PBT PBT: Persistent, Bioaccumulative and Toxic PvB PBT: very Persistent and very Toxic

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.



Legal Disclaimer Notice

Vishay Precision Group, Inc.

Disclaimer

ALL PRODUCTS. PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at vpgsensors.com.

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.

Document No.: 63999 Revision: 15-Jul-2014