Revision: 2.0 Date: 24.08.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypg.com

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name PC-10
Chemical Name Mixture
CAS No. Mixture
EINECS No. Mixture
REACH Registration No. None assigned.

1.2 Relevant identified uses of the substance or mixture

and uses advised against

Identified Use(s) Photostress® measurements.

Uses Advised Against None known.

1.3 Details of the supplier of the safety data sheet

Company Identification VISHAY MEASUREMENTS GROUP, INC.

Post Office Box 27777 Raleigh, NC 27611

USA

 Telephone
 919-365-3800

 Fax
 919-365-3945

E-Mail (competent person) mm.us@vishaypg.com

1.4 Emergency telephone number 1-800-424-9300

CHEMTREC

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification

Acute Tox. 4; H302
Skin Irrit. 2; H315
Skin Sens. 1; H317
Eye Irrit. 2; H319
Muta. 2; H341

Carc. 2; H351 STOT SE 2; H371 Aquatic Chronic 2; H411

2.2 Label elements GHS Classification

Product Name PC-10

Hazard Pictogram(s)

2.1.1







Signal Word(s) Warning

Contains: Resorcinol Diglycidyl Ether, Reaction product: bisphenol-A-(epichlorhydrin)

epoxy resin (number average molecular weight \leq 700), P-Tert-butylphenyl 1-

(2,3-epoxy)propyl ether and Resorcinol.

Hazard Statement(s) H302: Harmful if swallowed.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H341: Suspected of causing genetic defects.

H351: Suspected of causing cancer.

H371: May cause damage to organs - Ingestion.

Revision: 2.0 Date: 24.08.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypg.com

H411: Toxic to aquatic life with long lasting effects.

Precautionary Statement(s) P201: Obtain special instructions before use.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P309+P311: IF exposed or if you feel unwell: Call a POISON CENTER or

doctor/physician.

None.

Additional Information

2.3 Other hazards None.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Not applicable

3.2 Mixtures

GHS Classification

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard Statement(s)
Resorcinol Diglycidyl Ether	34 - 40	101-90-6	202-987-5	None assigned.	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319 Muta. 2; H341 Carc. 2; H351 Aquatic Chronic 3; H412
Reaction product: bisphenol-A- (epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)	< 100	25068-38-6	500-033-5	None assigned.	Skin Irrit. 2; H315 (SCL: ≥ 5%) Skin Sens. 1; H317 Eye Irrit. 2; H319 (SCL: ≥ 5%) Aquatic Chronic 2; H411
Aluminium powder (stabilised)	15 - 20	7429-90-5	231-072-3	None assigned.	Flam. Sol. 1; H228 Water-react. 2; H261
Tert-butylphenyl 1-(2,3-epoxy)propyl ether	0.4 – 3.8	3101-60-8	221-453-2	None assigned.	Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319 Aquatic Chronic 2; H411
Linseed oil, epoxidised	1 - 2	8016-11-3	232-401-3	None assigned.	Not classified
Resorcinol	1 - 2	108-46-3	203-585-2	None assigned.	Acute Tox. 4; H302 Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319 STOT SE 1; H370 Aquatic Acute 1; H400
Stearic acid	< 1	57-11-4	200-313-4	None assigned.	Not classified
Silicon	< 0.5	7440-21-3	231-130-8	None assigned.	Not classified
Iron	< 0.5	7439-89-6	231-096-4	None assigned.	Not classified

H228: Flammable solid. H261: In contact with water releases flammable gases. H302: Harmful if swallowed. H312: Harmful in contact with skin. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H341: Suspected of causing genetic defects. H351: Suspected of causing cancer. H370: Causes damage to organs. H400: Very toxic to aquatic life. H411: Toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects. SCL: Specific Concentration Limit.

Revision: 2.0 Date: 24.08.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypq.com

4. **SECTION 4: FIRST AID MEASURES**



Description of first aid measures

Self-protection of the first aider

respiratory protective equipment if exposure to high levels of material are likely. Do not use mouth-to-mouth resuscitation.

Do not breathe vapour. Wear suitable protective clothing. Wear suitable

Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or

waistband. Apply artificial respiration if breathing has ceased or shows signs of

failing. IF exposed or concerned: Get medical advice/attention.

IF ON SKIN: Remove contaminated clothing and wash all affected areas with plenty of water. Contaminated clothing should be thoroughly cleaned. If skin irritation or rash occurs: Get medical advice/attention. IF exposed or concerned:

Get medical advice/attention.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Get medical attention if eye

irritation develops or persists.

Ingestion IF SWALLOWED: Rinse mouth. Do not induce vomiting. Do not give anything by

mouth to an unconscious person. Call a POISON CENTER/doctor if you feel

unwell. IF exposed or concerned: Get medical advice/attention.

4.2 Most important symptoms and effects, both acute and

Skin Contact

Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Suspected of causing genetic defects. Suspected

of causing cancer. May cause damage to organs.

Treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed

5. **SECTION 5: FIREFIGHTING MEASURES**

5.1 **Extinguishing media**

> Suitable Extinguishing media As appropriate for surrounding fire. Extinguish with dry sand or special powder

for metal fire.

Unsuitable extinguishing media

Do not use water jet. Direct water jet may spread the fire.

5.2 Special hazards arising from the substance or mixture

May decompose in a fire giving off toxic fumes. Carbon monoxide, carbon dioxide, Phenolics, Aluminium oxides and Aldehydes. Sealed containers may rupture explosively if hot. Dense smoke is emitted when burned without

sufficient oxygen.

5.3 Advice for fire-fighters Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying

with water if exposed to fire. Avoid run off to waterways and sewers.

SECTION 6: ACCIDENTAL RELEASE MEASURES 6.

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Use personal protective equipment as required. See Section: 8. Do not breathe vapour.

6.2 **Environmental precautions** Avoid release to the environment. Do not allow to enter drains, sewers or

6.3 Methods and material for containment and cleaning up

watercourses. Spillages or uncontrolled discharges into watercourses must be alerted to the Environment Agency or other appropriate regulatory body. Ensure suitable personal protection during removal of spillages. Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Ventilate the area and wash spill site after material pickup is complete. This material and its container must be disposed of as

hazardous waste.

6.4 Reference to other sections See Section: 8, 13

Revision: 2.0 Date: 24.08.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypq.com

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin, eyes or clothing. Do not breathe vapour. Ensure adequate ventilation. Use personal protective equipment as required. See Section: 8. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

Store in a well-ventilated place. Keep container tightly closed. Keep away from

7.2 Conditions for safe storage, including any incompatibilities

heat, sources of ignition and direct sunlight. Protect from moisture. Ambient.

Storage temperature Storage life

Stable under normal conditions.

Incompatible materials

Keep away from: Acids, strong bases, Oxidizing agents, mercaptans and unintended contact with amines. The following may occur: Hazardous

Polymerization.

7.3 Specific end use(s)

Photostress® measurements.

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Aluminium	7429-90-5	-	10 (1) 5 (2) 3 (3)	-	-	NIOSH
Aluminium	7429-90-5	-	15 (1) 5 (4)	-	-	OSHA
Resorcinol	108-46-3	10	45	20 (5)	90 (5)	NIOSH
Silicon	7440-21-3	-	10 (1) 5 (6)	-	-	NIOSH
Silicon	7440-21-3	-	15 (1) 5 (4)	-	-	OSHA

Note: OSHA 1910.1000 TABLE Z-1 / NIOSH

- 1) Total dust
- 2) Respirable fraction, pyro powders, welding fumes
- 3) Soluble salts, alkyls
- 4) Respirable dust
- 5) 15 minutes average value
- 6) Respirable fraction

8.1.2 Biological limit value

Not established.

8.1.3 PNECs and DNELs

Not established.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure adequate ventilation or use appropriate containment. Atmospheric levels should be controlled in compliance with the occupational exposure limit. Have available eyewash bottle with clean water.

8.2.2 Individual protection measures, such as personal protective equipment (PPE)

General hygiene measures for the handling of chemicals are applicable. Avoid contact with skin, eyes or clothing. Do not breathe vapour. Wash hands before breaks and after work. Keep work clothes separately. Contaminated clothing should be thoroughly cleaned. Contaminated leather articles should be discarded (e.g. shoes). Do not eat, drink or smoke at the work place.

Eye/ face protection

Wear protective eye glasses for protection against liquid splashes. Wear eye

Revision: 2.0 Date: 24.08.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypg.com



Skin protection



protection with side protection (EN166).

Hand protection: Wear impervious gloves (EN374). Gloves should be changed regularly to avoid permeation problems. The gloves type used must be chosen based on the work activity and duration as well as concentration/quantity of material being handled. Recommended: Neoprene.

Body protection: Wear impervious protective clothing, including boots, lab coat,

apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection In case of inadequate ventilation wear respiratory protection. Open system(s):

Wear suitable respiratory protective equipment.



Thermal hazards Not applicable.

8.2.3 Environmental Exposure Controls Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Aluminium Coloured liquid

Odour Faint Odour
Odour threshold Not available.
pH Not established.
Melting point/freezing point Not available.

Initial boiling point and boiling range 204°C

Flash point 110°C [Closed cup]
Evaporation rate Not available.

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Not applicable - Liquid.

Not applicable.

Vapour pressure < 1 mm Hg Vapour density > 1 (Air = 1)Relative density 1.51 (H2O = 1)Solubility(ies) Insoluble in water. Partition coefficient: n-octanol/water Not available. Auto-ignition temperature Not applicable. **Decomposition Temperature** Not available. Viscosity Not available. Explosive properties Not explosive.

9.2 Other information Volatile Organic Compound Content (%): 0

10. SECTION 10: STABILITY AND REACTIVITY

Oxidising properties

10.1	Reactivity	Stable under normal conditions.
10.2	Chemical stability	Stable under normal conditions

10.3 Possibility of hazardous reactions Keep away from: Acids, strong bases, Amines and mercaptans. The following

Not oxidising.

may occur: Hazardous Polymerization. Contact with aliphatic amines will cause

irreversible polymerization with considerable heat build-up.

10.4 Conditions to avoid Keep away from heat, sources of ignition and direct sunlight.
 10.5 Incompatible materials Keep away from: Acids, strong bases, Amines and mercaptans.

10.6 Hazardous decomposition product(s) May decompose in a fire giving off toxic fumes. Carbon monoxide, carbon

dioxide, Phenolics, Aluminium oxides and Aldehydes.

Revision: 2.0 Date: 24.08.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypq.com

SECTION 11: TOXICOLOGICAL INFORMATION 11.

11.1 Information on toxicological effects (Substances in preparations / mixtures)

Acute toxicity

Skin Contact

Ingestion Acute Tox. 4: Harmful if swallowed.

Acute Toxicity Estimate Mixture Calculation: Estimated LC50 1244 mg/kg

bw/day.

Inhalation Based upon the available data, the classification criteria are not met.

> Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 20.0 mg/l. Based upon the available data, the classification criteria are not met.

Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg

bw/day.

Skin corrosion/irritation Skin Irrit. 2: Causes skin irritation. Serious eye damage/irritation Eye Irrit. 2: Causes serious eye irritation.

Respiratory or skin sensitization Skin Sens. 1: May cause an allergic skin reaction. Germ cell mutagenicity Muta. 2: Suspected of causing genetic defects.

Carcinogenicity Carc. 2: Suspected of causing cancer.

Reproductive toxicity Based upon the available data, the classification criteria are not met.

STOT - single exposure STOT SE 2: May cause damage to organs.

STOT - repeated exposure Based upon the available data, the classification criteria are not met. Aspiration hazard Based upon the available data, the classification criteria are not met.

11.2 Other information

> NTP Report on Carcinogens Not listed

IARC Monographs Resorcinol diglycidyl ether (CAS# 101-90-6): Group 2B - Possibly carcinogenic

to humans.

SECTION 12: ECOLOGICAL INFORMATION 12.

12.1 **Toxicity** Aquatic Chronic 2: Toxic to aquatic life with long lasting effects.

> Estimated Mixture LC50 > 1 ≤ 10 mg/l (Fish) Part of the components are poorly biodegradable.

12.2 Persistence and degradability 12.3 **Bioaccumulative potential** The product has low potential for bioaccumulation.

12.4 Mobility in soil The product is predicted to have low mobility in soil. (Insoluble in water.)

Results of PBT and vPvB assessment 12.5 Not classified as PBT or vPvB.

12.6 Other adverse effects None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Dispose of this material and its container as hazardous waste. Containers of this

material may be hazardous when empty since they retain product residue.

13.2 **Additional Information** Dispose of contents in accordance with local, state or national legislation.

14. **SECTION 14: TRANSPORT INFORMATION**

ADR/RID / IMDG / IATA

14.1 **UN** number UN 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Reaction 14.2

product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular

weight ≤ 700) and Tert-butylphenyl 1-(2,3-epoxy)propyl ether)

Transport hazard class(es) 14.3

14.4 Packing group

Ш 14.5 **Environmental hazards** Classified as a Marine Pollutant/ Environmentally hazardous substance

9

14.6 Special precautions for user See Section: 2 14.7 Transport in bulk according to Annex II of MARPOL Not applicable.

73/78 and the IBC Code

Additional Information 14.8 None.

Revision: 2.0 Date: 24.08.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),

1272/2008 (CLP) & 2015/830

www.vishaypq.com

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental

regulations/legislation specific for the substance or

mixture

15.1.2

15.1.1 National regulations

OSHA Occupational Safety and Health Standards

European regulations

Authorisations and/or Restrictions On Use None.
Substance(s) of Very High Concern (SVHCs) None.

Wassergefährdungsklasse (Germany) Water hazard class: 2

15.2 Chemical Safety Assessment Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS), Harmonised Classification(s) for Resorcinol diglycidyl ether (CAS# 101-90-6), Reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) (CAS# 25068-38-6), Aluminium powder (stabilised) (CAS# 7429-90-5) and Resorcinol (CAS# 108-46-3). Existing ECHA registration(s) for Reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) (CAS# 25068-38-6), Tert-butylphenyl 1-(2,3-epoxy)propyl ether (CAS# 3101-60-8), Aluminium (CAS# 7429-90-5), Linseed oil, Epoxidized (CAS# 8016-11-3), Resorcinol (CAS# 108-46-3), Stearic acid (CAS# 57-11-4), Silicon (CAS# 7440-21-3) and Iron (CAS# 7439-89-6).

None.

GHS Classification of the substance or mixture	Classification Procedure
Acute Tox. 4; H302	Acute Toxicity Estimate Mixture Calculation
Skin Irrit. 2; H315	Threshold Calculation
Skin Sens. 1; H317	Threshold Calculation
Eye Irrit. 2; H19	Threshold Calculation
Muta. 2; H341	Threshold Calculation
Carc. 2; H351	Threshold Calculation
STOT SE 2; H371	Threshold Calculation
Aquatic Chronic 2; H411	Summation Calculation

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration

PBT PBT: Persistent, Bioaccumulative and Toxic vPvB very Persistent and very Bioaccumulative

NTP National Toxicology Program

IARC International Agency for Research on Cancer
OSHA The Occupational Safety & Health Administration
NIOSH National Institute for Occupational Safety and Health

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

Revision: 2.0 Date: 24.08.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

www.vishaypg.com

No information available.