ZINSSER COVERS UP

HAZARD RATINGS

Health:

2

Flammability:

Reactivity:

0

Personal Protective Clothing: Goggles and gloves.

HEALTH HAZARDS

INHALATION: May cause headache, drowsiness, dizziness, nausea and respiratory tract irritation.

SKIN CONTACT: Prolonged contact may cause skin irritation.

EYE CONTACT: May cause eye irritation.

INGESTION: Although ingestion is not anticipated route of exposure, this material can be harmful if swallowed. If may cause depression of the central nervous system, nausea and vomiting.

FIRST AID MEASURES

INHALATION: Remove person to fresh air. Contact physician or poison control center if symptoms persist.

SKIN CONTACT: Wash affected area thoroughly with soap and water.

EYE CONTACT: Flush eyes with water for 15 minutes.

INGESTION: Call a physician or poison control center.

Revised: 9/2/10

Material Safety Data Sheet

General Information Section 1

Manufacturer:

Rust-Oleum Corporation 11 Hawthorn Parkway Vernon Hills, IL 60061

24 Hour Assistance: 1-847-367-7700

www.rustoleum.com

Date: April 29, 2009

Product Name: Zinsser Covers Up

Product Codes:

03688

Section 2 **Hazardous Ingredients**

Hazardous Component		CAS#	OSHA <u>PEL</u>	ACGIH <u>TLV</u>
Acetone		67-64-1	1000 ppm	500 ppm
Limestone		1317-65-3	$15 \text{ mg/m}^3 * (5 \text{ mg/m}^3 **)$	$10 \text{ mg/m}^{3 \dagger} (3 \text{ mg/m}^{3 **})$
Propane		74-98-6	1000 ppm	2500 ppm
Titanium dioxide		13463-67-7	$15 \text{ Mg/m}^3 *$	10 Mg/m^3
n-Butane		106-97-8	N/E	1000 ppm
* Total Dust	** Respirable Dust Fraction	† Inha	lable fraction	

Section 3 **Hazard Identification**

Emergency Overview: This material is an aerosol spray coating. The container is pressurized and extremely flammable. As packaged, this material has a flashpoint of less than 32° F.

Primary Routes of Exposure:

Inhalation Skin Contact Eye Contact

Potential Acute Health Effects:

Eye: May cause eye irritation.

Skin: Prolonged contact may cause skin irritation.

Ingestion: Although ingestion is not anticipated route of exposure, this material can be harmful if swallowed. It may cause depression of the central nervous system, nausea, and vomiting.

Inhalation: May cause headache, drowsiness, dizziness, nausea, and respiratory tract irritation.

Potential Chronic Health Effects: None known.

(See also Sections 4, 8, and 11 for related information)

Section 4 First Aid Measures

Eye contact: Flush eyes with water for 15 minutes.

Skin contact: Wash affected area thoroughly with soap and water.

Ingestion: Call a physician or poison control center.

Inhalation: Remove person to fresh air. Contact physician or poison control center if

symptoms persist.

Section 5 Fire Fighting Measures

Flash Point (method):

 $< 32^{\circ} F (< 0^{\circ} C)$

Extinguishing Media:

Foam, CO₂, dry chemical, water fog.

Protection of Firefighters: As in any fire, wear NIOSH approved self-contained breathing apparatus in pressure-demand mode and full protective gear.

Fire and Explosion Hazards:

Contents under pressure. Containers can build up pressure

if exposed to heat (fire).

Section 6 Accidental Release Measures

Personal Precautions: Use with adequate ventilation. Avoid breathing vapors. Avoid contact with eyes and skin. Do not eat, drink or smoke in areas of use or storage.

Clean Up Methods: Dispose of in accordance with federal, state, local, regulations.

(See also Section 8 for information on Exposure Controls and Personal Protective Equipment)

Section 7 **Handling and Storage**

Handling: Do not use near heat, sparks, or open flame. Keep operating temperatures below ignition temperatures at all times. Use only in a well-ventilated area.

Storage: Store at room temperature. Protect against physical damage. Contents under pressure. Do not expose to heat. Keep away from heat, spark, and flame. Do not puncture, incinerate, or store above 120° F. Do not discard empty container in garbage compactor. Exposure to heat or prolonged exposure to sunlight may cause bursting.

Section 8 **Exposure Controls / Personal Protection**

Engineering Controls: General dilution ventilation or local exhaust ventilation may be necessary to control vapors below applicable exposure limits.

Personal Protective Equipment (PPE):

Eye Protection:

Wear safety glasses, splash goggles, or full face shield to prevent eye

contact.

Skin Protection:

Wear rubber gloves to prevent skin contact.

Respiratory Protection: Use NIOSH approved respirator with organic vapor cartridges if vapor levels exceed applicable workplace exposure limits.

General Hygiene Practices: Wash thoroughly after handling. Prevent Eye contact. Avoid prolonged skin or inhalation contact.

Section 9 **Physical Data**

Appearance:

Off-white colored aerosol

Odor:

Mild odor.

Physical State:

Spray mist

pH: N/A

Boiling Point:

N/D

Melting Point:

N/D

Vapor Pressure:

N/D

Vapor Density:

Greater than air

Odor Threshold:

N/D

Viscosity:

N/D

Solubility in Water:

N/D

Specific Gravity (water = 1):0.9

Section 10 Stability and Reactivity

Stability:

Stable, non-reactive.

Hazardous Polymerization:

Will not occur.

Hazardous Decomposition Products:

None known.

Conditions to Avoid:

Heat, sparks, and open flames.

Incompatibilities:

Strong oxidizing agents.

Section 11 Toxicological Information

Carcinocenicity: This material is not considered a carcinogen by IARC or NTP and is not regulated as a carcinogen by OSHA.

(See also Section 15 for related information)

Section 12 Ecological Information

Chemical Fate and Effects: No data available.

Section 13 Disposal Considerations

RCRA Hazardous Waste: This material, when discarded or disposed of, could be a hazardous waste according to federal regulations (40 CFR 261) due to the characteristic of ignitability (D001). The transportation, storage, treatment, and disposal of this waste must be conducted in compliance with 40 CFR 262, 263, 264, 268, and 270. Disposal can only occur in properly permitted facilities. Check state and local regulations for any additional requirements as these may be more restrictive than federal laws and regulations. Chemical additions, processing or otherwise altering this material may make the waste management information presented in this MSDS incomplete, inaccurate, or otherwise inappropriate.

Section 14 Transportation Information

Regulated by the DOT:

No (ORM-D, Consumer Commodity)

Section 15 **Regulatory Information**

CERCLA:

The Comprehensive Environmental Response Compensation and Liability Act of 1980 (CERCLA) requires notification to the National Response Center for releases of quantities of Hazardous Substances equal to or greater than the reportable quantities (RQs) in 40 CFR 302.4 (for CERCLA 102).

Components present in this product at a level which could require reporting under the statute are:

Chemical Name

CAS#

Maximum Concentration (Wt. %)

None

N/A

N/A

SARA Title III, section 311/312:

The Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires emergency planning based on Threshold Planning Quantities (TPQs) and release reporting based on Reportable Quantities (RQs) in 40 CFR 355 (used for SARA 302, 304, 311 and 312).

Components present in this product at a level which could require reporting under the statute are:

Chemical Name

CAS#

Maximum Concentration (Wt. %)

None

N/A

SARA Title III, section 313:

The Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires submission of annual reports of release of toxic chemicals that appear in 40 CFR 372 (for SARA 313).

Components present in this product at a level which could require reporting under the statute are:

Chemical Name

CAS#

Maximum Concentration (Wt. %)

None

N/A

TSCA:

The components of this mixture are listed in the Toxic Substance Control Act Inventory of Chemical Substances.

This product contains the following chemicals which require export notification under section 12(b) of the TSCA regulation:

Chemical Name

TSCA Section

None

Section 16 Other Information

Legend: N/A: Not Applicable

N/E: Not Established

STEL: Short Term Exposure Limit

cps: Centipoise

mppef: million particles per cubic foot of air.

PPB: Parts Per Billion

TLV: Threshold Limit Value

TWA: Time Weighted Average ACGIH: American Conference of Governmental Industrial Hygienists

CPSC: Consumer Product Safety Commission

DOT: US Department of Transportation FHSA: Federal Hazardous Substance Act

OSHA: Occupational Safety and Health Administration (US Dept. of Labor)

RCRA: Resource Conservation and Recovery Act SARA: Superfund Amendment and Reauthorization Act

Skin: This substance has the potential to be absorbed systemically through the skin.

TSCA: Toxic Substance Control Act

HMIS Key

4 =Severe Hazard

3 = Serious Hazard

2 = Moderate Hazard

1 = Slight Hazard

0 = Minimal Hazard

Prepared By: Rust-Oleum Regulatory Compliance Dept.

173 Belmont Drive Somerset, NJ 08875

(732) 469-8100

N/D: Not Determined

C: OSHA Ceiling Value

PPM: Parts Per Million

mg/m³: milligrams per cubic meter

PEL: Permissible Exposure Limit

N/R: Not Required

Disclaimer: Rust-Oleum Corporation believes, to the best of its knowledge, information and belief, the information contained herein to be accurate and reliable as of the date of this material safety data sheet. However, because the conditions of handling, use, and storage of these materials are beyond our control, we assume no responsibility or liability for personal injury or property damage incurred by the use of these materials and make no warranty, expressed or implied, regarding the accuracy or reliability of the data or results obtained from their use. All materials may present unknown hazards and should be used with caution. The information and recommendations in this material safety data sheet are offered for the users' consideration and examination. It is the responsibility of the user to determine the final suitability of this information and data and to comply with all applicable international, federal, state, and local laws and regulations.



Legal Disclaimer Notice

Vishay Precision Group, Inc.

Disclaimer

ALL PRODUCTS. PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at vpgsensors.com.

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.

Document No.: 63999 Revision: 15-Jul-2014