

Validation of FEM and tyre models through measurement of suspension loads on a Formula SAE car



Authors Antonio Casas, suspension department
Jose Silva, electronics department



This case study explains how we measured the force in the suspension arms of a Formula SAE car. The data obtained will be used for the validation of FEM models that will be used in the design of the suspension and tyre models for dynamic simulations, allowing improvements in future designs and model accuracy.

Company/Institute: University of Seville (Spain)

Industry/Application Area: Automotive competition, Formula SAE

Products Used:

- [CEA-06-062UT-350](#)
- [Strain Gage Adhesive \(M-Bond 200\)](#)

The Challenge

ARUS is a Spanish Formula student team composed of 90 highly motivated engineering students who design, manufacture and test a small racing Formula car. This season, we are in the process of

manufacturing our fifth combustion car and our first electric car. This feat represents a big challenge for us since we will be the first Spanish Formula student team to compete with two cars.

The objective of the study was to measure the suspension forces on a Formula SAE single-seater. Strain gauges were installed on four suspension links: two pullrods and two pushrods. The data obtained will be used to validate boundary conditions used for FEM analysis of the whole suspension and computer models of the tyre and vehicle, including pacejka models of the tyre fitted to laboratory data. Because the measurement was taken during the tests, sources of electrical noise, such as vibrations of the engine and road, suspension movement and power supply to the different systems, was an important challenge that was faced.

The Solution

To measure the forces, strain gauges were glued to four of the suspension bars. All of the tubes work on traction-compression uniaxial forces. Because only axial efforts are of interest, all of the measurements were made using a full bridge configuration with Micro-Measurements® strain gauges in a distribution such that measurement of flexion forces were cancelled, as shown in Figure 1.




Fig. 1 Gauge bridge configuration to be used



Fig. 2 Front view of a part the car showing suspension arms

All this data was collected with the Data Logger system inside the dashboard via CAN bus. The increments of millivolts provided by the sensors was conditioned, managed and sent with an Arduino-based microcontroller. The data collection was possible with the use of an integrated circuit (IC) that contained a precision 24-bit analog-to-digital converter with a programable built-in gain amplifier.




Fig 3. Electronic schematic



Information will be postprocessed with a dynamic software to monitor measurement data with graphs and numerical values. The results will provide a validation of theoretical models and computer simulations.

The User Explains

The proposed strain gauge configuration and the designed electronic amplifier system were tested and validated in the laboratories of the School of Engineering at the University of Seville. A tensile test was carried out with a test piece carrying this strain gauge layout. With these tests, the parameters of the amplifier circuit were adjusted, achieving levels of accuracy comparable to those obtained with a commercial equipment.




Fig 4. Specimen



Fig 5. Laboratory test

Acknowledgement:

ARUS team was founded in 2012, when a group of friends discovered the Formula Student competition. In 2014, with a really low budget, they qualified to compete in the German Formula Student competition and managed to finish the Endurance, the hardest event in the competition. Today, thanks to our sponsors and more than 150 people that have been part of the team, we met the challenge of being the only Spanish team that competes in both combustion and electric categories. Our engine: hard work, passion, strong fellowship and a lot of hearts that all beat for the same dream.





Contact Information

Dr. Esteban Roncero, Sergio
Faculty Advisor
ARUS Andalucía Racing Team
Engineering School, University of Seville
Avda. de los Descubrimientos s/n, E-41092
Seville - Spain
34-95-4488148
sesteban@us.es
www.arusteam.com

Vishay Precision Group, Inc. (VPG)
Micro-Measurements
mm@vpgsensors.com

