

SAFETY DATA SHEET

Version: 4.0
Date of Issue: 08 May 2017
Date of First Issue: 20 March 2012


www.vishaypg.com

ACCORDING TO OSHA HCS (29 CFR 1910.1200)

SECTION 1: IDENTIFICATION

Product identifier used on the label	M-Bond AE Resin	
Other means of identification	Not applicable	
Recommended use of the chemical and restrictions on use		
Recommended use	Adhesives.	
Restrictions on use	None known.	
Details of the supplier of the safety data sheet		
Supplier	VISHAY MEASUREMENTS GROUP, INC.	
Address of Supplier	Post Office Box 27777 Raleigh, NC 27611 USA	
Telephone	+1 919-365-3800	
Fax	+1 919-365-3945	
E-Mail (competent person)	mm.us@vishaypg.com	
Emergency telephone number	1-800-424-9300	CHEMTREC (24 hours)

SECTION 2: HAZARD(S) IDENTIFICATION

Classification of the substance or mixture in accordance with paragraph (d) of 29 CFR 1910.1200	
Physical hazards	Not classified
Health hazards	Skin Corrosion/Irritation, Category 2 Skin Sensitisation, Category 1 Eye Damage, Category 1 Germ cell mutagenicity, Category 2 Specific target organ toxicity — single exposure, Category 1 Specific target organ toxicity — single exposure, Category 2 Hazardous to the aquatic environment, Chronic, Category 3
Environmental hazards	
Hazard Symbol	
Signal Word(s)	DANGER
Hazard Statement(s)	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Suspected of causing genetic defects. Causes damage to organs (CNS and blood effects - Oral). May cause damage to organs (Respiratory tract - Oral). Harmful to aquatic life with long lasting effects.
Precautionary Statement(s)	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe vapour. Wash hands and exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

SAFETY DATA SHEET

Version: 4.0
Date of Issue: 08 May 2017
Date of First Issue: 20 March 2012

www.vishaypg.com

ACCORDING TO OSHA HCS (29 CFR 1910.1200)

lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
IF ON SKIN: Wash with plenty of water.
If skin irritation or rash occurs: Get medical advice/attention.
IF exposed: Call a POISON CENTER or doctor/physician.

Other hazards None known

Percent of the mixture consists of ingredient(s) of unknown acute toxicity: 0%

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances Not applicable

Mixtures Substances in preparations / mixtures

Chemical identity of the substance	%WW	CAS No.	EC No.	Hazard classification
Bis-[4-(2,3-epoxypropoxy)phenyl] propane	< 75	1675-54-3	216-823-5	Skin Corrosion/Irritation, Category 2 Skin Sensitisation, Category 1 Eye Irritation, Category 2
Bisphenol A Diglycidyl Ether	15 – 25	25085-99-8	-	Skin Corrosion/Irritation, Category 2 Skin Sensitisation, Category 1 Hazardous to the aquatic environment, Chronic, Category 2
2,3-Epoxypropyl o-tolyl ether	< 5	2210-79-9	218-645-3	Skin Corrosion/Irritation, Category 2 Skin Sensitisation, Category 1 Germ cell mutagenicity, Category 2 Hazardous to the aquatic environment, Chronic, Category 2
Resorcinol	< 5	108-46-3	203-585-2	Acute toxicity, Category 4 – Oral Skin Corrosion/Irritation, Category 2 Eye Damage, Category 1 Skin Sensitisation, Category 1B Specific target organ toxicity — single exposure, Category 1 Specific target organ toxicity — single exposure, Category 2 Hazardous to the aquatic environment, Acute, Category 1 Hazardous to the aquatic environment, Chronic, Category 1

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Self-protection of the first aider

Use personal protective equipment as required. Wear appropriate personal protective equipment, avoid direct contact. Ensure adequate ventilation. Avoid all contact. Do not breathe vapour.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF exposed or concerned: Get medical advice/attention.

Skin Contact

IF ON SKIN: Remove contaminated clothing and wash all affected areas with plenty of water. If irritation (redness, rash, blistering) develops, get medical attention. IF exposed or concerned: Get medical advice/attention.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Ingestion

IF SWALLOWED: Rinse mouth. Make victim drink plenty of water. Do not induce vomiting unless instructed to do so by medical personnel. Call a POISON

SAFETY DATA SHEET

Version: 4.0
Date of Issue: 08 May 2017
Date of First Issue: 20 March 2012

www.vishaypg.com

ACCORDING TO OSHA HCS (29 CFR 1910.1200)

Most important symptoms and effects, both acute and delayed

CENTER/doctor if you feel unwell. IF exposed or concerned: Get medical advice/attention.

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Suspected of causing genetic defects. Causes damage to organs (CNS and blood effects - Oral). May cause damage to organs (Respiratory tract - Oral).

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Notes to a physician:

IF IN EYES: Obtain prompt consultation, preferably from an ophthalmologist. Following severe exposure the patient should be kept under medical review for at least 48 hours.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

As appropriate for surrounding fire. Extinguish with carbon dioxide, dry chemical, foam or waterspray.

Unsuitable extinguishing Media

Do not use water jet. Direct water jet may spread the fire.

Special hazards arising from the substance or mixture

May decompose in a fire giving off toxic fumes. Decomposes in a fire giving off toxic fumes: Phenolics, Carbon monoxide and Carbon dioxide.

Special protective equipment and precautions for fire fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Stop leak if safe to do so. Use personal protective equipment as required. Wear appropriate personal protective equipment, avoid direct contact. Do not breathe vapour. Avoid all contact. Do not ingest. If swallowed then seek immediate medical assistance. Isolate the area and allow vapours to disperse.

Environmental precautions

Avoid release to the environment. Do not allow to enter drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be alerted to the Environment Agency or other appropriate regulatory body.

Methods and material for containment and cleaning up

Absorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Ventilate the area and wash spill site after material pick-up is complete. Dispose of this material and its container as hazardous waste

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Avoid all contact. Do not breathe vapour. Ensure adequate ventilation. Wear appropriate personal protective equipment, avoid direct contact. Use personal protective equipment as required. See Section: 8. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Contaminated clothing should be laundered before reuse.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Keep away from heat, sources of ignition and direct sunlight.

Storage temperature

Ambient. Keep at temperature not exceeding (°C): 27

Storage life

Stable under normal conditions.

Incompatible materials

Keep away from: Flammable liquids, Strong Oxidizing agents, Corrosive Substances, Strong Acids and strong mineral and organic bases, especially primary and secondary aliphatic amines.

SAFETY DATA SHEET

Version: 4.0
Date of Issue: 08 May 2017
Date of First Issue: 20 March 2012

www.vishaypg.com

ACCORDING TO OSHA HCS (29 CFR 1910.1200)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

No OSHA permissible exposure limit (PEL).

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
1,3-Benzenediol (Resorcinol)	108-46-3	10	45	20	90	NIOSH
		10	-	20	-	ACGIH, A4

Note: OSHA PELs 1910.1000 TABLE Z-1/ NIOSH RELs / ACGIH TLVs

A4: Not Classifiable as a Human Carcinogen: Agents which cause concern that they could be carcinogenic for humans but which cannot be assessed conclusively because of the lack of data. In vitro or animal studies do not provide indications of carcinogenicity which are sufficient to classify the agent into one of the other categories.

The other components listed in Section 3 do not have occupational exposure limits.

Biological Exposure Indices

Not established

Appropriate engineering controls

Ensure adequate ventilation or use appropriate containment. Atmospheric levels should be controlled in compliance with the occupational exposure limit. A washing facility/water for eye and skin cleaning purposes should be present.

Individual protection measures, such as personal protective equipment (PPE)

General hygiene measures for the handling of chemicals are applicable. Avoid all contact. Do not breathe vapour. Wash hands before breaks and after work. Keep work clothes separately. Contaminated clothing should be laundered before reuse. Do not eat, drink or smoke at the work place.

Eye/face protection



Wear protective eye glasses for protection against liquid splashes. Wear eye protection with side protection (EN166).

Skin protection



Hand protection:

Wear impervious gloves (EN374). Gloves should be changed regularly to avoid permeation problems. Breakthrough time of the glove material: refer to the information provided by the gloves' producer.

Body protection:

Wear impervious protective clothing, including boots, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection



In case of inadequate ventilation wear respiratory protection. Open system(s): Wear suitable respiratory protective equipment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Clear - Amber Coloured liquid.
Odor	Faint Epoxy Odour
Odor Threshold	Not available.
pH	Not established.
Melting Point/Freezing Point	Not available.

SAFETY DATA SHEET

Version: 4.0

Date of Issue: 08 May 2017

Date of First Issue: 20 March 2012

www.vishaypg.com

ACCORDING TO OSHA HCS (29 CFR 1910.1200)

Initial boiling point and boiling range	Not available.
Flash Point	Not available.
Evaporation rate (Butyl acetate = 1)	Not available.
Flammability (solid, gas)	Not applicable - Liquid
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	1 @ 118°C (mmHg)
Vapour density	>3.8 (Air = 1)
Relative density	1.15 (H ₂ O = 1)
Solubility(ies)	The substance is essentially insoluble in water.
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	Not available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions.
Chemical stability	Stable under normal conditions. May decompose if heated.
Possibility of hazardous reactions	Hazardous polymerisation will not occur.
Conditions to avoid	Keep away from heat, sources of ignition and direct sunlight. Keep at temperature not exceeding (°C): 27
Incompatible materials	Flammable liquids, Strong Oxidizing agents, Corrosive Substances, Strong Acids and strong mineral and organic bases, especially primary and secondary aliphatic amines.
Hazardous decomposition product(s)	Decomposes in a fire giving off toxic fumes: Phenolics, Carbon monoxide and Carbon dioxide.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects (Substances in preparations / mixtures)

Acute toxicity - Ingestion	Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg bw/day. LD50 (oral,rat) mg/kg: 510 (OECD 401)
Resorcinol: Acute toxicity - Inhalation	Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 20.0 mg/l.
Acute toxicity - Skin Contact	Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg bw/day.
Skin corrosion/irritation	Skin Corrosion/Irritation, Category 2; Causes skin irritation.
Resorcinol: Serious eye damage/irritation	Test Result: Irritating to skin. (<i>in vivo</i> ; FHSLA) Eye Damage, Category 1; Causes serious eye damage.
Resorcinol: Respiratory or skin sensitization	Test Result: Causes serious eye damage. (<i>in vivo</i> ; FHSLA) Skin Sensitisation, Category 1: May cause an allergic skin reaction.
2,3-Epoxypropyl o-tolyl ether: Resorcinol:	Test Result: Positive (OECD 406) Test Result: Positive (OECD 429)
Germ cell mutagenicity	Germ cell mutagenicity, Category 2: Suspected of causing genetic defects.
2,3-Epoxypropyl o-tolyl ether: Carcinogenicity	Test Result: Positive (OECD 471)
Reproductive toxicity	Based upon the available data, the classification criteria are not met.
STOT - single exposure	Based upon the available data, the classification criteria are not met. Specific target organ toxicity — single exposure, Category 1; Causes damage to organs. - oral Specific target organ toxicity — single exposure, Category 2; May cause damage to organs - oral.
Resorcinol:	NOAEL 80 mg/kg bw/day (OECD 408)
STOT - repeated exposure	Based upon the available data, the classification criteria are not met.
Aspiration hazard	Based upon the available data, the classification criteria are not met.

SAFETY DATA SHEET



Version: 4.0
Date of Issue: 08 May 2017
Date of First Issue: 20 March 2012

www.vishaypg.com

ACCORDING TO OSHA HCS (29 CFR 1910.1200)

Information on likely routes of exposure

Inhalation	Possible – accidental exposure
Ingestion	Unlikely – accidental exposure
Skin Contact	Possible – accidental exposure
Eye Contact	Unlikely – accidental exposure

Early onset symptoms related to exposure

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Suspected of causing genetic defects. Causes damage to organs (CNS and blood effects - Oral). May cause damage to organs (Respiratory tract - Oral).

Delayed health effects from exposure

Symptoms of poisoning may be delayed for several days.

Other information

NTP Report on Carcinogens	All chemicals are not listed
IARC Monographs	Bis-[4-(2,3-epoxipropoxy)phenyl]propane: Group 3
OSHA Designated Carcinogen	All chemicals are not listed

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Aquatic Chronic 3: Harmful to aquatic life with long lasting effects.

2,3-Epoxypropyl o-tolyl ether:

Estimated Mixture LC50 1 to ≤ 10 mg/l (Fish)

Resorcinol:

LC50 (fish) mg/l 2.8 – 5.1 (OECD 203)

Persistence and degradability

EC50 (Daphnia magna) mg/l 1 (OECD 202)

Bioaccumulative potential

Part of the components are poorly biodegradable.

Mobility in soil

The product has low potential for bioaccumulation.

Other adverse effects

The product is predicted to have low mobility in soil (Insoluble in water).

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

This material and its container must be disposed of as hazardous waste. Send after pre-treatment to a appropriate hazardous waste incinerator facility according to legislation.

Additional Information

Dispose of contents in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

(Not classified according to the United Nations 'Recommendations on the Transport of Dangerous Goods')

	ADR/RID	IMDG	IATA
UN number	Not applicable	Not applicable	Not applicable
UN proper shipping name	Not applicable	Not applicable	Not applicable
Transport hazard class(es)	Not applicable	Not applicable	Not applicable
Packing group	Not applicable	Not applicable	Not applicable
Environmental hazards	Not classified	Not classified as a Marine Pollutant/ Environmentally hazardous substance	Not classified
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	See Section: 2		
Special precautions for user	Not applicable		

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

US Federal Regulations

TSCA (Toxic Substance Control Act)

Bis-[4-(2,3-epoxipropoxy)phenyl]propane: Subject to 25,000 lb reporting

SAFETY DATA SHEET



Version: 4.0
Date of Issue: 08 May 2017
Date of First Issue: 20 March 2012

www.vishaypg.com

ACCORDING TO OSHA HCS (29 CFR 1910.1200)

	threshold
	Bisphenol A Diglycidyl Ether (MW <700): Exempt from reporting under CDR
	2,3-Epoxypropyl o-tolyl ether: Subject to 25,000 lb reporting threshold
EPCRA/SARA Section 302 Extremely Hazardous Substances	All chemicals are not listed
EPCRA Section 313 Toxics Release Inventory (TRI) Program	All chemicals are not listed
NIOSH Occupational Carcinogen List	All chemicals are not listed
OSHA List of highly hazardous chemicals, toxics and reactives	All chemicals are not listed
NTP Report on Carcinogens (RoC) List	All chemicals are not listed
Poison Prevention Packaging Act	All chemicals are not listed
US State Regulations	
California State, Proposition 65 List	All chemicals are not listed
California State, Safer Consumer Products Regulations	All chemicals are not listed
Maine State, Toxic Chemicals in Children's Products Act	All chemicals are not listed
New Jersey State Worker and Community RTK Act	All chemicals are not listed
Pennsylvania State, Worker and Community RTK Act	All chemicals are not listed
Rhode Island State, Hazardous Substances RTK Act	All chemicals are not listed
Non-Regional	
IARC Monographs, List of Classifications	Bis-[4-(2,3-epoxypropoxy)phenyl]propane: Group 3

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: Updated substance / mixture classification. New SDS Regulation compliant with HazCom 2012 format, all sections have been updated to include new information. Please review SDS with care.

Version 4.0
Revision Date 08 May 2017
Date of First Issue 20 March 2012

References:

Existing Safety Data Sheet (SDS), EU Data: Harmonised Classification(s) for Bis-[4-(2,3-epoxypropoxy)phenyl]propane (CAS No. 1675-54-3), 2,3-Epoxypropyl o-tolyl ether (CAS No. 2210-79-9) and Resorcinol (CAS No. 108-46-3). Existing ECHA registration(s) for 2,3-Epoxypropyl o-tolyl ether (CAS No. 2210-79-9) and Resorcinol (CAS No. 108-46-3), and the Classification and Labelling Inventory for Bisphenol A Diglycidyl Ether (CAS No. 25085-99-8).

GHS Classification of the substance or mixture	Classification Procedure
Skin Corrosion/Irritation, Category 2	Threshold Calculation
Skin Sensitisation, Category 1	Threshold Calculation
Eye Damage, Category 1	Threshold Calculation
Germ cell mutagenicity, Category 2	Threshold Calculation
Specific target organ toxicity — single exposure, Category 1	Threshold Calculation
Specific target organ toxicity — single exposure, Category 2	Threshold Calculation
Hazardous to the aquatic environment, Chronic, Category 3	Summation Calculation

LEGEND

ACGIH: American Conference of Governmental Industrial Hygienists
BEI: Biological Exposure Indices (ACGIH)
IARC: International Agency for Research on Cancer
Irr: Irritation
NIOSH: National Institute of Occupational Safety and Health
NTP: National Toxicology Program
OSHA: The Occupational Safety & Health Administration
PBT: Persistent, Bioaccumulative and Toxic
PEL: Permissible exposure limit

REL: Recommended exposure limit
SCL: Specific Concentration Limit
Skin^o: Risk of overexposure via dermal contact
STEL: Short Term Exposure Limit
TLV: Threshold Limit value
TSCA: Toxic Substance Control Act
TWA: Time Weighted Average
URT: Upper respiratory tract
vPvB: very Persistent and very Bioaccumulative

SAFETY DATA SHEET



Version: 4.0
Date of Issue: 08 May 2017
Date of First Issue: 20 March 2012

www.vishaypg.com

ACCORDING TO OSHA HCS (29 CFR 1910.1200)

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Disclaimer

ALL PRODUCTS, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. **To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.**

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at vpgsensors.com.

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.