SAFETY DATA SHEET

Revision: 3.0 Date: 24th May 2019

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

www.vishaypg.com

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name: M-Prep Conditioner A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s): PC14 Metal surface treatment products, including galvanic and electroplating products

Uses Advised Against: Anything other than the above.

1.3 Details of the supplier of the safety data sheet

Company Identification:
VISHAY MEASUREMENTS GROUP UK LTD
Stroudley Road
Basingstoke
Hampshire
RG24 8FW
United Kingdom

Telephone: +44 (0) 1256 462131
Fax: +44 (0) 1256 471441
E-Mail (competent person): mm.uk@vishaypg.com

1.4 Emergency telephone number

Emergency Phone No.: (00-1) 703-527-3887 CHEMTREC (24 hours)
Languages spoken: All official European languages.

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP): Met. Corr. 1; H290

2.2 Label elements: According to Regulation (EC) No. 1272/2008 (CLP)

Product Name: M-Prep Conditioner A
Contains: Not applicable

Hazard Pictogram(s)

Signal Word(s): Warning

Hazard Statement(s): H290: May be corrosive to metals.

Precautionary Statement(s):
P234: Keep only in original container.
P390: Absorb spillage to prevent material damage.

2.3 Other hazards: None known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Not applicable

3.2 Mixtures Substances in preparations / mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard Statement(s)
Phosphoric Acid	<6	7664-38-2	231-633-2	Not yet assigned in the supply chain	Met Corr. 1; H290 Skin Corr. 1B; H314 **Specific Concentration Limit** Eye Irrit. 2; H319: 10 % ≤ C < 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Skin Corr. 1B; H314: C ≥ 25 %

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Self-protection of the first aider	Use personal protective equipment as required. Wear appropriate personal protective equipment, avoid direct contact. Ensure adequate ventilation. Avoid breathing mist/vapours/spray. Avoid contact with skin and eyes. Contaminated clothing should be laundered before reuse.
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
Skin Contact	IF ON SKIN (or hair): Wash skin with soap and water. If skin irritation occurs: Get medical advice/attention.
Eye Contact	IF IN EYES: Flush eyes with water for at least 15 minutes while holding eyelids open. If eye irritation persists, get medical advice/attention.
Ingestion	IF SWALLOWED: Wash out mouth with water and give 200-300 ml (half a pint) of water to drink. Do not induce vomiting. If symptoms develop, obtain medical attention. Call a POISON CENTER/doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed — May cause irritation to eyes, skin and air passages.

4.3 Indication of any immediate medical attention and special treatment needed — Unlikely to be required but if necessary treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media	Extinguish with carbon dioxide, dry chemical, foam or waterspray.
Unsuitable extinguishing media	Do not use water jet. Direct water jet may spread the fire.

5.2 Special hazards arising from the substance or mixture — Not flammable. Reacts with metals liberating hydrogen. Reaction products may include hydrogen cyanide. May decompose in a fire giving off toxic fumes.: Carbon monoxide, Carbon dioxide, Hydrogen Gas. May react with some metals including aluminum, magnesium, and zinc, resulting in evolution of phosphorus oxides.

5.3 Advice for fire-fighters — Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures — Ensure adequate ventilation. Stop leak if safe to do so. Use personal protective equipment as required. See Section: 8. Avoid breathing mist/vapours/spray. Avoid contact with skin and eyes. Stay upwind/keep distance from source.

6.2 Environmental precautions — Avoid release to the environment. Do not release undiluted and unneutralised to the sewer. Spillages or uncontrolled discharges into watercourses must be

		alerted to the Environment Agency or other appropriate regulatory body.
6.3	**Methods and material for containment and cleaning up**	Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Cautiously neutralize remainder. Then wash away with plenty of water. Neutralise with Calcium carbonate./ sodium carbonate / sodium bicarbonate Ventilate the area and wash spill site after material pick-up is complete. Dispose of this material and its container as hazardous waste.
6.4	**Reference to other sections**	See Section: 8, 13

SECTION 7: HANDLING AND STORAGE

7.1	**Precautions for safe handling**	Ensure operatives are trained to minimise exposures. Ensure adequate ventilation. Avoid breathing mist/vapours/spray. In case of inadequate ventilation wear respiratory protection. Wear protective gloves/protective clothing/eye protection/face protection. Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product.
7.2	**Conditions for safe storage, including any incompatibilities**	Keep only in original container. Keep container tightly closed and in a well-ventilated place. Keep away from direct sunlight.
	Storage temperature	Ambient temperatures. <27°C
	Storage life	Stable under normal conditions.
		Suitable containers: Stainless steel, High density polyethylene, Glass
	Incompatible materials	Alkaline materials and materials containing chlorine.
7.3	**Specific end use(s)**	See Section: 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Phosphoric Acid	7664-38-2	-	1	-	2	WEL, IOELV

Source: WEL: Workplace Exposure Limit (UK HSE EH40), IOELV: Indicative Occupational Exposure Limit Value

8.1.2 Biological limit value — Not established.

8.1.3 PNECs and DNELs — Not established.

8.2 Exposure controls

8.2.1 Appropriate engineering controls — Ensure adequate ventilation. Atmospheric levels should be controlled in compliance with the occupational exposure limit.

8.2.2 Individual protection measures, such as personal protective equipment (PPE) — Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier. General hygiene measures for the handling of chemicals are applicable. Keep good industrial hygiene. Avoid contact with skin and eyes. Avoid breathing mist/vapours/spray. Wash hands before breaks and after work. Keep work clothes separately. Do not eat, drink or smoke at the work place.

Eye/ face protection

Wear protective eye glasses for protection against liquid splashes. Wear eye protection with side protection (EN166).

Skin protection

Hand protection:
Wear impervious gloves (EN374). Protective index 6, corresponding > 480 minutes of permeation time according to EN 374 Gloves should be changed regularly to avoid permeation problems. Breakthrough time of the glove material: refer to the information provided by the gloves' producer. Neoprene or rubber

	gloves are recommended. **Body protection:** Wear suitable coveralls to prevent exposure to the skin. Recommended: Natural rubber
Respiratory protection 	In case of inadequate ventilation wear respiratory protection. A suitable mask with filter type A (EN141 or EN405) may be appropriate.
Thermal hazards	Not applicable

8.2.3 Environmental Exposure Controls — Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Clear liquid
Odour	Odourless.
Odour threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	~100°C
Flash point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Non-flammable.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	~1 - 1.1 (H_2O = 1)
Solubility(ies)	Soluble in water.
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidising properties	Not oxidising.

9.2 Other information — None.

SECTION 10: STABILITY AND REACTIVITY

10.1	**Reactivity**	Stable under normal conditions.
10.2	**Chemical stability**	Stable under normal conditions.
10.3	**Possibility of hazardous reactions**	May react with some metals including aluminum, magnesium, and zinc, resulting in evolution of phosphorus oxides.
10.4	**Conditions to avoid**	Keep away from direct sunlight.
10.5	**Incompatible materials**	Alkaline materials and materials containing chlorine.
10.6	**Hazardous decomposition product(s)**	Combustion or thermal decomposition will evolve toxic and irritant vapours.: Oxides of phosphorus.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1	**Information on toxicological effects**	All test data taken from existing ECHA registrations for the substances mentioned.
	Acute toxicity - Ingestion	Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg bw/day.
	Acute toxicity - Inhalation	Based upon the available data, the classification criteria are not met.

		Acute Toxicity Estimate Mixture Calculation: Estimated LC50 >20.0 mg/l.
	Acute toxicity - Skin Contact	Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg bw/day.
	Skin corrosion/irritation	Based upon the available data, the classification criteria are not met.
	Serious eye damage/irritation	Based upon the available data, the classification criteria are not met.
	Phosphoric Acid:	Test Result: Corrosive (1500.41 in the Federal Register Vol. 38, No. 187, S. 26019 from 1973-09-27)
	Respiratory or skin sensitization	Based upon the available data, the classification criteria are not met.
	Germ cell mutagenicity	Based upon the available data, the classification criteria are not met.
	Carcinogenicity	Based upon the available data, the classification criteria are not met.
	Reproductive toxicity	Based upon the available data, the classification criteria are not met.
	STOT - single exposure	Based upon the available data, the classification criteria are not met.
	STOT - repeated exposure	Based upon the available data, the classification criteria are not met.
	Aspiration hazard	Based upon the available data, the classification criteria are not met.
11.2	**Other information**	None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1	**Toxicity**	Based upon the available data, the classification criteria are not met. Estimated Mixture LC50 >100 mg/l (Fish)
12.2	**Persistence and degradability**	Readily biodegradable.
12.3	**Bioaccumulative potential**	The product has low potential for bioaccumulation.
12.4	**Mobility in soil**	The product has high mobility in soil. Phosphoric Acid: Very soluble
12.5	**Results of PBT and vPvB assessment**	Not classified as PBT or vPvB.
12.6	**Other adverse effects**	None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1	**Waste treatment methods**	Dispose of this material and its container as hazardous waste. Send after pre-treatment to a appropriate hazardous waste incinerator facility according to legislation.
13.2	**Additional Information**	Dispose of contents in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

		ADR/RID	**IMDG**	**IATA/ICAO**
14.1	**UN number**	UN 1760	UN 1760	UN 1760
14.2	**UN proper shipping name**	CORROSIVE LIQUID, N.O.S (Phosphoric Acid)	CORROSIVE LIQUID, N.O.S (Phosphoric Acid)	CORROSIVE LIQUID, N.O.S (Phosphoric Acid)
14.3	**Transport hazard class(es)**	8	8	8
14.4	**Packing group**	III		
14.5	**Environmental hazards**	Not classified	Not classified as a Marine Pollutant.	Not classified
14.6	**Special precautions for user**	See Section: 2		
14.7	**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**	Not applicable		

SECTION 15: REGULATORY INFORMATION

15.1	**Safety, health and environmental regulations/legislation specific for the substance or mixture**	
15.1.1	**EU regulations**	
	Authorisations and/or Restrictions On Use	Not restricted
15.1.2	**National regulations**	
	Wassergefährdungsklasse (Germany)	Water hazard class: 1 (Self classification)
15.2	**Chemical Safety Assessment**	A chemical safety assessment is not required under REACH.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: V3.0
Sections indicated with the following have been revised:

Date of Issue: 24th May 2019
Date of First Issue: 7th August 2012

References:
Existing Safety Data Sheet (SDS), Harmonised Classification and Existing ECHA registration(s) for Phosphoric Acid (CAS No. 7664-38-2).

EU Classification: This Safety Data Sheet was prepared in accordance with EC Regulation (EC) 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830.

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Met. Corr. 1; H290	Expert judgement

LEGEND
LTEL: Long Term Exposure Limit
DNEL: Derived No Effect Level
PBT: Persistent, Bioaccumulative and Toxic
STEL: Short Term Exposure Limit
PNEC: Predicted No Effect Concentration
vPvB: very Persistent and very Bioaccumulative

Hazard classification / Classification code:
Met. Corr. 1; Metal Corrosive, Category 1
Skin Corr. 1B; Skin corrosion/irritation, Category 1B
Skin Irrit. 2; Skin corrosion/irritation, Category 2
Eye Irrit. 2; Serious eye damage/irritation, Category 2

Hazard Statement(s)
H290: May be corrosive to metals.
H314: Causes severe skin burns and eye damage.
H315: Causes skin irritation.
H319: Causes serious eye irritation.

Disclaimers
Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Disclaimer

ALL PRODUCTS, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, “VPG”), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG’s terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. **To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.**

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG’s knowledge of typical requirements that are often placed on VPG products. It is the customer’s responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at vpgsensors.com.

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.