

SAFETY DATA SHEET

Revision: 1.0 Date: 20.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010


www.vishaypg.com

QA-600 Adhesive Part B

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product Name	QA-600 Adhesive Part B
Chemical Name	Mixture
CAS No.	Mixture
EINECS No.	Mixture
REACH Registration No.	None assigned.
1.2 Recommended use of the chemical and restrictions on use	
Identified Use(s)	Adhesives.
Uses Advised Against	None known.
1.3 Supplier's details	
Company Identification	Vishay Measurements Group, Inc. Post Office Box 27777 Raleigh, NC 27611 USA
Telephone	919-365-3800
Fax	919-365-3945
E-Mail (competent person)	mm.us@vishaypg.com
1.4 Emergency Phone No.	1-800-424-9300 (U.S.) 703-527-3887 (Outside U.S.) CHEMTREC

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture	
2.1.1 GHS Classification	Flam. Liq. 2; Highly flammable liquid and vapour. Skin Sens. 1; May cause sensitization by skin contact. Eye Dam. 1; Causes serious eye damage. Resp. Sens. 1; May cause allergy or asthma symptoms or breathing difficulties if inhaled. STOT SE 3; Specific target organ toxicity — single exposure 3 (Inhalation)
2.2 Label elements	According to GHS Classification
Product Name	QA-600 Adhesive Part B
Hazard Pictogram(s)	
Signal Word(s)	Danger
Hazard Statement(s)	H225: Highly flammable liquid and vapour. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335: May cause respiratory irritation.
Precautionary Statement(s)	P210: Keep away from heat/sparks/open flames/hot surfaces. – No smoking. P280: Wear protective gloves/protective clothing/eye protection/face protection. P304+P341: IF INHALED: If breathing is difficult, remove victim to fresh air and

SAFETY DATA SHEET

Revision: 1.0 Date: 20.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

keep at rest in a position comfortable for breathing.
P342+P311: If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310: Immediately call a POISON CENTER or doctor/physician.

2.3 Other hazards

None.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Substances in preparations / mixtures

3.2 Mixtures

GHS Classification

Chemical identity of the substance	%W/W	CAS No.	EC No.	Hazard Statement(s)
Tetrahydrofuran	75 - 80	109-99-9	203-726-8	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H335
Trimellitic Anhydride	20 - 25	552-30-7	209-008-0	Skin Sens. 1; H317 Eye Dam. 1; H318 Resp. Sens. 1; H334 STOT SE 3; H335

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

Skin Contact

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. (Aspiration hazard). Make victim drink plenty of water. Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

May cause respiratory irritation. May produce an allergic reaction in persons already sensitised. May cause headache, nausea and vomiting. Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Acute asthmatic reactions to Trimellitic Anhydride (TMA) should be treated like acute asthma from any cause. If the patient is cyanotic or acutely dyspneic, consider supplemental oxygen and systemic corticosteroids. The primary treatment for the late onset respiratory systemic syndrome (TMA flu) is systemic corticosteroids plus antipyretics and bronchodilators as needed.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

SAFETY DATA SHEET

Revision: 1.0 Date: 20.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

Suitable Extinguishing Media
Unsuitable extinguishing Media

Extinguish with carbon dioxide, dry chemical, foam or waterspray.
Do not use water jet.

- 5.2 Special hazards arising from the substance or mixture** May decompose in a fire giving off toxic fumes. Carbon monoxide, Carbon dioxide. Prevent liquid entering sewers, basements and workpits; vapour may create explosive atmosphere.
- 5.3 Advice for fire-fighters** Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation. Harmful by inhalation. May cause sensitization by inhalation. Shut off leaks if without risk. Eliminate sources of ignition. Avoid breathing vapours. Wear protective gloves/protective clothing/eye protection/face protection.
- 6.2 Environmental precautions** Do not allow to enter drains, sewers or watercourses. Vapours are heavier than air and may travel considerable distances to a source of ignition and flashback.
- 6.3 Methods and material for containment and cleaning up** Use non-sparking equipment when picking up flammable spill. Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Dispose of this material and its container as hazardous waste.
- 6.4 Reference to other sections** See Section: 8, 13

7. SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling** Ensure adequate ventilation. Do not breathe vapour. In case of inadequate ventilation wear respiratory protection. Wear protective gloves/protective clothing/eye protection/face protection. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.
- 7.2 Conditions for safe storage, including any incompatibilities** Ground/bond container and receiving equipment. Store in a well-ventilated place. Keep container tightly closed. Keep away from heat, sources of ignition and direct sunlight.
- Storage temperature: Ambient.
Storage life: Stable under normal conditions.
Incompatible materials: Keep away from: Oxidizing agents.
- 7.3 Specific end use(s)** Adhesives.

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters**
8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note:
Tetrahydrofuran	109-99-9	200	590	250	735	NIOSH, Sk
		200	590			OSHA, Sk
Trimellitic Anhydride	552-30-7	0.005	0.04			NIOSH

Note: NIOSH: National Institute for Occupational Safety and Health. OSHA: Occupational Safety and Health Administration. Sk - Can be absorbed through skin.

- 8.1.2 Biological limit value** Not established.
8.1.3 PNECs and DNELs

DNEL (Tetrahydrofuran)	Oral	Inhalation	Dermal
------------------------	------	------------	--------

SAFETY DATA SHEET

Revision: 1.0 Date: 20.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

Industry - Long Term - Systemic effects	-	150 mg/m ³	25 mg/kg bw/day
Industry - Long Term - Local effects	-	150 mg/m ³	-
Industry - Short term - Local effects	-	300 mg/m ³	-
Industry - Short term - Systemic effects	-	300 mg/m ³	-
Consumer - Long Term - Systemic effects	15 mg/kg bw/day	62 mg/m ³	15 mg/kg bw/day
Consumer - Long Term - Local effects	-	75 mg/m ³	-
Consumer - Short term - Systemic effects	-	150 mg/m ³	-
Consumer - Short term - Local effects	-	150 mg/m ³	-

PNEC	Tetrahydrofuran
Aquatic Compartment	PNEC aqua (Fresh water) 4.32 mg/L PNEC aqua (Salt Water) 0.432 mg/L PNEC aqua (intermittent releases) 21.6 mg/L PNEC STP 4.6 mg/L PNEC sediment (Fresh water) 23.3 mg/kg sediment dw PNEC sediment (Salt Water) 2.33 mg/kg sediment dw PNEC oral 67 mg/kg food
Terrestrial Compartment	PNEC soil 2.123 mg/kg soil dw

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure adequate ventilation. Atmospheric levels should be controlled in compliance with the occupational exposure limit.

8.2.2 Individual protection measures, such as personal protective equipment (PPE)

Use personal protective equipment as required. Wash contaminated clothing before reuse. Avoid contact with skin and eyes.

Eye/face protection



Wear goggles giving complete protection to eyes to protect against liquid splashes (EN166).

Skin protection



Wear impervious gloves (EN374). Recommended: Nitrile rubber or Neoprene, and Chemical protection suit. Breakthrough time of the glove material: refer to the information provided by the gloves' producer.

Respiratory protection



Normally no personal respiratory protection is necessary. In case of inadequate ventilation wear respiratory protection. A suitable mask with filter type A (EN141 or EN405) may be appropriate.

Thermal hazards

Not applicable.

8.2.3 Environmental Exposure Controls

Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance

The following information is based on a consideration of the properties of the main components of this mixture.

Odour

Almost colourless Liquid

Odour Threshold

Ether-like Odour

pH

Not available.

Melting Point/Freezing Point

Not established.

Initial boiling point and boiling range

-108.44 °C (Tetrahydrofuran)

Flash Point

65°C (Tetrahydrofuran)

Evaporation Rate

-14 °C (Tetrahydrofuran)

Flammability (solid, gas)

8 (BuAc = 1) (Tetrahydrofuran)

Flam. Liq. 2; Flammable liquid and vapour.

SAFETY DATA SHEET

Revision: 1.0 Date: 20.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

Upper/lower flammability or explosive limits	Flammable Limits (Lower) (%v/v): 2.0 Flammable Limits (Upper) (%v/v): 11.8
Vapour pressure	129 (mmHg) @ (20°C)
Vapour density	2.4 (Air = 1)
Relative density	0.9 (H ₂ O = 1) (Mixture)
Solubility(ies)	>50% (Water) (Mixture)
Partition coefficient: n-octanol/water	0.45 log Pow (25 °C)
Auto-ignition temperature	320 °C (Tetrahydrofuran)
Decomposition Temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidising properties	Not oxidising.
9.2 Other information	VOC 77.8 % (Mixture)

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Highly flammable liquid and vapour. The vapour may be invisible, heavier than air and spread along ground.
10.4 Conditions to avoid	Keep away from heat, sources of ignition and direct sunlight.
10.5 Incompatible materials	Strong Acids and Oxidizing agents
10.6 Hazardous decomposition product(s)	May decompose in a fire, giving off toxic and irritant vapours. Carbon monoxide, Carbon dioxide.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects (Substances in preparations / mixtures)	
Acute toxicity	
Ingestion	Not classified.
Inhalation	Specific target organ toxicity — single exposure 3; May cause respiratory irritation. (Tetrahydrofuran)
Skin Contact	May cause sensitization by skin contact.
Eye Contact	Causes serious eye damage.
Irritation	Not classified.
Corrosivity	Eye Dam. 1; Causes serious eye damage. (Trimellitic Anhydride)
Sensitisation	Skin Sens. 1; May cause sensitization by skin contact. (Tetrahydrofuran) Resp. Sens. 1; May cause allergy or asthma symptoms or breathing difficulties if inhaled. (Trimellitic Anhydride)
Repeated dose toxicity	Not classified.
Carcinogenicity	No evidence of carcinogenicity.
Mutagenicity	There is no evidence of mutagenic potential.
Toxicity for reproduction	No data.
11.2 Other information	NTP: Not Listed IARC Monographs: Not Listed OSHA Regulated: Not Listed

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Not classified as a Marine Pollutant.
12.2 Persistence and degradability	Part of the components are poorly biodegradable.
12.3 Bioaccumulative potential	The product has low potential for bioaccumulation.
12.4 Mobility in soil	The product is predicted to have high mobility in soil. Water Soluble / Highly volatile.

SAFETY DATA SHEET

Revision: 1.0 Date: 20.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

12.5 Results of PBT and VPVB assessment Not classified as PBT or vPvB.
12.6 Other adverse effects None known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods This material and its container must be disposed of as hazardous waste. Send after pre-treatment to an appropriate hazardous waste incinerator facility according to legislation.
13.2 Additional Information Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

ADR/RID / IMDG / IATA
14.1 UN number UN 1133
14.2 Proper Shipping Name ADHESIVES contain flammable liquid.
14.3 Transport hazard class(es) 3
14.4 Packing group II
14.5 Environmental hazards Not classified as a Marine Pollutant.
14.6 Special precautions for user Irritating to eyes, respiratory system and skin.
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.
14.8 Additional Information None.

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Not available.
15.2 Chemical Safety Assessment Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS) and Existing ECHA registration(s) for Tetrahydrofuran (CAS# 109-99-9) and Trimellitic Anhydride (CAS# 552-30-7).

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Flam. Liq. 2; H226	Test Result
Skin Sens. 1; H317	Threshold Calculation
Eye Dam. 1; H318	Threshold Calculation
Resp. Sens. 1; H334	Threshold Calculation
STOT SE 3; H335	Threshold Calculation

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
DNEL Derived No Effect Level
PNEC Predicted No Effect Concentration
PBT PBT: Persistent, Bioaccumulative and Toxic
vPvB vPvT: very Persistent and very Toxic
VOC Volatile Organic Compound Content

SAFETY DATA SHEET



Revision: 1.0 Date: 20.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

NTP	National Toxicology Program
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
OSHA	Occupational Safety and Health Standards
NTP	National Toxicology Program

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.

Disclaimer

ALL PRODUCTS, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. **To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.**

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at vpgsensors.com.

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.