

SAFETY DATA SHEET

Revision: 3.0 Date: 24.07.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier**
Product Name Epoxylite 813 Part B
Chemical Name Mixture
CAS No. Mixture
EINECS No. Mixture
REACH Registration No. None assigned.
- 1.2 Relevant identified uses of the substance or mixture and uses advised against**
Identified Use(s) PC14 Metal surface treatment products, including galvanic and electroplating products.
Uses Advised Against None known.
- 1.3 Details of the supplier of the safety data sheet**
Company Identification VISHAY MEASUREMENTS GROUP UK LTD
Stroudley Road
Basingstoke
Hampshire
RG24 8FW
United Kingdom
Telephone +44 (0) 1256 462131
Fax +44 (0) 1256 471441
E-Mail (competent person) mm.uk@vishaypg.com
- 1.4 Emergency telephone number** (00-1) 703-527-3887
CHEMTREC

2. SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture**
2.1.1 Regulation (EC) No. 1272/2008 (CLP) Skin Sens. 1; H317
Eye Dam. 1; H318
Resp. Sens. 1; H334
STOT RE 1; H372
- 2.2 Label elements**
Product Name According to Regulation (EC) No. 1272/2008 (CLP)
Epoxylite 813 Part B
- Hazard Pictogram(s)

- Signal Word(s) Danger
- Contains: 1,2,4,5-Benzenetetracarboxylic dianhydride and Crystalline silica.
- Hazard Statement(s)
H317: May cause an allergic skin reaction.
H318: Causes serious eye damage.
H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H372: Causes damage to organs through prolonged or repeated exposure: Lungs.
- Precautionary Statement(s)
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P285: In case of inadequate ventilation wear respiratory protection.
P304+P341: IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

SAFETY DATA SHEET

Revision: 3.0 Date: 24.07.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

P342+P311: If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310: Immediately call a POISON CENTER or doctor/physician.

Additional Information

None.

2.3 Other hazards

May form explosible dust clouds in air.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard Statement(s)
Benzene-1,2:4,5-tetracarboxylic dianhydride	30 - 60	89-32-7	201-898-9	None assigned	Skin Sens. 1; H317 Eye Dam. 1; H318 Resp. Sens. 1; H334
Crystalline silica	10 - 30	14808-60-7	238-878-4	None assigned	STOT RE 1; H372
Magnesium silicate talc	10 - 30	14807-96-6	238-877-9	None assigned	Not classified.

H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled. H372: Causes damage to organs through prolonged or repeated exposure.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation

IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

Skin Contact

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Contaminated clothing should be thoroughly cleaned. If irritation develops and persists, get medical attention.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Obtain prompt consultation, preferably from an ophthalmologist.

Ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Drink two glasses of water. Do not give milk or alcoholic beverages. Do not induce vomiting. Obtain medical attention if ill effects occur.

4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction. Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Causes damage to organs through prolonged or repeated exposure: Lungs.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Chemical eye burns may require extended irrigation.

5. SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media

As appropriate for surrounding fire. Extinguish with carbon dioxide, dry chemical, foam or waterspray.

Unsuitable extinguishing media

Do not use water jet. Direct water jet may spread the fire.

SAFETY DATA SHEET

Revision: 3.0 Date: 24.07.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

- 5.2 Special hazards arising from the substance or mixture** Decomposes in a fire giving off toxic fumes: Nitrogen oxides, Carbon dioxide and Carbon monoxide. Contact with water or moist air causes production of opaque and corrosive fumes. May form explosible dust clouds in air.
- 5.3 Advice for fire-fighters** Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation. Stop leak if safe to do so. Eliminate all ignition sources if safe to do so. Do not breathe dust. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. See Section: 8.
- 6.2 Environmental precautions** Avoid release to the environment. Do not allow to enter drains, sewers or watercourses.
- 6.3 Methods and material for containment and cleaning up** Sweep up spilled substance but avoid making dust. Transfer to a container for disposal. Dispose of this material and its container as hazardous waste (2008/98/EEC).
- 6.4 Reference to other sections** See Section: 8, 13

7. SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling** Ensure adequate ventilation. Do not breathe dust. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. See Section: 8. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.
- 7.2 Conditions for safe storage, including any incompatibilities**
Storage temperature: Ambient.
Storage life: Stable under normal conditions.
Protect from moisture.
Incompatible materials: Keep away from: Acids, strong bases, Flammable liquids, Reducing agents, Oxidizing agents, Corrosive Substances and Alkalis.
- 7.3 Specific end use(s)** PC14 Metal surface treatment products, including galvanic and electroplating products. See Section: 1.2

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters**
8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note:
Crystalline silica	14808-60-7	-	0.1 (1)	-	-	WEL
Magnesium silicate talc	14807-96-6	-	1 (2)	-	-	WEL

Note: WEL: Workplace Exposure Limit (UK HSE EH40)

(1): Silica, respirable crystalline.

(2): Respirable aerosol

- 8.1.2 Biological limit value** Not established.
- 8.1.3 PNECs and DNELs** Not established.
- 8.2 Exposure controls**
8.2.1 Appropriate engineering controls Ensure adequate ventilation or use appropriate containment. Atmospheric levels should be controlled in compliance with the occupational exposure limit. Have available eyewash bottle with clean water.
- 8.2.2 Individual protection measures, such as personal** General hygiene measures for the handling of chemicals are applicable. Do not

SAFETY DATA SHEET

Revision: 3.0 Date: 24.07.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

protective equipment (PPE)

breathe dust. Avoid contact with skin, eyes or clothing. Wash hands before breaks and after work. Keep work clothes separately. Contaminated clothing should be thoroughly cleaned. Do not eat, drink or smoke at the work place.

Eye/ face protection



Wear eye protection with side protection (EN166).

Skin protection



Hand protection: Wear impervious gloves (EN374). Gloves should be changed regularly to avoid permeation problems. Breakthrough time of the glove material: refer to the information provided by the gloves' producer.

Body protection: Wear dustproof working clothes. Wear impervious protective clothing, including boots, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection



Wear suitable respiratory protective equipment if processing involves working in areas where dusts or vapours are likely to be evolved. (Recommended: Respiratory protection necessary at/for: > 10 mg/m³ Dust).

Thermal hazards

Not applicable.

8.2.3 Environmental Exposure Controls

Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Powder
Odour	Not available.
Odour threshold	Not available.
pH	Not established.
Melting point/freezing point	Not established.
Initial boiling point and boiling range	Not established.
Flash point	>94 °C
Evaporation rate	Not applicable.
Flammability (solid, gas)	Non-flammable
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	Not available.
Vapour density	2.0060 g/cm ³ @ 25 °C
Relative density	2.01 (H ₂ O = 1) @ 25 °C
Solubility(ies)	Soluble in water.
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	Not available.
Explosive properties	Not explosive. May form explosive dust/air mixtures.
Oxidising properties	Not oxidising.

9.2 Other information

None.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Stability and reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	May form explosive dust/air mixtures. Contact with water or moist air causes production of opaque and corrosive fumes.
10.4 Conditions to avoid	Warm storage, ignition sources, and moisture contamination.

SAFETY DATA SHEET

Revision: 3.0 Date: 24.07.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

- | | | |
|------|---|--|
| 10.5 | Incompatible materials | Keep away from: Acids, strong bases, Flammable liquids, Reducing agents, Oxidizing agents, Corrosive Substances and Alkalis. |
| 10.6 | Hazardous decomposition product(s) | Decomposes in a fire giving off toxic fumes: Nitrogen oxides, Carbon dioxide and Carbon monoxide. |

11. SECTION 11: TOXICOLOGICAL INFORMATION

- | | | |
|------|---|---|
| 11.1 | Information on toxicological effects (Substances in preparations / mixtures) | |
| | Acute toxicity | |
| | Ingestion | Based upon the available data, the classification criteria are not met.
Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg bw/day. |
| | Inhalation | Based upon the available data, the classification criteria are not met.
Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 5 mg/l. |
| | Skin Contact | Based upon the available data, the classification criteria are not met.
Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg bw/day. |
| | Skin corrosion/irritation | Based upon the available data, the classification criteria are not met. |
| | Serious eye damage/irritation | Eye Dam. 1: Causes serious eye damage. |
| | Respiratory or skin sensitization | Skin Sens. 1: May cause an allergic skin reaction.
Resp. Sens. 1: May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| | Germ cell mutagenicity | Based upon the available data, the classification criteria are not met. |
| | Carcinogenicity | Based upon the available data, the classification criteria are not met. |
| | Reproductive toxicity | Based upon the available data, the classification criteria are not met. |
| | STOT - single exposure | Based upon the available data, the classification criteria are not met. |
| | STOT - repeated exposure | STOT RE 1: Causes damage to organs through prolonged or repeated exposure: Lungs. |
| | Aspiration hazard | Based upon the available data, the classification criteria are not met. |
| 11.2 | Other information | None. |

12. SECTION 12: ECOLOGICAL INFORMATION

- | | | |
|------|---|--|
| 12.1 | Toxicity | Based upon the available data, the classification criteria are not met.
Estimated Mixture LC50 >100 mg/l (Fish) |
| 12.2 | Persistence and degradability | No data for the mixture as a whole. |
| 12.3 | Bioaccumulative potential | No data for the mixture as a whole. |
| 12.4 | Mobility in soil | The product is predicted to have high mobility in soil. |
| 12.5 | Results of PBT and vPvB assessment | Not classified as PBT or vPvB. |
| 12.6 | Other adverse effects | None known. |

13. SECTION 13: DISPOSAL CONSIDERATIONS

- | | | |
|------|--------------------------------|--|
| 13.1 | Waste treatment methods | Containers of this material may be hazardous when empty since they retain product residue. This material and its container must be disposed of as hazardous waste (2008/98/EEC). Send after pre-treatment to an appropriate hazardous waste incinerator facility according to legislation. |
| 13.2 | Additional Information | Dispose of contents in accordance with local, state or national legislation. |

14. SECTION 14: TRANSPORT INFORMATION

Not classified according to the United Nations 'Recommendations on the Transport of Dangerous Goods'.

ADR/RID / IMDG / IATA

- | | | |
|------|-----------------------------------|--|
| 14.1 | UN number | Not applicable. |
| 14.2 | UN proper shipping name | Not applicable. |
| 14.3 | Transport hazard class(es) | Not classified as dangerous for transport. |
| 14.4 | Packing group | Not applicable. |
| 14.5 | Environmental hazards | Not classified as a Marine Pollutant/ Environmentally hazardous substance. |

SAFETY DATA SHEET

Revision: 3.0 Date: 24.07.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

- 14.6 **Special precautions for user** See Section: 2
14.7 **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.
14.8 **Additional Information** None.

15. SECTION 15: REGULATORY INFORMATION

- 15.1 **Safety, health and environmental regulations/legislation specific for the substance or mixture**
15.1.1 **EU regulations**
Substance(s) of Very High Concern (SVHCs) None
15.1.2 **National regulations**
Wassergefährdungsklasse (Germany) Water hazard class: Non-hazardous ingredients
15.2 **Chemical Safety Assessment** Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS), Harmonised Classification(s) for 1,2,4,5-Benzenetetracarboxylic Dianhydride (CAS# 89-32-7), and the Classification and Labelling Inventory for Crystalline silica (CAS# 14808-60-7) and Magnesium silicate talc (CAS# 14807-96-6).

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Skin Sens. 1; H317	Threshold Calculation
Eye Dam. 1; H318	Threshold Calculation
Resp. Sens. 1; H334	Threshold Calculation
STOT RE 1; H372	Threshold Calculation

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	PBT: Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.



Disclaimer

ALL PRODUCTS, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. **To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.**

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at vpgsensors.com.

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.