

# SAFETY DATA SHEET

## EPOXYLITE 813 PART B

www.vpgsensors.com



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP)  
& 2020/878

Date of issue: 30/11/2022  
Date of First Issue: 04/09/2012  
Version 5.0

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

<b>1.1 Product identifier</b>		
Product Name	EpoxyLite 813 Part B	
Product Code	Not applicable	
Unique Formula Identifier (UFI)	Not applicable	
Nanoform	The product does not contain nanoparticles.	
<b>1.2 Relevant identified uses of the substance or mixture and uses advised against</b>		
Identified Use(s)	PC14 Metal surface treatment products, including galvanic and electroplating products.	
Uses Advised Against	For professional users only.	
<b>1.3 Details of the supplier of the safety data sheet</b>		
Company Identification	VISHAY MEASUREMENTS GROUP GMBH Tatschenweg 1 74078 Heilbronn Deutschland	
Telephone	+49 (0) 7131 39099-0	
Fax	+49 (0) 7131 39099-229	
E-Mail (competent person)	mm.de@vpgsensors.com	
<b>1.4 Emergency telephone number</b>		
National Poisons Information Service (United Kingdom)	+44 (0) 3448 920111	24 hr. emergency phone number Healthcare Professionals ONLY
NHS 24	111	Members of Public
Emergency Phone No.	(00-1) 703-527-3887	CHEMTREC (24 hours)
Languages spoken	All official European languages.	

### SECTION 2: HAZARDS IDENTIFICATION

<b>2.1 Classification of the substance or mixture</b>		
<b>2.1.1 Regulation (EC) No. 1272/2008 (CLP)</b>	Skin Sens. 1; H317 Eye Dam. 1; H318 Resp. Sens. 1; H334	
<b>2.2 Label elements</b>		
Product Name	EpoxyLite 813 Part B	
Hazard Pictogram(s)	 	
Signal Word(s)	DANGER	
Contains:	1,2,4,5-Benzenetetracarboxylic dianhydride	
Hazard Statement(s)	H317: May cause an allergic skin reaction. H318: Causes serious eye damage.	

# SAFETY DATA SHEET

## EPOXYLITE 813 PART B

www.vpgsensors.com

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP)  
& 2020/878

Date of issue: 30/11/2022  
Date of First Issue: 04/09/2012  
Version 5.0

Precautionary Statement(s)	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.  P260: Do not breathe dusts or mists. P261: Avoid breathing mist/vapours/spray. P280: Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER/doctor. P342+P311: If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
Supplemental information	None Known
<b>2.3 Other hazards</b>	May form explosible dust clouds in air. Contact with water or moist air causes production of opaque and corrosive fumes.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances - Not applicable.

#### 3.2 Mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard classification
Benzene-1,2:4,5-tetracarboxylic dianhydride	30 - 60	89-32-7	201-898-9	Not yet assigned in the supply chain	Skin Sens. 1; H317 Eye Dam. 1; H318 Resp. Sens. 1; H334

Note: For full text of H phrases see section 16.

### SECTION 4: FIRST AID MEASURES



#### 4.1 Description of first aid measures

Self-protection of the first aider

Inhalation

Skin Contact

Eye Contact

Use personal protective equipment as required. Wear appropriate personal protective equipment, avoid direct contact. Ensure adequate ventilation. Do not breathe dusts or mists. Avoid all contact. Avoid exposure during pregnancy.

IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. If breathing is laboured, oxygen should be administered by qualified personnel. If breathing has stopped, apply artificial respiration.

IF ON SKIN: Remove contaminated clothing and wash all affected areas with plenty of water. Contaminated clothing should be thoroughly cleaned. If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Obtain prompt consultation, preferably from an ophthalmologist. Continue irrigation until medical attention can be obtained.

# SAFETY DATA SHEET

## EPOXYLITE 813 PART B

www.vpgsensors.com

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP)  
& 2020/878

Date of issue: 30/11/2022  
Date of First Issue: 04/09/2012  
Version 5.0

Ingestion	Rinse mouth. Do NOT induce vomiting. Do not give anything by mouth to an unconscious person. If exposed or concerned: Get medical attention/advice.
<b>4.2 Most important symptoms and effects, both acute and delayed</b>	May cause an allergic skin reaction. Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
<b>4.3 Indication of any immediate medical attention and special treatment needed</b>	Treat symptomatically. IF IN EYES: Chemical eye burns may require extended irrigation.

### SECTION 5: FIREFIGHTING MEASURES

<b>5.1 Extinguishing media</b>	As appropriate for surrounding fire. Extinguish preferably with foam, carbon dioxide or dry chemical.
Suitable Extinguishing media	
Unsuitable extinguishing media	Do not use water jet. Direct water jet may spread the fire. Avoid dust generation Finely dispersed particles form explosive mixtures with air.
<b>5.2 Special hazards arising from the substance or mixture</b>	Decomposes in a fire giving off toxic fumes: Nitrogen oxides, Carbon dioxide and Carbon monoxide. Contact with water or moist air causes production of opaque and corrosive fumes. May form explosible dust clouds in air.
<b>5.3 Advice for fire-fighters</b>	Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Avoid dust generation Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

<b>6.1 Personal precautions, protective equipment and emergency procedures</b>	Ensure adequate ventilation In case of leakage, eliminate all ignition sources. Avoid breathing dust. Avoid contact with skin, eyes or clothing. In case of inadequate ventilation wear respiratory protection. Use personal protective equipment as required. See Section: 8.
<b>6.2 Environmental precautions</b>	Avoid release to the environment. Do not allow to enter drains, sewers or watercourses.
<b>6.3 Methods and material for containment and cleaning up</b>	Stop leak if safe to do so. Ensure suitable personal protection during removal of spillages. Vacuum spilled material. Recommended: High efficiency particulate air filter (HEPA filter). Use non-sparking tools. Avoid dust generation Do not use compressed air for cleaning purposes. Transfer to a lidded container for disposal or recovery. Ventilate the area and wash spill site after material pick-up is complete. Dispose of this material and its container as hazardous waste
<b>6.4 Reference to other sections</b>	See Section: 8, 13

### SECTION 7: HANDLING AND STORAGE

<b>7.1 Precautions for safe handling</b>	Ensure adequate ventilation Avoid contact with skin, eyes or clothing. Avoid breathing dust. Use personal protective equipment as required. See Section: 8. Avoid dust generation. Do not allow dust to accumulate on surfaces and equipment. Use non-dispersive workplace cleaning (no compressed air / high pressure cleaners). Do not use in confined spaces. Wash hands thoroughly after handling. Contaminated clothing should be thoroughly cleaned. Protect from moisture.
<b>7.2 Conditions for safe storage, including any incompatibilities</b>	Store in a cool/low-temperature, well-ventilated (dry) place away from heat and ignition sources. Keep away from heat and direct sunlight. Protect from moisture.
Storage temperature	Ambient
Storage life	Stable under normal conditions
Incompatible materials	Keep away from: Acids, strong bases, Flammable liquids, Reducing agents, Oxidizing agents, Corrosive Substances and Alkalis. Keep away from moisture.
<b>7.3 Specific end use(s)</b>	Contact with water or moist air causes production of opaque and corrosive fumes. See Section: 1.2.

# SAFETY DATA SHEET

## EPOXYLITE 813 PART B

www.vpgsensors.com

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP)  
& 2020/878

Date of issue: 30/11/2022  
Date of First Issue: 04/09/2012  
Version 5.0

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

##### 8.1.1 Occupational Exposure Limits

The UK HSE (EH40) recommends the following limits for dusts: 10 mg/m<sup>3</sup> (8hr TWA) total inhalable dust; 4 mg/m<sup>3</sup> (8hr TWA) total respirable dust.

United Kingdom

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Notes
Silica, amorphous inhalable dust respirable dust	-	- -	6 2.4	- -	- -	-
Silica, respirable crystalline (respirable fraction)	-	-	0.1	-	-	Carc (where generated as a result of a work process)
Talc, respirable dust	14807-96-6	-	1	-	-	-

Source: UK WEL: Workplace Exposure Limit (UK HSE EH40)

Ireland

SUBSTANCE	CAS No.	Occupational Exposure Limit Value (8-hour reference period)		Occupational Exposure Limit Value (15-minute reference period)		Notes
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	
Silica, amorphous inhalable dust respirable dust	-	- -	6 2.4	- -	-	-
Silica, crystalline, respirable dust (Quartz)	-	-	0.1	-	-	BOELV
Talc Total inhalable dust respirable dust	14807-96-6	- -	10 0.8	- -	- -	- -

Source: 2021 Code of Practice for Safety, Health and Welfare at Work (Chemical Agents) Regulation (2001 – 2021) and the Safety, Health and Welfare at Work (Carcinogens) Regulations (2001 – 2019); Health and Safety Authority

Notes: BOELV: binding occupational exposure limit values

##### 8.1.2 Biological limit value

Not established.

##### 8.1.3 PNECs and DNELs

Not established.

#### 8.2 Exposure controls

##### 8.2.1 Appropriate engineering controls

Ensure adequate ventilation or use appropriate containment. Atmospheric levels should be controlled in compliance with the occupational exposure limit.

##### 8.2.2 Individual protection measures, such as personal protective equipment (PPE)

General hygiene measures for the handling of chemicals are applicable. Avoid all contact. Avoid breathing vapours. Wash hands before breaks and after work. Keep work clothes separately. Contaminated clothing should be thoroughly cleaned. Do not eat, drink or smoke at the work place.

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Eye/ face protection



Skin protection

Wear protective eye glasses for protection against liquid splashes. Wear eye protection with side protection (EN166).

**Hand protection:**

# SAFETY DATA SHEET

## EPOXYLITE 813 PART B

www.vpgsensors.com

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP)  
& 2020/878

Date of issue: 30/11/2022  
Date of First Issue: 04/09/2012  
Version 5.0



Wear impervious gloves (EN374). Gloves should be changed regularly to avoid permeation problems. Breakthrough time of the glove material: refer to the information provided by the gloves' producer. Recommended: PVC / Nitrile rubber.

Respiratory protection



### Body protection:

Wear dustproof working clothes. Wear impervious protective clothing, including boots, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Use only in well-ventilated areas. In case of inadequate ventilation wear respiratory protection. A suitable mask with filter type A (EN141 or EN405) may be appropriate.

Thermal hazards

Not applicable

### 8.2.3 Environmental exposure controls

Avoid release to the environment. Do not allow to enter drains, sewers or watercourses.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical state	Powder
Colour	Not available
Odour	Not established
Melting point and freezing point	Not established
Boiling point or initial boiling point and boiling range	Not established
Flammability	Not established
Lower and upper explosion limit or lower and upper flammability limit	Not applicable - solid
Flash point	Not applicable - solid
Auto-ignition temperature	Not applicable - solid
Decomposition temperature	Not established
pH	Not established
Kinematic viscosity	Not applicable - solid
Solubility	Not established
Partition coefficient: n-octanol/water (log value)	Not applicable
Vapour pressure	Not established
Density and/or relative density	Not applicable - solid
Relative vapour density	Not applicable - solid
Particle characteristics	Not established

### 9.2 Other information

Explosive properties	Not explosive. May form explosible dust clouds in air.
Oxidising properties	Not oxidising.

## SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	May form explosible dust clouds in air. Contact with water or moist air causes production of opaque and corrosive fumes.
10.4 Conditions to avoid	Keep away from heat, sources of ignition and direct sunlight.
10.5 Incompatible materials	Keep away from: Acids, strong bases, Flammable liquids, Reducing agents, Oxidizing agents, Corrosive Substances and Alkalis. Protect from moisture.

# SAFETY DATA SHEET

## EPOXYLITE 813 PART B

www.vpgsensors.com

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP)  
& 2020/878

Date of issue: 30/11/2022  
Date of First Issue: 04/09/2012  
Version 5.0

10.6 **Hazardous decomposition product(s)** Decomposes in a fire giving off toxic fumes: Nitrogen oxides, Carbon dioxide and Carbon monoxide.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

Ingestion

Mixture: Based upon the available data, the classification criteria are not met.

Acute Toxicity Estimate Mixture Calculation: Estimated LD50 > 2000 mg/kg bw/day

Inhalation

Mixture: Based upon the available data, the classification criteria are not met.

Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 5 mg/l. (Dust/mist)

Skin Contact

Mixture: Based upon the available data, the classification criteria are not met.

Acute Toxicity Estimate Mixture Calculation: Estimated LD50 > 2000 mg/kg bw/day

##### Skin corrosion/irritation

Mixture: Based upon the available data, the classification criteria are not met.

##### Serious eye damage/irritation

Mixture: Eye Dam. 1; H318: Causes serious eye damage.

Eye Dam. 1; H318: Causes serious eye damage.

Benzene-1,2:4,5-tetracarboxylic dianhydride

Result: Causes severe eye damage. OECD 405 (rabbit) (Unnamed publication, 1975; 2008)

Harmonised Classification; ECHA registration dossier

##### Respiratory or skin sensitization

Mixture: Skin Sens. 1; H317: May cause an allergic skin reaction.

Resp. Sens. 1; H33; May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1; H317: May cause an allergic skin reaction.

Mouse local lymph node assay (LLNA) (OECD 429 and EU Method B42)

Result: Adverse effects observed (Sensitising) (Unnamed publication, 2009)

Benzene-1,2:4,5-tetracarboxylic dianhydride

Resp. Sens. 1; H33; May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Result: Adverse effects observed (Sensitising) (Unnamed publication, 1989)

Harmonised Classification; ECHA registration dossier

##### Germ cell mutagenicity

Mixture: Based upon the available data, the classification criteria are not met.

##### Carcinogenicity

Mixture: Based upon the available data, the classification criteria are not met.

##### Reproductive toxicity

Mixture: Based upon the available data, the classification criteria are not met.

##### STOT - single exposure

Mixture: Based upon the available data, the classification criteria are not met.

##### STOT - repeated exposure

Mixture: Based upon the available data, the classification criteria are not met.

##### Aspiration hazard

Mixture: Based upon the available data, the classification criteria are not met.

#### 11.2 Information on other hazards

##### 11.2.1 Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

##### 11.2.2 Other information

None

### SECTION 12: ECOLOGICAL INFORMATION

#### 12.1 Toxicity

Mixture: Based upon the available data, the classification criteria are not met.

#### 12.2 Persistence and degradability

No data for the mixture as a whole.

Readily biodegradable. Read across: Pyromellitic acid PMA

Benzene-1,2:4,5-tetracarboxylic dianhydride

100% degradation in water 28d (OECD 301B)

ECHA registration dossier

#### 12.3 Bioaccumulative potential

No data for the mixture as a whole.

The substance has low potential for bioaccumulation.

Benzene-1,2:4,5-tetracarboxylic dianhydride

Bioconcentration factor (BCF): 1 (pH 1-10 @25°C)

ECHA registration dossier

#### 12.4 Mobility in soil

No data for the mixture as a whole.

Benzene-1,2:4,5-tetracarboxylic dianhydride

Koc:1 Log Koc:0.155 (OECD 121 and EU Method C.19)

Highly Mobile

# SAFETY DATA SHEET

## EPOXYLITE 813 PART B

www.vpgsensors.com

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP)  
& 2020/878

Date of issue: 30/11/2022  
Date of First Issue: 04/09/2012  
Version 5.0

12.5	Results of PBT and vPvB assessment	ECHA registration dossier Not classified as PBT or vPvB.
12.6	Endocrine disrupting properties	This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.
12.7	Other adverse effects	None known

### SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	This material and its container must be disposed of as hazardous waste. Dispose of wastes in an approved waste disposal facility. Waste classification according to Directive 2008/98/EC (Waste Framework Directive): HP4, HP13
13.2	Additional Information	Dispose of contents in accordance with local, state or national legislation.

### SECTION 14: TRANSPORT INFORMATION

Not classified according to the United Nations 'Recommendations on the Transport of Dangerous Goods'.

	ADR/RID	ADN	IMDG	IATA/ICAO
14.1	UN number or ID number	None assigned	None assigned	None assigned
14.2	UN proper shipping name	None assigned	None assigned	None assigned
14.3	Transport hazard class(es)	None assigned	None assigned	None assigned
14.4	Packing group	None assigned	None assigned	None assigned
14.5	Environmental hazards	Not applicable	Not applicable	Not classified as a Marine Pollutant.
14.6	Special precautions for user	See Section: 2		
14.7	Maritime transport in bulk according to IMO instruments	Not applicable	Not applicable	Not applicable
14.8	Additional information	None		

### SECTION 15: REGULATORY INFORMATION

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	
15.1.1	EU regulations	
	Use restriction according to REACH annex XVII, no.: Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]	Not restricted Not applicable
	Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]	This substance/mixture does not contain any volatile organic compounds in the sense of Directive 2010/75/EU.
	Restrictions of occupation:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).
	To follow:	Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work
15.1.2	National regulations	
	Germany	
	Water hazard class (WGK)	slightly hazardous to water (WGK 1) (Selbsteinstufung gemäß AwSV (Gemisch, Rechenregel).)
15.2	Chemical Safety Assessment	A REACH chemical safety assessment has not been carried out.



# SAFETY DATA SHEET

## EPOXYLITE 813 PART B

www.vpgsensors.com

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP)  
& 2020/878

Date of issue: 30/11/2022  
Date of First Issue: 04/09/2012  
Version 5.0

### SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: New SDS Regulation 2020/878 format, all sections have been updated to include new information. Please review SDS with care.

#### References:

Existing Safety Data Sheet (SDS), Harmonised Classification(s) for 1,2,4,5-Benzenetetracarboxylic Dianhydride (CAS# 89-32-7), and the Classification and Labelling Inventory for Crystalline silica (CAS# 14808-60-7) and Magnesium silicate talc (CAS# 14807-96-6).

EU Classification: This Safety Data Sheet was prepared in accordance with EC Regulation (EC) 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Skin Sens. 1; H317	Threshold Calculation
Eye Dam. 1; H318	Threshold Calculation
Resp. Sens. 1; H334	Threshold Calculation

#### LEGEND

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
BCF	Bioconcentration factor (BCF)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DNEL	Derived no effect level
EU	European Union
EC	European Community
ECHA	European Chemicals Agency
EN	European Standard
IATA	International Air Transport Association
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
LC50	Lethal concentration at which 50% of the population is killed
LD50	Lethal dose at which 50% of the population is killed
LTEL	Long term exposure limit
NOAEC	No observed adverse effect concentration
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time Weighted Average
STEL	Short term exposure limit
vPvB	very Persistent and very Bioaccumulative
UK	United Kingdom
UN	United Nations

#### Hazard classification / Classification code:

Skin Sens. 1; Skin Sensitisation, Category 1  
Eye Dam. 1; Eye Damage, Category 1  
Resp. Sens. 1; Respiratory Sensitization, Category 1

#### Hazard Statement(s)

H317: May cause an allergic skin reaction.  
H318: Causes serious eye damage.  
H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

#### Disclaimers



# SAFETY DATA SHEET

## EPOXYLITE 813 PART B



[www.vpgsensors.com](http://www.vpgsensors.com)

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP)  
& 2020/878

Date of issue: 30/11/2022  
Date of First Issue: 04/09/2012  
Version 5.0

---

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.



## Disclaimer

ALL PRODUCTS, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. **To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.**

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at [vpgsensors.com](http://vpgsensors.com).

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.