

SAFETY DATA SHEET

Revision: 2.2 Date: 29.07.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier**
Product Name EPY-500 Part A
Chemical Name Mixture
CAS No. Mixture
EINECS No. Mixture
REACH Registration No. None assigned.
- 1.2 Relevant identified uses of the substance or mixture and uses advised against**
Identified Use(s) PC14 Metal surface treatment products, including galvanic and electroplating products.
Uses Advised Against None known.
- 1.3 Details of the supplier of the safety data sheet**
Company Identification VISHAY MEASUREMENTS GROUP UK LTD
Stroudley Road
Basingstoke
Hampshire
RG24 8FW
United Kingdom
Telephone +44 (0) 1256 462131
Fax +44 (0) 1256 471441
E-Mail (competent person) mm.uk@vishaypg.com
- 1.4 Emergency telephone number** (00-1) 703-527-3887
CHEMTREC

2. SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture**
- 2.1.1 Regulation (EC) No. 1272/2008 (CLP)** Skin Irrit. 2; H315
Skin Sens. 1; H317
Eye Irrit. 2; H319
Aquatic Chronic 2; H411
- 2.2 Label elements** According to Regulation (EC) No. 1272/2008 (CLP)
- Product Name EPY-500 Part A
- Hazard Pictogram(s)  
- Signal Word(s) Warning
- Contains: Phenol, polymer with formaldehyde, glycidyl ether and Reaction product: Bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)
- Hazard Statement(s) H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H319: Causes serious eye irritation.
H411: Toxic to aquatic life with long lasting effects.
- Precautionary Statement(s) P280: Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352: IF ON SKIN: Wash with plenty of water.

SAFETY DATA SHEET

Revision: 2.2 Date: 29.07.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313: If eye irritation persists: Get medical advice/attention.
P273: Avoid release to the environment.

Additional Information

None.

2.3 Other hazards

Susceptible to polymerisation initiated by prolonged heating or the presence of catalyst. Bulk: May undergo autopolymerisation.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

| Chemical identity of the substance | %W/W | CAS No. | EC No. | REACH Registration No. | Hazard Statement(s) |
|---|--------|------------|-----------|------------------------|--|
| Polyglycidyl Ether of Phenol-Formaldehyde | < 87 | 28064-14-4 | - | None assigned | Eye Irrit. 2; H319 Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 2; H411 |
| Magnesium silicate talc | 5 - 10 | 14807-96-6 | 238-877-9 | None assigned | Not classified |
| Reaction product: Bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \leq 700) | < 5 | 25068-38-6 | 500-033-5 | None assigned | Skin Irrit. 2; H315 (SCL: \geq 5%) Eye Irrit. 2; H319 (SCL: \geq 5%) Skin Sens. 1; H317 Aquatic Chronic 2; H411 |

H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H411: Toxic to aquatic life with long lasting effects. SCL: Specific Concentration Limit.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin Contact

IF ON SKIN: Remove contaminated clothing and wash all affected areas with plenty of water. Contaminated clothing should be thoroughly cleaned. If skin irritation or rash occurs: Get medical advice/attention.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

Do not give milk or alcoholic beverages. Do not give anything by mouth to an unconscious person. Obtain medical attention if ill effects occur.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Overexposure may aggravate existing eye, skin, and/or respiratory disorders.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media

As appropriate for surrounding fire. Extinguish with carbon dioxide, dry chemical,

SAFETY DATA SHEET

Revision: 2.2 Date: 29.07.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

- Unsuitable extinguishing media
- 5.2 **Special hazards arising from the substance or mixture** foam or waterspray. Alcohol resistant foams (ATC type) are preferred. General purpose synthetic foams (including AFFF) or protein foams may function, but will be less effective.
- 5.3 **Advice for fire-fighters** Do not use water jet. Direct water jet may spread the fire. May decompose in a fire giving off toxic fumes. Carbon monoxide, Carbon dioxide and phenolic. Dense smoke is emitted when burned without sufficient oxygen. Susceptible to polymerisation initiated by prolonged heating or the presence of catalyst.
- Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 **Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation. Stop leak if safe to do so. Avoid breathing vapours. Use personal protective equipment as required. See Section: 8.
- 6.2 **Environmental precautions** Avoid release to the environment. Do not allow to enter drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be alerted to the Environment Agency or other appropriate regulatory body.
- 6.3 **Methods and material for containment and cleaning up** Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Dispose of this material and its container as hazardous waste (2008/98/EEC).
- 6.4 **Reference to other sections** See Section: 8, 13

7. SECTION 7: HANDLING AND STORAGE

- 7.1 **Precautions for safe handling** Ensure adequate ventilation. Avoid breathing vapours. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. See Section: 8. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Susceptible to polymerisation initiated by prolonged heating or the presence of catalyst. Bulk: May undergo autopolymerisation.
- 7.2 **Conditions for safe storage, including any incompatibilities** Keep away from heat, sources of ignition and direct sunlight.
- Storage temperature: Ambient.
- Storage life: Stable under normal conditions.
- Incompatible materials: Keep away from: Polymerisation catalysts such as peroxy or azo compounds, strong acids, alkalis, oxidising agents and metal salts.
- 7.3 **Specific end use(s)** PC14 Metal surface treatment products, including galvanic and electroplating products. See Section: 1.2

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 **Control parameters**
- 8.1.1 **Occupational Exposure Limits**

| SUBSTANCE | CAS No. | LTEL (8 hr TWA ppm) | LTEL (8 hr TWA mg/m ³) | STEL (ppm) | STEL (mg/m ³) | Note: |
|-------------------------|------------|---------------------|------------------------------------|------------|---------------------------|-------|
| Magnesium silicate talc | 14807-96-6 | - | 1* | - | - | WEL |

Note: WEL: Workplace Exposure Limit (UK HSE EH40)

*Respirable aerosol

- 8.1.2 **Biological limit value** Not established.
- 8.1.3 **PNECs and DNELs** Not established.
- 8.2 **Exposure controls**
- 8.2.1 **Appropriate engineering controls** Ensure adequate ventilation or use appropriate containment. Atmospheric levels

SAFETY DATA SHEET

Revision: 2.2 Date: 29.07.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

8.2.2 Individual protection measures, such as personal protective equipment (PPE)

Eye/ face protection



Skin protection



Respiratory protection



Thermal hazards

should be controlled in compliance with the occupational exposure limit.

General hygiene measures for the handling of chemicals are applicable. Avoid breathing vapours. Avoid contact with skin, eyes or clothing. Wash hands before breaks and after work. Keep work clothes separately. Contaminated clothing should be thoroughly cleaned. Do not eat, drink or smoke at the work place.

Wear protective eye glasses for protection against liquid splashes. Wear eye protection with side protection (EN166).

Hand protection: Wear impervious gloves (EN374). Gloves should be changed regularly to avoid permeation problems. Breakthrough time of the glove material: refer to the information provided by the gloves' producer. The gloves type used must be chosen based on the work activity and duration as well as concentration/quantity of material being handled.

Body protection: Wear impervious protective clothing, including boots, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

In case of inadequate ventilation wear respiratory protection. Open system(s): Wear suitable respiratory protective equipment.

Not applicable.

8.2.3 Environmental Exposure Controls

Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| | |
|--|--------------------------------|
| Appearance | Liquid |
| Odour | Not available. |
| Odour threshold | Not available. |
| pH | Not available. |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not available. |
| Flash point | >94 °C |
| Evaporation rate | Not applicable. |
| Flammability (solid, gas) | Not applicable - liquid |
| Upper/lower flammability or explosive limits | Not applicable. |
| Vapour pressure | Not available. |
| Vapour density | Not available. |
| Relative density | 1.27 @ 25 °C |
| Solubility(ies) | Not established. |
| Partition coefficient: n-octanol/water | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition Temperature | Not available. |
| Viscosity | >22 mm ² /s @ 40 °C |
| Explosive properties | Not explosive. |
| Oxidising properties | Not oxidising. |

9.2 Other information

None.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Stability and reactivity

Stable under normal conditions.

10.2 Chemical stability

Stable under normal conditions.

SAFETY DATA SHEET

Revision: 2.2 Date: 29.07.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

| | | |
|------|------------------------------------|---|
| 10.3 | Possibility of hazardous reactions | Susceptible to polymerisation initiated by prolonged heating or the presence of catalyst. Bulk: May undergo autopolymerisation. |
| 10.4 | Conditions to avoid | Keep away from heat, sources of ignition and direct sunlight. |
| 10.5 | Incompatible materials | Polymerisation catalysts such as peroxy or azo compounds, strong acids, alkalis, oxidising agents and metal salts. |
| 10.6 | Hazardous decomposition product(s) | May decompose in a fire giving off toxic fumes. Carbon monoxide, Carbon dioxide and phenolic. |

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects (Substances in preparations / mixtures)

| | |
|-----------------------------------|---|
| Acute toxicity | |
| Ingestion | Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg bw/day. |
| Inhalation | Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 20.0 mg/l. |
| Skin Contact | Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg bw/day. |
| Skin corrosion/irritation | Skin Irrit. 2: Causes skin irritation. |
| Serious eye damage/irritation | Eye Irrit. 2: Causes serious eye irritation. |
| Respiratory or skin sensitization | Skin Sens. 1: May cause an allergic skin reaction. |
| Germ cell mutagenicity | Based upon the available data, the classification criteria are not met. |
| Carcinogenicity | Based upon the available data, the classification criteria are not met. |
| Reproductive toxicity | Based upon the available data, the classification criteria are not met. |
| STOT - single exposure | Based upon the available data, the classification criteria are not met. |
| STOT - repeated exposure | Based upon the available data, the classification criteria are not met. |
| Aspiration hazard | Based upon the available data, the classification criteria are not met. |
| 11.2 Other information | None. |

12. SECTION 12: ECOLOGICAL INFORMATION

| | | |
|------|------------------------------------|---|
| 12.1 | Toxicity | Aquatic Chronic 2: Toxic to aquatic life with long lasting effects. Estimated Mixture LC50 >1 ≤ 10 mg/l (Fish) |
| 12.2 | Persistence and degradability | Part of the components are poorly biodegradable. |
| 12.3 | Bioaccumulative potential | The product has low potential for bioaccumulation. |
| 12.4 | Mobility in soil | The product is predicted to have low mobility in soil. |
| 12.5 | Results of PBT and vPvB assessment | Not classified as PBT or vPvB. |
| 12.6 | Other adverse effects | None known. |

13. SECTION 13: DISPOSAL CONSIDERATIONS

| | | |
|------|-------------------------|---|
| 13.1 | Waste treatment methods | This material and its container must be disposed of as hazardous waste (2008/98/EEC). Containers of this material may be hazardous when empty since they retain product residue. Send after pre-treatment to a appropriate hazardous waste incinerator facility according to legislation. |
| 13.2 | Additional Information | Dispose of contents in accordance with local, state or national legislation. |

14. SECTION 14: TRANSPORT INFORMATION

| | | |
|------|----------------------------|--|
| | | ADR/RID / IMDG / IATA |
| 14.1 | UN number | UN 3082 |
| 14.2 | UN proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Phenol, polymer with formaldehyde, glycidyl ether and Reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)) |
| 14.3 | Transport hazard class(es) | 9 |

SAFETY DATA SHEET

Revision: 2.2 Date: 29.07.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

| | | |
|------|--|--|
| 14.4 | Packing group | III |
| 14.5 | Environmental hazards | Classified as a Marine Pollutant/ Environmentally hazardous substance. |
| 14.6 | Special precautions for user | See Section: 2 |
| 14.7 | Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | Not applicable. |
| 14.8 | Additional Information | None. |

15. SECTION 15: REGULATORY INFORMATION

| | | |
|--------|--|-----------------------|
| 15.1 | Safety, health and environmental regulations/legislation specific for the substance or mixture | |
| 15.1.1 | EU regulations | |
| | Substance(s) of Very High Concern (SVHCs) | None |
| 15.1.2 | National regulations | |
| | Wassergefährdungsklasse (Germany) | Water hazard class: 2 |
| 15.2 | Chemical Safety Assessment | Not available. |

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS), Harmonised Classification(s) for Reaction product: Bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \leq 700) (CAS# 25068-38-6), Existing ECHA registration(s) for Reaction product: Bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \leq 700) (CAS#25068-38-6) and the Classification and Labelling Inventory for Phenol, polymer with formaldehyde, glycidyl ether (CAS# 28064-14-4) and Magnesium silicate talc (CAS# 14807-96-6).

| Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP) | Classification Procedure |
|---|--------------------------|
| Skin Irrit. 2; H315 | Threshold Calculation |
| Skin Sens. 1; H317 | Threshold Calculation |
| Eye Irrit. 2; H19 | Threshold Calculation |
| Aquatic Chronic 2; H411 | Summation Calculation |

LEGEND

| | |
|------|--|
| LTEL | Long Term Exposure Limit |
| STEL | Short Term Exposure Limit |
| DNEL | Derived No Effect Level |
| PNEC | Predicted No Effect Concentration |
| PBT | PBT: Persistent, Bioaccumulative and Toxic |
| vPvB | very Persistent and very Bioaccumulative |

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.

Disclaimer

ALL PRODUCTS, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. **To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.**

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at vpgsensors.com.

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.