

# SAFETY DATA SHEET

Revision: 1.1 Date: 05.05.2015


ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 453/2010

www.vpgsensors.com

## 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier**  
Product Name M-Bond 300 Catalyst (Lot # 075 and Higher)  
Chemical Name Mixture  
CAS No. Mixture  
EINECS No. Mixture  
REACH Registration No. None assigned.
- 1.2 Recommended use of the chemical and restrictions on use**  
Identified Use(s) Adhesives.  
Uses Advised Against None known.
- 1.3 Supplier's details**  
Company Identification VISHAY MEASUREMENTS GROUP UK LTD  
Stroudley Road  
Basingstoke  
Hampshire  
RG24 8FW  
United Kingdom  
Telephone +44 (0) 1256 462131  
Fax +44 (0) 1256 471441  
E-Mail (competent person) mm.uk@vishaypg.com
- 1.4 Emergency Phone No.** (00-1) 703-527-3887  
CHEMTREC

## 2. SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture**
- 2.1.1 Regulation (EC) No. 1272/2008 (CLP)** Org. Perox. CD; H242  
Acute Tox. 4; H302  
Skin Corr. 1B; H314
- 2.1.2 Directive 67/548/EEC & Directive 1999/45/EC** O; R7: May cause fire.  
Xn; R22: Harmful if swallowed.  
C; R34: Causes burns.
- 2.2 Label elements**  
Product Name According to Regulation (EC) No. 1272/2008 (CLP)  
M-Bond 300 Catalyst (Lot # 075 and Higher)
- Hazard Pictogram(s) 
- Signal Word(s) Danger
- Contains: Methyl ethyl ketone peroxide and Hydrogen peroxide
- Hazard Statement(s) H242: Heating may cause a fire.  
H302: Harmful if swallowed.  
H314: Causes severe skin burns and eye damage.
- Precautionary Statement(s) P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.

# SAFETY DATA SHEET

Revision: 1.1 Date: 05.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 453/2010

www.vpgsensors.com

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310: Immediately call a POISON CENTER/doctor.

## 2.3 Other hazards

None.

## 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard Statement(s)
Methyl ethyl ketone Peroxide	30 - 35	1338-23-4	215-661-2/ 700-954-4	None assigned	Org. Perox. CD; H242 Acute Tox. 4; H302 Skin Corr. 1B; H314
2,2,4-Trimethyl-1,3-pentenediol diisobutyrate	18 - 23	6846-50-0	229-934-9	None assigned	Aquatic Chronic 3; H412
Methyl ethyl ketone	1.5 - 2.5	78-93-3	201-159-0	None assigned	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 EUH066
Hydrogen Peroxide	< 1.5	7722-84-1	231-765-0	None assigned	Ox. Liq. 1; H271 (SCL: $\geq 70\%$ ) Skin Corr. 1A; H314 (SCL: $\geq 70\%$ ) Acute Tox. 4; H302 Acute Tox. 4; H332 STOT SE 3; H335 (SCL: $\geq 35\%$ ) Aquatic Chronic 3; H412

H225: Highly flammable liquid and vapour. H242: Heating may cause a fire. H271: May cause fire or explosion; strong oxidiser. H302: Harmful if swallowed. H314: Causes severe skin burns and eye damage. H319: Causes serious eye irritation. H332: Harmful if inhaled. H335: May cause respiratory irritation. H336: May cause drowsiness or dizziness. H412: Harmful to aquatic life with long lasting effects. EUH066: Repeated exposure may cause skin dryness or cracking. SCL: Specific Concentration Limit.

Directive 67/548/EEC & Directive 1999/45/EC

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	EC Classification and Risk Phrases
Methyl ethyl ketone peroxide	30 - 35	1338-23-4	215-661-2/ 700-954-4	None assigned	O; R7 Xn; R22 C; R34
2,2,4-Trimethyl-1,3-pentenediol diisobutyrate	18 - 23	6846-50-0	229-934-9	None assigned	R52/53
Methyl ethyl ketone	1.5 - 2.5	78-93-3	201-159-0	None assigned	F; R11 Xi; R36 R66 R67
Hydrogen peroxide	< 1.5	7722-84-1	231-765-0	None assigned	O; R9 C; R35 Xn; R22 Xn; R20 Xi; R37 R52/53

C; Corrosive, O; Oxidizing, F; Flammable, Xi; Irritant, Xn; Harmful. R7: May cause fire. R9: Explosive when mixed with combustible material. R11: Highly flammable. R20: Harmful by inhalation. R22: Harmful if swallowed. R34: Causes burns. R35: Causes severe burns. R36: Irritating to eyes. R37: Irritating to respiratory system. R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R66:

# SAFETY DATA SHEET

Revision: 1.1 Date: 05.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 453/2010

www.vpgsensors.com

Repeated exposure may cause skin dryness or cracking. R67: Vapours may cause drowsiness and dizziness.

## 4. SECTION 4: FIRST AID MEASURES



### 4.1 Description of first aid measures

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical advice/attention if you feel unwell.

Skin Contact

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. Contaminated clothing should be thoroughly cleaned. Immediately call a POISON CENTER or doctor/physician.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Treatment by an ophthalmologist due to possible caustic burn of the eyes may be required.

Ingestion

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Give plenty of water to drink. Immediately call a POISON CENTER or doctor/physician.

### 4.2 Most important symptoms and effects, both acute and delayed

Harmful if swallowed. Causes severe skin burns and eye damage.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a poison control center or doctor for further treatment advice. Obtain prompt consultation, preferably from an ophthalmologist. Chemical eye burns may require extended irrigation.

## 5. SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

Suitable Extinguishing media

As appropriate for surrounding fire. Extinguish preferably with waterspray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.

Unsuitable extinguishing media

Do not use water jet. Direct water jet may spread the fire.

### 5.2 Special hazards arising from the substance or mixture

May decompose in a fire giving off toxic fumes. Carbon monoxide, Carbon dioxide and Acrid smoke. May form explosive mixture with air particularly in enclosed spaces.

### 5.3 Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

## 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Stop leak if safe to do so. Eliminate all ignition sources if safe to do so. Avoid contact with skin, eyes or clothing. Avoid breathing vapours. Ensure suitable personal protection during removal of spillages. See Section: 8.

### 6.2 Environmental precautions

Avoid release to the environment. Do not allow to enter drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be alerted to the Environment Agency or other appropriate regulatory body.

### 6.3 Methods and material for containment and cleaning up

Use only non-sparking tools. Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. See Section: 7.2.

Dispose of this material and its container as hazardous waste (2008/98/EEC). Ventilate the area and wash spill site after material pick-up is complete.

### 6.4 Reference to other sections

See Section: 8, 13

# SAFETY DATA SHEET

Revision: 1.1 Date: 05.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 453/2010

www.vpgsensors.com

## 7. SECTION 7: HANDLING AND STORAGE



- 7.1 Precautions for safe handling** Ensure adequate ventilation. Do not breathe vapour. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. See Section: 8. Keep away from clothing and other combustible materials. Do not eat, drink or smoke when using this product. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- 7.2 Conditions for safe storage, including any incompatibilities**  
Storage temperature  
Storage life  
Suitable containers:  
Unsuitable containers:  
Incompatible materials
- Keep only in original container. Store in a well-ventilated place. Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep from direct sunlight.  
Store at temperatures not exceeding (°C): 27°C. SADT 60°C.  
Stable under normal conditions.  
Polyethylene  
Steel (drums)  
Keep away from: Aerosol, Flammable liquid, Oxidizing agents, Reducing agents, Acids, strong bases, metals (and their alloys), Sulphur products, Amines and Corrosive Substances. Avoid impurities (e.g. rust, dust, ash), risk of decomposition.
- 7.3 Specific end use(s)** Adhesives. See Section: 1.2.

## 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters**  
**8.1.1 Occupational Exposure Limits**

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Methyl ethyl ketone peroxide	1338-23-4	-	-	0.2	1.5	WEL
Methyl ethyl ketone	78-93-3	200	600	300	899	WEL
Hydrogen peroxide	7722-84-1	1	1.4	2	2.8	WEL

Note: WEL: Workplace Exposure Limit (UK HSE EH40)

- 8.1.2 Biological limit value** Not established.
- 8.1.3 PNECs and DNELs** Not established.
- 8.2 Exposure controls**
- 8.2.1 Appropriate engineering controls** Use appropriate containment or ensure adequate ventilation. Atmospheric levels should be controlled in compliance with the occupational exposure limit. Guarantee that the eye flushing systems and safety showers are located close to the working place.
- 8.2.2 Individual protection measures, such as personal protective equipment (PPE)** General hygiene measures for the handling of chemicals are applicable. Use personal protective equipment as required. Wash contaminated clothing before reuse. Avoid contact with skin, eyes or clothing.
- Eye/ face protection  Wear goggles giving complete protection to eyes to protect against liquid splashes (EN166).
- Skin protection  Hand protection: Wear impervious gloves (EN374). Gloves should be changed regularly to avoid permeation problems. Breakthrough time of the glove material: refer to the information provided by the gloves' producer.
- Body protection: Wear impervious protective clothing, including boots, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
- Respiratory protection In case of inadequate ventilation wear respiratory protection. Open system(s):

# SAFETY DATA SHEET

Revision: 1.1 Date: 05.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 453/2010

www.vpgsensors.com



Thermal hazards

## 8.2.3 Environmental Exposure Controls

Wear suitable respiratory protective equipment.

Not applicable.

Avoid release to the environment.

## 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance	Milky white Coloured liquid.
Odour	Slight Odour
Odour threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	>93 °C
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	Not available.
Vapour density	>1
Relative density	1.1
Solubility(ies)	Slightly soluble in: Water
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidising properties	Organic peroxide Type D.

### 9.2 Other information

VOC: 3.7%W/W

## 10. SECTION 10: STABILITY AND REACTIVITY

10.1 Stability and reactivity	Keep only in the original container at a temperature not exceeding (°C): 27 °C. SADT 60 °C.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Heating may cause decomposition.
10.4 Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep from direct sunlight.
10.5 Incompatible materials	Keep away from: Aerosol, Flammable liquid, Oxidizing agents, Reducing agents, Acids, strong bases, metals (and their alloys), Sulphur products, Amines and Corrosive Substances. Avoid impurities (e.g. rust, dust, ash), risk of decomposition.
10.6 Hazardous decomposition product(s)	May decompose in a fire giving off toxic fumes. Carbon monoxide, Carbon dioxide and Acrid smoke.

## 11. SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects (Substances in preparations / mixtures)

#### Acute toxicity

Ingestion

Acute Tox. 4: Harmful if swallowed.

Acute Toxicity Estimate Mixture Calculation: Estimated LC50 1429 mg/kg bw/day.

Inhalation

Based on available data, the classification criteria are not met.

Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 20 mg/l.

Skin Contact

Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

Revision: 1.1 Date: 05.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 453/2010

www.vpgsensors.com

	Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg bw/day.
	Skin Corr. 1B: Causes severe skin burns.
	Skin Corr. 1B: Causes serious eye damage.
	Based on available data, the classification criteria are not met.
	Based on available data, the classification criteria are not met.
	Based on available data, the classification criteria are not met.
	Based on available data, the classification criteria are not met.
	Based on available data, the classification criteria are not met.
	Based on available data, the classification criteria are not met.
	Based on available data, the classification criteria are not met.
11.2	Other information

## 12. SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	Based on available data, the classification criteria are not met. Estimated (96 hour) LC50 (Fish) > 100 mg/l
12.2	Persistence and degradability	Moderately/partially biodegradable.
12.3	Bioaccumulative potential	The product has low potential for bioaccumulation.
12.4	Mobility in soil	The product is predicted to have low mobility in soil. (Poorly water soluble product.)
12.5	Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
12.6	Other adverse effects	None known.

## 13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	Do not release undiluted and unneutralised to the sewer. This material and its container must be disposed of as hazardous waste (2008/98/EEC). Send after pre-treatment to a appropriate hazardous waste incinerator facility according to legislation.
13.2	Additional Information	Dispose of contents in accordance with local, state or national legislation.

## 14. SECTION 14: TRANSPORT INFORMATION

		<b>ADR/RID / IMDG / IATA</b>
14.1	UN number	UN 3105
14.2	Proper Shipping Name	ORGANIC PEROXIDE TYPE D, LIQUID (Methyl Ethyl Ketone Peroxide, <45%)
14.3	Transport hazard class(es)	5.2
14.4	Packing group	II
14.5	Environmental hazards	Not classified as a Marine Pollutant/ Environmentally hazardous substance.
14.6	Special precautions for user	See Section: 2
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
14.8	Additional Information	None.

## 15. SECTION 15: REGULATORY INFORMATION

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	
15.1.1	EU regulations SVHCs	None.
15.1.2	National regulations Wassergefährdungsklasse (Germany)	Water hazard class: 1
15.2	Chemical Safety Assessment	Not available.

# SAFETY DATA SHEET

Revision: 1.1 Date: 05.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 453/2010

www.vpgsensors.com

## 16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

**References:** Existing Safety Data Sheet (SDS), Harmonised Classification(s) for Methyl ethyl ketone (CAS# 78-93-3) and Hydrogen Peroxide (CAS# 7722-84-1), and Existing ECHA registration(s) for 2-Butanone, peroxide (CAS# 1338-23-4), 2,2,4-Trimethyl-1,3-Pentanediol Diisobutyrate (CAS# 6846-50-0), Methyl ethyl ketone (CAS# 78-93-3) and Hydrogen Peroxide (CAS# 7722-84-1).

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Org. Perox. CD; H242	Estimated Physico-chemical properties of substance
Acute Tox. 4; H302	Acute Toxicity Estimate (ATE) Calculation.
Skin Corr. 1B; H314	Threshold Calculation

### LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

### Annex to the extended Safety Data Sheet (eSDS)

No information available.



## Disclaimer

ALL PRODUCTS, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. **To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.**

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at [vpgsensors.com](http://vpgsensors.com).

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.