

SAFETY DATA SHEET

Revision: 2.0 Date: 03.06.2015




ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier**
Product Name M-Bond Curing Agent 10A
Chemical Name Mixture
CAS No. Mixture
EINECS No. Mixture
REACH Registration No. None assigned.
- 1.2 Recommended use of the chemical and restrictions on use**
Identified Use(s) Adhesives.
Uses Advised Against None known.
- 1.3 Supplier's details**
Company Identification VISHAY MEASUREMENTS GROUP UK LTD
Stroudley Road
Basingstoke
Hampshire
RG24 8FW
United Kingdom
Telephone +44 (0) 1256 462131
Fax +44 (0) 1256 471441
E-Mail (competent person) mm.uk@vishaypg.com
- 1.4 Emergency Phone No.** (00-1) 703-527-3887
CHEMTREC

2. SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture**
- 2.1.1 Regulation (EC) No. 1272/2008 (CLP)** Acute Tox. 4; H302
Acute Tox. 4; H312
Skin Corr. 1B; H314
Skin Sens. 1; H317
Acute Tox. 2; H330
STOT SE 3; H335
Repr. 2; H361f
- 2.1.2 Directive 67/548/EEC & Directive 1999/45/EC** Xn; R21/22: Harmful in contact with skin and if swallowed.
C; R34: Causes burns.
R43: May cause sensitization by skin contact.
T; R23: Toxic by inhalation.
Xi; R37: Irritating to respiratory system.
Repr. Cat. 3; R62: Possible risk of impaired fertility.
- 2.2 Label elements**
Product Name According to Regulation (EC) No. 1272/2008 (CLP)
M-Bond Curing Agent 10A
- Hazard Pictogram(s)
-   
- Signal Word(s) Danger
- Contains: 2,2'-Iminodi(ethylamine) and Bisphenol A

SAFETY DATA SHEET

Revision: 2.0 Date: 03.06.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

Hazard Statement(s)	H302: Harmful if swallowed. H312: Harmful in contact with skin. H314: Causes severe skin burns and eye damage. H317: May cause an allergic skin reaction. H330: Fatal if inhaled. H335: May cause respiratory irritation. H361f: Suspected of damaging fertility.
Precautionary Statement(s)	P201: Obtain special instructions before use. P280: Wear protective gloves/protective clothing/eye protection/face protection. P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician.
Additional Information	None
2.3 Other hazards	None

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard Statement(s)
2,2'-Iminodi(ethylamine)	65-75	111-40-0	203-865-4	None assigned	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Corr. 1B; H314 Skin Sens. 1; H317 Acute Tox. 2; H330 STOT SE 3; H335
Bisphenol A	25-35	80-05-7	201-245-8	None assigned	Skin Sens. 1; H317 Eye Dam. 1; H318 STOT SE 3; H335 Repr. 2; H361f

H302: Harmful if swallowed. H312: Harmful in contact with skin. H314: Causes severe skin burns and eye damage. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H330: Fatal if inhaled. H335: May cause respiratory irritation. H361f: Suspected of damaging fertility.

Directive 67/548/EEC & Directive 1999/45/EC

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	EC Classification and Risk Phrases
2,2'-Iminodi(ethylamine)	65-75	111-40-0	203-865-4	None assigned	Xn; R22 Xn; R21 C; R34 R43 T; R23 Xi; R37
Bisphenol A	25-35	80-05-7	201-245-8	None assigned	R43 Xi; R41 Xi; R37 Repr. 3; R62

T; Toxic, Xi; Irritant, Xn; Harmful. C; Corrosive. R21: Harmful in contact with skin. R22: Harmful if swallowed. R23: Toxic by inhalation. R34: Causes burns. R37: Irritating to respiratory system. R41: Risk of serious damage to eyes. R43: May cause sensitization by skin contact. R62: Possible risk of

SAFETY DATA SHEET

Revision: 2.0 Date: 03.06.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

impaired fertility.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER/doctor.

Skin Contact

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Contaminated clothing should be thoroughly cleaned. Immediately call a POISON CENTER/doctor.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Treatment by an ophthalmologist due to possible caustic burn of the eyes may be required.

Ingestion

IF SWALLOWED: Rinse mouth. Make victim drink plenty of water. Do not induce vomiting unless instructed to do so by medical personnel. Immediately call a POISON CENTER/doctor.

4.2 Most important symptoms and effects, both acute and delayed

Harmful if swallowed. Harmful in contact with skin. Fatal if inhaled. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause respiratory irritation. Suspected of damaging fertility.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. IF IN EYES: Obtain prompt consultation, preferably from an ophthalmologist. Chemical eye burns may require extended irrigation.

5. SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media

As appropriate for surrounding fire. Extinguish with carbon dioxide, dry chemical, foam or waterspray. Unsuitable extinguishing media: Halons.

Unsuitable extinguishing media

Do not use water jet. Direct water jet may spread the fire.

5.2 Special hazards arising from the substance or mixture

May decompose in a fire giving off toxic fumes. Decomposes in a fire giving off toxic fumes: Nitrogen oxides, Aldehydes, Carbon monoxide and Carbon dioxide.

5.3 Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Stop leak if safe to do so. Use personal protective equipment as required. See Section: 8. Avoid breathing vapours.

6.2 Environmental precautions

Avoid release to the environment. Do not allow to enter drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be alerted to the Environment Agency or other appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

Absorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Ventilate the area and wash spill site after material pick-up is complete. Dispose of this material and its container as hazardous waste (2008/98/EEC).

6.4 Reference to other sections

See Section: 8, 13

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid all contact. Do not breathe vapour. Ensure adequate ventilation. Use personal protective equipment as required.

SAFETY DATA SHEET

Revision: 2.0 Date: 03.06.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com




- 7.2 Conditions for safe storage, including any incompatibilities**
- Storage temperature
Storage life
Incompatible materials
- 7.3 Specific end use(s)**
- See Section: 8. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.
Store under inert gas (e.g nitrogen) to prevent ingress of moisture or air into the container. If a container is part emptied flush thoroughly with inert gas prior to resealing. Store in a well-ventilated place. Keep container tightly closed. Keep away from heat, sources of ignition and direct sunlight.
Ambient. Keep at temperature not exceeding (°C): 27
Protect from moisture. Bulk storage should be under nitrogen blanket.
Keep away from: Nitrosating agents, Strong oxidising agents, strong bases, Acids, Aldehydes, metals (Copper, Aluminium and Zinc and their alloys) and halogenated compounds.
Adhesives. See Section: 1.2

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters**
8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
2,2'-Iminodi(ethylamine)	111-40-0	1	4.3	-	-	WEL

Note: WEL: Workplace Exposure Limit (UK HSE EH40)

- 8.1.2 Biological limit value** Not established.
- 8.1.3 PNECs and DNELs** Not established.
- 8.2 Exposure controls**
- 8.2.1 Appropriate engineering controls** Ensure adequate ventilation or use appropriate containment. Atmospheric levels should be controlled in compliance with the occupational exposure limit. Guarantee that the eye flushing systems and safety showers are located close to the working place.
- 8.2.2 Individual protection measures, such as personal protective equipment (PPE)** General hygiene measures for the handling of chemicals are applicable. Avoid all contact. Do not breathe vapour. Wash hands before breaks and after work. Keep work clothes separately. Do not eat, drink or smoke at the work place.
- Eye/ face protection  Wear protective eye glasses for protection against liquid splashes. Wear eye protection with side protection (EN166).
- Skin protection  Hand protection: Wear impervious gloves (EN374). Gloves should be changed regularly to avoid permeation problems. Breakthrough time of the glove material: refer to the information provided by the gloves' producer. Recommended: Butyl rubber or Neoprene.
- Body protection: Wear impervious protective clothing, including boots, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
- Respiratory protection  In case of inadequate ventilation wear respiratory protection. Open system(s): Wear suitable respiratory protective equipment.
- Thermal hazards Not applicable.
- 8.2.3 Environmental Exposure Controls** Avoid release to the environment.

SAFETY DATA SHEET

Revision: 2.0 Date: 03.06.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Clear Liquid
Odour	Ammoniacal Odour
Odour threshold	Not available.
pH	Not established.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	199 °C
Flash point	102 °C [Closed cup]
Evaporation rate	Not established.
Flammability (solid, gas)	Not applicable - Liquid
Upper/lower flammability or explosive limits	Flammable Limits (Lower) (%v/v): 1.4 Flammable Limits (Upper) (%v/v): 9.2
Vapour pressure	<1 @ 27 °C
Vapour density	3.56 (Air = 1)
Relative density	1.02 g/cm ³ (H ₂ O = 1)
Solubility(ies)	The product is soluble in water.
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	Not available.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

9.2 Other information

None

10. SECTION 10: STABILITY AND REACTIVITY

10.1	Stability and reactivity	Stable under normal conditions.
10.2	Chemical stability	Stable under normal conditions. May decompose if heated.
10.3	Possibility of hazardous reactions	Hazardous polymerisation will not occur.
10.4	Conditions to avoid	Keep away from heat and sources of ignition. Keep at temperature not exceeding (°C): 27
10.5	Incompatible materials	Keep away from: Nitrosating agents, Strong oxidising agents, strong bases, Acids, Aldehydes, metals (Copper, Aluminium and Zinc and their alloys) and halogenated compounds.
10.6	Hazardous decomposition product(s)	Decomposes in a fire giving off toxic fumes: Nitrogen oxides, Aldehydes, Carbon monoxide and Carbon dioxide.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects (Substances in preparations / mixtures)

Acute toxicity

Ingestion	Acute Tox. 4: Harmful if swallowed. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 714 mg/kg bw/day.
Inhalation	Acute Tox. 2: Fatal if inhaled. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 0.7 mg/l.
Skin Contact	Acute Tox. 4: Harmful in contact with skin. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 1571 mg/kg bw/day.
Skin corrosion/irritation	Skin Corr. 1B: Causes severe skin burns.
Serious eye damage/irritation	Skin Corr. 1B: Causes serious eye damage.
Respiratory or skin sensitization	Skin Sens. 1: May cause an allergic skin reaction.
Germ cell mutagenicity	Based upon the available data, the classification criteria are not met.
Carcinogenicity	Based upon the available data, the classification criteria are not met.
Reproductive toxicity	Repr. 2: Suspected of damaging fertility.
STOT - single exposure	STOT SE 3: May cause respiratory irritation.

SAFETY DATA SHEET

Revision: 2.0 Date: 03.06.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

11.2 STOT - repeated exposure Based upon the available data, the classification criteria are not met.
Aspiration hazard Based upon the available data, the classification criteria are not met.
Other information None.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Based upon the available data, the classification criteria are not met.
Estimated Mixture LC50 >100 mg/l (Fish)
12.2 Persistence and degradability Readily biodegradable.
12.3 Bioaccumulative potential The product has low potential for bioaccumulation.
12.4 Mobility in soil The product is predicted to have high mobility in soil. (Water Soluble)
12.5 Results of PBT and vPvB assessment Not classified as PBT or vPvB.
12.6 Other adverse effects None known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods This material and its container must be disposed of as hazardous waste (2008/98/EEC). Send after pre-treatment to a appropriate hazardous waste incinerator facility according to legislation.
13.2 Additional Information Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1 UN number **ADR/RID / IMDG / IATA**
UN 2927
14.2 Proper Shipping Name TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. (CONTAINS 2,2'-IMINODI(ETHYLAMINE))
14.3 Transport hazard class(es) 6.1 + 8
14.4 Packing group II
14.5 Environmental hazards Not classified as a Marine Pollutant.
14.6 Special precautions for user See Section: 2
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable
14.8 Additional Information None

15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
15.1.1 EU regulations SVHCs None
15.1.2 National regulations Germany Water hazard class: 1
15.2 Chemical Safety Assessment Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS), Existing ECHA registration(s) for 2,2'-iminodi(ethylamine) (CAS# 111-40-0) and Bisphenol A (CAS# 80-05-7), and Harmonised Classification(s) for 2,2'-iminodi(ethylamine) (CAS# 111-40-0) and Bisphenol A (CAS# 80-05-7).

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Acute Tox. 4; H302	Acute Toxicity Estimate Mixture Calculation
Acute Tox. 4; H312	Acute Toxicity Estimate Mixture Calculation

SAFETY DATA SHEET



Revision: 2.0 Date: 03.06.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

Skin Corr. 1B; H314	Threshold Calculation
Skin Sens. 1; H317	Threshold Calculation
Acute Tox. 2; H330	Acute Toxicity Estimate Mixture Calculation
STOT SE 3; H335	Threshold Calculation
Repr. 2; H361f	Threshold Calculation

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	PBT: Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.

Disclaimer

ALL PRODUCTS, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. **To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.**

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at vpgsensors.com.

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.