

# SAFETY DATA SHEET

Revision: 2.0 Date: 31.03.2015


ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 453/2010

www.vishaypg.com

## 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier**  
Product Name M-Bond Curing Agent – Type 15  
Chemical Name 3-Diethylaminopropylamine  
CAS No. 104-78-9  
EINECS No. 203-236-4  
REACH Registration No. None assigned.
- 1.2 Recommended use of the chemical and restrictions on use**  
Identified Use(s) Adhesives.  
Uses Advised Against None known.
- 1.3 Supplier's details**  
Company Identification VISHAY MEASUREMENTS GROUP UK LTD  
Stroudley Road  
Basingstoke  
Hampshire  
RG24 8FW  
United Kingdom  
Telephone +44 (0) 1256 462131  
Fax +44 (0) 1256 471441  
E-Mail (competent person) mm.uk@vishaypg.com
- 1.4 Emergency Phone No.** (00-1) 703-527-3887  
CHEMTREC

## 2. SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture**
- 2.1.1 Regulation (EC) No. 1272/2008 (CLP)** Flam. Liq. 3; H226  
Acute Tox. 4; H302  
Acute Tox. 4; H312  
Skin Corr. 1B; H314  
Skin Sens. 1; H317  
STOT SE 3; H335
- 2.1.2 Directive 67/548/EEC & Directive 1999/45/EC** R10: Flammable.  
Xn; R21/22: Harmful in contact with skin and if swallowed.  
C; R34: Causes burns.  
R43: May cause sensitization by skin contact.  
Xi; R37: Irritating to respiratory system.
- 2.2 Label elements**  
Product Name M-Bond Curing Agent – Type 15  
Hazard Pictogram(s)   
Signal Word(s) Danger  
Hazard Statement(s) H226: Flammable liquid and vapour.  
H302: Harmful if swallowed.  
H312: Harmful in contact with skin.  
H314: Causes severe skin burns and eye damage.

# SAFETY DATA SHEET

Revision: 2.0 Date: 31.03.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 453/2010

www.vishaypg.com

Precautionary Statement(s)

H317: May cause an allergic skin reaction.  
H335: May cause respiratory irritation.

P210: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310: Immediately call a POISON CENTER or doctor/physician.

2.3 Other hazards None

## 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Chemical identity of the substance	CAS No.	EC No.	REACH Registration No.
3-Diethylaminopropylamine	104-78-9	203-236-4	None assigned

## 4. SECTION 4: FIRST AID MEASURES



### 4.1 Description of first aid measures

Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. IF INHALED: Do not use mouth-to-mouth resuscitation.

Skin Contact IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER/doctor.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Treatment by an ophthalmologist due to possible caustic burn of the eyes may be required.

Ingestion IF SWALLOWED: Rinse mouth. Do not induce vomiting unless instructed to do so by medical personnel. Immediately call a POISON CENTER/doctor.

4.2 Most important symptoms and effects, both acute and delayed Harmful if swallowed or in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause respiratory irritation. (Respiratory tract, Exposure route: Inhalation)

4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically. IF IN EYES: Obtain prompt consultation, preferably from an ophthalmologist. Chemical eye burns may require extended irrigation.

## 5. SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire. Extinguish with carbon dioxide, dry chemical, foam or waterspray.

Unsuitable extinguishing media Do not use water jet. Direct water jet may spread the fire.

### 5.2 Special hazards arising from the substance or mixture

Flammable liquid and vapour. May decompose in a fire giving off toxic fumes. Decomposes in a fire giving off toxic fumes: Ammonia, Nitrogen oxides, Carbon monoxide and Carbon dioxide. Vapours are heavier than air and may travel considerable distances to a source of ignition and flashback.

### 5.3 Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained

# SAFETY DATA SHEET

Revision: 2.0 Date: 31.03.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 453/2010

www.vishaypg.com

breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

## 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

- |  |   |
|--|---|
| <b>6.1 Personal precautions, protective equipment and emergency procedures</b> | Avoid contact with skin, eyes or clothing. Avoid breathing vapours. Stop leak if safe to do so. Eliminate all ignition sources if safe to do so. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ensure adequate ventilation. Use personal protective equipment as required. See Section: 8. |
| <b>6.2 Environmental precautions</b>   | Avoid release to the environment. Do not allow to enter drains, sewers or watercourses.   |
| <b>6.3 Methods and material for containment and cleaning up</b>                | Use non-sparking equipment when picking up flammable spill. Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Ventilate the area and wash spill site after material pick-up is complete. Dispose of this material and its container as hazardous waste (2008/98/EEC).             |
| <b>6.4 Reference to other sections</b>   | See Section: 8, 13  |

## 7. SECTION 7: HANDLING AND STORAGE

- |  |   |
|--|---|
| <b>7.1 Precautions for safe handling</b>   | Avoid contact with skin, eyes or clothing. Do not breathe vapour. Ensure adequate ventilation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use personal protective equipment as required. See Section: 8. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.               |
| <b>7.2 Conditions for safe storage, including any incompatibilities</b><br>Storage temperature<br>Storage life<br>Incompatible materials | Store in a well-ventilated place. Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ambient.<br>Stable under normal conditions.<br>Keep away from: Strong oxidising agents, Acids, Nitrates, Nitrites, Halogens, Carbon dioxide, Nitric oxide and Water. May react violently with: Alkalis. |
| <b>7.3 Specific end use(s)</b>   | Adhesives. See Section: 1.2   |

## 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- |  |   |
|--|---|
| <b>8.1 Control parameters</b>  |   |
| <b>8.1.1 Occupational Exposure Limits</b>  | Not established.  |
| <b>8.1.2 Biological limit value</b>  | Not established.  |
| <b>8.1.3 PNECs and DNELs</b>   | Not established.  |
| <b>8.2 Exposure controls</b>   |   |
| <b>8.2.1 Appropriate engineering controls</b>  | Ensure adequate ventilation. or Use appropriate containment. Atmospheric levels should be controlled in compliance with the occupational exposure limit. Guarantee that the eye flushing systems and safety showers are located close to the working place.   |
| <b>8.2.2 Individual protection measures, such as personal protective equipment (PPE)</b> | General hygiene measures for the handling of chemicals are applicable. Avoid contact with skin, eyes or clothing. Do not breathe vapour. Wash hands before breaks and after work. Keep work clothes separately. Do not eat, drink or smoke at the work place. |

Eye/ face protection



Skin protection

Wear protective eye glasses for protection against liquid splashes. Wear eye protection with side protection (EN166).

Hand protection: Wear impervious gloves (EN374). Gloves should be changed regularly to avoid permeation problems. Breakthrough time of the glove material: refer to the information provided by the gloves' producer.

# SAFETY DATA SHEET

Revision: 2.0 Date: 31.03.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 453/2010

www.vishaypg.com



Respiratory protection

Body protection: Wear impervious protective clothing, including boots, lab coat, apron or coveralls, as appropriate, to prevent skin contact.



Thermal hazards

In case of inadequate ventilation wear respiratory protection. Open system(s):  
Wear suitable respiratory protective equipment.

## 8.2.3 Environmental Exposure Controls

Not applicable.  
Avoid release to the environment.

## 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance	Almost colourless to pale yellow Liquid
Odour	Amine-like Odour
Odour threshold	Not available.
pH	Not established.
Melting point/freezing point	Not established.
Initial boiling point and boiling range	168-171 °C
Flash point	53 °C
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable - Liquid
Upper/lower flammability or explosive limits	Flammable Limits (Lower) (%v/v) 1, Flammable Limits (Upper) (%v/v) 7.5
Vapour pressure	2.2 mbar @ 20 °C
Vapour density	Not available.
Relative density	0.82 (H <sub>2</sub> O = 1)
Solubility(ies)	Miscible with: Water
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	Not available.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

### 9.2 Other information

VOC: 0%

## 10. SECTION 10: STABILITY AND REACTIVITY

10.1 Stability and reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	May react violently with: Alkalis.
10.4 Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
10.5 Incompatible materials	Keep away from: Strong oxidising agents, Acids, Nitrates, Nitrites, Halogens, Carbon dioxide, Nitric oxide and Water.
10.6 Hazardous decomposition product(s)	Decomposes in a fire giving off toxic fumes: Ammonia, Nitrogen oxides, Carbon monoxide and Carbon dioxide.

## 11. SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects (Substances in preparations / mixtures)

#### Acute toxicity

Ingestion

Acute Tox. 4: Harmful if swallowed.  
(Harmonised Classification(s) for 3-Diethylaminopropylamine)

Inhalation

Acute Tox. 4: May be harmful in contact with skin.

# SAFETY DATA SHEET

Revision: 2.0 Date: 31.03.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 453/2010

www.vishaypg.com

	Skin Contact	(Harmonised Classification(s) for 3-Diethylaminopropylamine)
	<b>Skin corrosion/irritation</b>	Based upon the available data, the classification criteria are not met. Skin Corr. 1B: Causes severe skin burns. (Harmonised Classification(s) for 3-Diethylaminopropylamine)
	<b>Serious eye damage/irritation</b>	Skin Corr. 1B: Causes serious eye damage. (Harmonised Classification(s) for 3-Diethylaminopropylamine)
	<b>Respiratory or skin sensitization</b>	Skin Sens. 1: May cause an allergic skin reaction. (Harmonised Classification(s) for 3-Diethylaminopropylamine)
	<b>Germ cell mutagenicity</b>	Based upon the available data, the classification criteria are not met.
	<b>Carcinogenicity</b>	Based upon the available data, the classification criteria are not met.
	<b>Reproductive toxicity</b>	Based upon the available data, the classification criteria are not met.
	<b>STOT - single exposure</b>	STOT SE 3: May cause respiratory irritation. (Respiratory tract, Exposure route: Inhalation). (Existing ECHA registration(s) for 3-Diethylaminopropylamine)
	<b>STOT - repeated exposure</b>	Based upon the available data, the classification criteria are not met.
	<b>Aspiration hazard</b>	Based upon the available data, the classification criteria are not met.
11.2	<b>Other information</b>	None.

## 12. SECTION 12: ECOLOGICAL INFORMATION

12.1	<b>Toxicity</b>	Based upon the available data, the classification criteria are not met. Estimated Mixture LC50 >100 mg/l (Fish)
12.2	<b>Persistence and degradability</b>	This product is readily biodegradable in water.
12.3	<b>Bioaccumulative potential</b>	The product has low potential for bioaccumulation.
12.4	<b>Mobility in soil</b>	The product is predicted to have high mobility in soil.
12.5	<b>Results of PBT and vPvB assessment</b>	Not classified as PBT or vPvB.
12.6	<b>Other adverse effects</b>	None known.

## 13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1	<b>Waste treatment methods</b>	This material and its container must be disposed of as hazardous waste (2008/98/EEC). Send after pre-treatment to a appropriate hazardous waste incinerator facility according to legislation.
13.2	<b>Additional Information</b>	Dispose of contents in accordance with local, state or national legislation.

## 14. SECTION 14: TRANSPORT INFORMATION

		<b>ADR/RID / IMDG / IATA</b>
14.1	<b>UN number</b>	UN 2684
14.2	<b>Proper Shipping Name</b>	3-DIETHYLAMINOPROPYL-AMINE
14.3	<b>Transport hazard class(es)</b>	3 + 8
14.4	<b>Packing group</b>	III
14.5	<b>Environmental hazards</b>	Not classified as a Marine Pollutant.
14.6	<b>Special precautions for user</b>	See Section: 2
14.7	<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not applicable
14.8	<b>Additional Information</b>	None

## 15. SECTION 15: REGULATORY INFORMATION

15.1	<b>Safety, health and environmental regulations/legislation specific for the substance or mixture</b>	
15.1.1	<b>EU regulations SVHCs</b>	None
15.1.2	<b>National regulations</b>	Water hazard class: 1
15.2	<b>Chemical Safety Assessment</b>	Not available.

# SAFETY DATA SHEET

Revision: 2.0 Date: 31.03.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 453/2010

www.vishaypg.com

## 16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

**References:** Existing Safety Data Sheet (SDS), Existing ECHA registration(s) for 3-Diethylaminopropylamine (CAS# 104-78-9) and Harmonised Classification(s) for 3-Diethylaminopropylamine (CAS# 104-78-9).

### LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	PBT: Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

### Annex to the extended Safety Data Sheet (eSDS)

No information available.



## Disclaimer

ALL PRODUCTS, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. **To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.**

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at [vpgsensors.com](http://vpgsensors.com).

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.