

# SAFETY DATA SHEET


Revision: 2.0 Date: 28/08/2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 2015/830

## 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier**  
Product Name M-COAT D  
Chemical Name Mixture  
CAS No. Mixture  
EINECS No. Mixture  
REACH Registration No. None assigned.
- 1.2 Relevant identified uses of the substance or mixture and uses advised against**  
Identified Use(s) Adhesives.  
Uses Advised Against For professional users only.
- 1.3 Details of the supplier of the safety data sheet**  
Company Identification VISHAY MEASUREMENTS GROUP UK LTD  
Stroudley Road  
Basingstoke  
Hampshire  
United Kingdom  
RG24 8FW  
Telephone +44 (0) 1256 462131  
Fax +44 (0) 1256 471441  
E-Mail (competent person) mm.uk@vishaypg.com
- 1.4 Emergency telephone number** (00-1) 703-527-3887  
CHEMTREC

## 2. SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture**  
**2.1.1 Regulation (EC) No. 1272/2008 (CLP)** Flam. Liq. 2; H225  
Asp. Tox. 1; H304  
Skin Irrit. 2; H315  
Eye Irrit. 2; H319  
STOT SE 3; H336  
Repr. 2; H361d  
STOT RE 2; H373
- 2.2 Label elements**  
Product Name According to Regulation (EC) No. 1272/2008 (CLP)  
M-COAT D
- Hazard Pictogram(s)  

- Signal Word(s) Danger  
Contains: Toluene and Ethyl methyl ketone
- Hazard Statement(s)  
H225: Highly flammable liquid and vapour.  
H304: May be fatal if swallowed and enters airways.  
H315: Causes skin irritation.  
H319: Causes serious eye irritation.  
H336: May cause drowsiness or dizziness.  
H361d: Suspected of damaging the unborn child.  
H373: May cause damage to organs through prolonged or repeated exposure.
- Precautionary Statement(s) P210: Keep away from heat, hot surfaces, sparks, open flames and other

# SAFETY DATA SHEET

Revision: 2.0 Date: 28/08/2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 2015/830

ignition sources. No smoking.  
P260: Do not breathe vapour.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
P331: Do NOT induce vomiting.

## 2.3 Other hazards

None.

## 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances Not applicable

### 3.2 Mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard Statement(s)
Toluene	< 50	108-88-3	203-625-9	None assigned.	Flam. Liq. 2; H225 Asp. Tox. 1; H304 Skin Irrit. 2; H315 STOT SE 3; H336 Repr. 2; H361 STOT RE 2; H373
Acrylic ester resin	25 - 30	-	-	None assigned.	Not classified
Titanium dioxide	15 - 20	13463-67-7	236-675-5	None assigned.	Not classified
Ethyl methyl ketone	< 20	78-93-3	201-159-0	None assigned.	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 EUH066

H225: Highly flammable liquid and vapour. H304: May be fatal if swallowed and enters airways. H315: Causes skin irritation. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness. H361d: Suspected of damaging the unborn child. H373: May cause damage to organs through prolonged or repeated exposure. EUH066: Repeated exposure may cause skin dryness or cracking.

## 4. SECTION 4: FIRST AID MEASURES



### 4.1 Description of first aid measures

Self-protection of the first aider

Do not breathe vapour. Wear suitable protective clothing. Wear suitable respiratory protective equipment if exposure to high levels of material are likely. Do not use mouth-to-mouth resuscitation.

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Apply artificial respiration only if patient is not breathing or under medical supervision. Call a POISON CENTER or doctor/physician if you feel unwell. If exposed or concerned: Get medical attention/advice.

Skin Contact

IF ON SKIN: Wash with plenty of soap and water. Remove contaminated clothing and wash clothing before reuse. If skin irritation occurs, get medical advice/attention. If exposed or concerned: Get medical attention/advice.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do

# SAFETY DATA SHEET

Revision: 2.0 Date: 28/08/2015



www.vpgsensors.com

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 2015/830

4.2	<b>Most important symptoms and effects, both acute and delayed</b>	NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration into the lungs. Do not give milk or alcoholic beverages. Immediately call a POISON CENTER/doctor. Causes skin irritation. Causes eye irritation. May be fatal if swallowed and enters airways. Suspected of damaging the unborn child. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure.
4.3	<b>Indication of any immediate medical attention and special treatment needed</b>	Treat symptomatically. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. If Gastric Lavage is performed: Endotracheal control and/or esophagoscopy is recommended. Give a slurry of activated charcoal in water to drink. (240mL Water / 30 g Activated charcoal).

## 5. SECTION 5: FIRE-FIGHTING MEASURES

5.1	<b>Extinguishing media</b> Suitable Extinguishing Media  Unsuitable extinguishing Media	As appropriate for surrounding fire. Extinguish preferably with foam, carbon dioxide or dry chemical. Do not use water jet. Direct water jet may spread the fire.
5.2	<b>Special hazards arising from the substance or mixture</b>	Highly flammable liquid and vapour. Combustion or thermal decomposition will evolve toxic and irritant vapours. Carbon monoxide, Carbon dioxide, Acrid smoke and Nitrogen oxides. Vapours are heavier than air and may travel considerable distances to a source of ignition and flashback.
5.3	<b>Advice for fire-fighters</b>	Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Do not allow run-off from fire fighting to enter drains or water courses.

## 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	<b>Personal precautions, protective equipment and emergency procedures</b>	Shut off leaks if without risk. Eliminate all ignition sources if safe to do so. Ensure adequate ventilation. Do not breathe vapour. Avoid contact with skin, eyes or clothing. Wear suitable respiratory protection. Use personal protective equipment as required. See Section: 8.
6.2	<b>Environmental precautions</b>	Avoid release to the environment. Do not allow to enter drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be alerted to the Environment Agency or other appropriate regulatory body.
6.3	<b>Methods and material for containment and cleaning up</b>	Ensure suitable personal protection (including respiratory protection) during removal of spillages. Use non-sparking equipment when picking up flammable spill. Contain spillages. Adsorb spillages onto sand, earth or any suitable adsorbent material. Do NOT absorb in saw-dust or other combustible absorbents. Transfer to a container for disposal. Ventilate the area and wash spill site after material pick-up is complete. Dispose of this material and its container as hazardous waste.
6.4	<b>Reference to other sections</b>	See Section: 8, 13

## 7. SECTION 7: HANDLING AND STORAGE

7.1	<b>Precautions for safe handling</b>	Ensure adequate ventilation. Do not breathe vapour. In case of inadequate ventilation wear respiratory protection. Use personal protective equipment as required. See Section: 8. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use non-sparking hand tools and explosion proof electrical equipment.
7.2	<b>Conditions for safe storage, including any incompatibilities</b>	Ground/bond container and receiving equipment. Store in a cool/low-temperature, well-ventilated (dry) place. Keep container closed. Keep away from fire, sparks and heated surfaces - no smoking. Vapor space above stored liquid

# SAFETY DATA SHEET

Revision: 2.0 Date: 28/08/2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 2015/830

Storage temperature  
Storage life  
Incompatible materials  
**7.3 Specific end use(s)**

may be flammable/explosive unless blanketed with inert gas. Opened containers should be carefully resealed and stored in an upright position.  
Store at temperatures not exceeding (°C): 27  
Stable under normal conditions.  
Avoid contact with: Oxidizing agents.  
Adhesives.

## 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### 8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Toluene	108-88-3	50	191	100	384	WEL
Titanium dioxide	13463-67-7	-	10 (1) 4 (2)	-	-	WEL
Ethyl methyl ketone	78-93-3	200	600	300	899	WEL

Note: WEL: Workplace Exposure Limit (UK HSE EH40)

(1): Inhalable aerosol

(2): Respirable aerosol

#### 8.1.2 Biological limit value

Not established.

#### 8.1.3 PNECs and DNELs

Not established.

### 8.2 Exposure controls

#### 8.2.1 Appropriate engineering controls

Ensure adequate ventilation or use appropriate containment. Atmospheric levels should be controlled in compliance with the occupational exposure limit. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Guarantee that the eye flushing systems and safety showers are located close to the working place.

#### 8.2.2 Individual protection measures, such as personal protective equipment (PPE)

General hygiene measures for the handling of chemicals are applicable. Avoid contact with skin, eyes or clothing. Do not breathe vapour. Wash hands before breaks and after work. Keep work clothes separately. Contaminated clothing should be thoroughly cleaned. Do not eat, drink or smoke at the work place.

Eye/face protection



Wear protective eye glasses for protection against liquid splashes. Wear eye protection with side protection (EN166).

Skin protection



Hand protection: Wear impervious gloves (EN374). Breakthrough time of the glove material: refer to the information provided by the gloves' producer. Recommended: Neoprene.

Body protection: Wear impervious protective clothing, including boots, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear anti-static clothing and shoes.

Respiratory protection



In case of inadequate ventilation wear respiratory protection. Open system(s): Wear suitable respiratory protective equipment. A suitable mask with filter type A (EN14387 or EN405) may be appropriate.

Thermal hazards

None

# SAFETY DATA SHEET

Revision: 2.0 Date: 28/08/2015



www.vpgsensors.com

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 2015/830

## 8.2.3 Environmental Exposure Controls

Avoid release to the environment.

## 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance	White, Liquid
Odour	Aromatic
Odour Threshold	Not established.
pH	Not established.
Melting Point/Freezing Point	Not established.
Initial boiling point and boiling range	100 °C
Flash point	-1 °C [Closed cup]
Evaporation Rate	1.9 (BuAc=1)
Flammability (solid, gas)	Not applicable: Liquid
Upper/lower flammability or explosive limits	Flammable Limits (Lower) (%v/v): 1.6 Flammable Limits (Upper) (%v/v): 7.0
Vapour pressure	0.49 mmHg @ 20°C
Vapour density	3.8 (Air = 1)
Relative density	< 1 (Water = 1)
Solubility(ies)	Soluble in water.
Partition coefficient: n-octanol/water	Not established.
Auto-ignition temperature	Not established.
Decomposition Temperature	Not established.
Viscosity	Not established.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

### 9.2 Other information

Volatile Organic Compound Content: 650 g/l

## 10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Highly flammable liquid and vapour. Vapours are heavier than air and may travel considerable distances to a source of ignition and flashback.
10.4 Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
10.5 Incompatible materials	Avoid contact with: Oxidizing agents.
10.6 Hazardous decomposition product(s)	May decompose in a fire giving off toxic fumes. Carbon monoxide, Carbon dioxide, Acrid smoke and Nitrogen oxides.

## 11. SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute toxicity

Ingestion

Based on available data, the classification criteria are not met.  
Acute Toxicity Estimate Mixture Calculation: > 2000 mg/kg bw/day

Inhalation

Based on available data, the classification criteria are not met.

Acute Toxicity Estimate Mixture Calculation: > 20 mg/l

Skin Contact

Based on available data, the classification criteria are not met.

Acute Toxicity Estimate Mixture Calculation: > 2000 mg/kg bw/day

#### Skin corrosion/irritation

Skin Irrit. 2: Causes skin irritation.

#### Serious eye damage/irritation

Eye Irrit. 2: Causes serious eye irritation.

#### Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Repr. 2: Suspected of damaging the unborn child.

# SAFETY DATA SHEET

Revision: 2.0 Date: 28/08/2015



www.vpgsensors.com

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 2015/830

	STOT - single exposure	STOT SE 3: May cause drowsiness or dizziness.
	STOT - repeated exposure	STOT RE 2: May cause damage to organs through prolonged or repeated exposure.
	Aspiration hazard	Asp. Tox. 1: May be fatal if swallowed and enters airways.
11.2	Other information	None.

## 12. SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	Based on available data, the classification criteria are not met. Estimated LC50 (96 hour) > 100 mg/l (Fish)
12.2	Persistence and degradability	No data for the mixture as a whole.
12.3	Bioaccumulative potential	The product has no potential for bioaccumulation.
12.4	Mobility in soil	The substance is predicted to have high mobility in soil. (Soluble in water.)
12.5	Results of PBT and VPvB assessment	Not classified as PBT or vPvB.
12.6	Other adverse effects	None known.

## 13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	Do not release undiluted and unneutralised to the sewer. Dispose of this material and its container as hazardous waste (2008/98/EEC). Containers of this material may be hazardous when empty since they retain product residue.
13.2	Additional Information	Dispose of contents in accordance with local, state or national legislation.

## 14. SECTION 14: TRANSPORT INFORMATION

		<b>ADR/RID / IMDG / IATA/ICAO</b>
14.1	UN number	1993
14.2	UN proper shipping name	FLAMMABLE LIQUID, N.O.S (Toluene and Ethyl methyl ketone)
14.3	Transport hazard class(es)	3
14.4	Packing group	II
14.5	Environmental hazards	Not classified as a Marine Pollutant./ Environmentally hazardous substance
14.6	Special precautions for user	See Section: 2
14.7	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
14.8	Additional Information	None.

## 15. SECTION 15: REGULATORY INFORMATION

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	
15.1.1	EU regulations	None
	Substance(s) of Very High Concern (SVHCs)	For professional users only.
	Authorisations and/or Restrictions On Use	REACH: ANNEX XVII restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles. Toluene: Entry number: 48.
15.1.2	National regulations	
	Wassergefährdungsklasse (Germany)	Water hazard class: 2
15.2	Chemical Safety Assessment	Not available.

## 16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS), Harmonised Classification(s) for Toluene (CAS No. 108-88-3) and Ethyl methyl ketone (CAS No. 78-93-3), and Existing ECHA registration(s) for Toluene (CAS No. 108-88-3), Titanium Dioxide (CAS No. 13463-67-7) and Ethyl methyl ketone (CAS

# SAFETY DATA SHEET

Revision: 2.0 Date: 28/08/2015

www.vpgsensors.com

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 2015/830

No. 78-93-3).

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Flam. Liq. 2; H225	Flash Point [Closed cup] Test Result/ Boiling Point (°C)
Asp. Tox. 1; H304	Estimated Viscosity
Skin Irrit. 2; H315	Threshold Calculation
Eye Irrit. 2; H319	Threshold Calculation
STOT SE 3; H336	Threshold Calculation
Repr. 2; H361d	Threshold Calculation
STOT RE 2; H373	Threshold Calculation

## LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	PBT: Persistent, Bioaccumulative and Toxic
vPvB	vPvT: very Persistent and very Toxic

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

## Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

## Annex to the extended Safety Data Sheet (eSDS)

No information available.



## Disclaimer

ALL PRODUCTS, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. **To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.**

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at [vpgsensors.com](http://vpgsensors.com).

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.