

# SAFETY DATA SHEET

Revision: 1.1 Date: 06.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 453/2010

www.vishaypg.com

## 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier**  
Product Name M-Line 430-20S Solder  
Chemical Name Mixture  
CAS No. Mixture  
EINECS No. Mixture  
REACH Registration No. None assigned.
- 1.2 Recommended use of the chemical and restrictions on use**  
Identified Use(s) PC38 Welding and soldering products (with flux coatings or flux cores.), flux products  
Uses Advised Against None known.
- 1.3 Supplier's details**  
Company Identification VISHAY MEASUREMENTS GROUP UK LTD  
Stroudley Road  
Basingstoke  
Hampshire  
RG24 8FW  
United Kingdom  
Telephone +44 (0) 1256 462131  
Fax +44 (0) 1256 471441  
E-Mail (competent person) mm.uk@vishaypg.com
- 1.4 Emergency Phone No.** (00-1) 703-527-3887  
CHEMTREC

## 2. SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Directive 67/548/EEC & Directive 1999/45/EC** Not classified as dangerous for supply/use.
- 2.2 Label elements** According to Regulation (EC) No. 1272/2008 (CLP)  
Product Name M-Line 430-20S Solder  
Hazard Pictogram(s) None assigned.  
Signal Word(s) None assigned.  
Hazard Statement(s) None assigned.  
Precautionary Statement(s) None assigned.  
**Additional Information** None.
- 2.3 Other hazards** None.

## 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard Statement(s)
Tin	95 - 100	7440-31-5	231-141-8	None assigned	Not classified
Silver	< 5	7440-22-4	231-131-3	None assigned	Not classified

# SAFETY DATA SHEET

Revision: 1.1 Date: 06.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 453/2010

www.vishaypg.com

Directive 67/548/EEC & Directive 1999/45/EC

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	EC Classification and Risk Phrases
Tin	96.3	7440-31-5	231-141-8	None assigned	Not classified
Silver	3.7	7440-22-4	231-131-3	None assigned	Not classified

## 4. SECTION 4: FIRST AID MEASURES



### 4.1 Description of first aid measures

Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin Contact

Wash with plenty of water. If irritation (redness, rash, blistering) develops, get medical attention.

Eye Contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

Ingestion

Wash out mouth with water and give 200-300 ml (half a pint) of water to drink. Do not induce vomiting. If symptoms develop, obtain medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

None anticipated.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. In case of burns immediately cool affected skin as long as possible with cold water.

## 5. SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

Suitable Extinguishing media

As appropriate for surrounding fire.

Unsuitable extinguishing media

Do not use water on fires when molten metal is present.

### 5.2 Special hazards arising from the substance or mixture

None.

### 5.3 Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

## 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. See Section: 8. Melted solder will solidify on cooling and can be scraped up. Avoid breathing smoke fumes during soldering. Use caution to avoid breathing fumes if a gas torch is used to cut up large pieces.

### 6.2 Environmental precautions

Avoid release to the environment. Do not allow to enter drains, sewers or watercourses.

### 6.3 Methods and material for containment and cleaning up

Allow product to cool/solidify and pick up as a solid. Transfer to a container for disposal. Recover or recycle if possible.

### 6.4 Reference to other sections

See Section: 8, 13

## 7. SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid breathing smoke fumes during soldering. Use caution to avoid breathing fumes if a gas torch is used to cut up large pieces. Ensure adequate ventilation. Use personal protective equipment as required. See Section: 8. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. When molten: Keep from any possible contact with water.

### 7.2 Conditions for safe storage, including any

Store in a well-ventilated place.

# SAFETY DATA SHEET

Revision: 1.1 Date: 06.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 453/2010

www.vishaypg.com

## incompatibilities

Storage temperature  
Storage life  
Incompatible materials

Ambient.  
Stable under normal conditions.  
Store away from sources of sulfur. Keep away from: Acids, Chlorine and Strong oxidising agents.  
PC38 Welding and soldering products (with flux coatings or flux cores.), flux products. See Section: 1.2

## 7.3 Specific end use(s)

## 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### 8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Silver	7440-22-4	-	0.1	-	-	WEL

Note: WEL: Workplace Exposure Limit (UK HSE EH40)

#### 8.1.2 Biological limit value

Not established.

#### 8.1.3 PNECs and DNELs

Not established.

### 8.2 Exposure controls

#### 8.2.1 Appropriate engineering controls

Ensure adequate ventilation or use appropriate containment. Atmospheric levels should be controlled using the principles of good occupational hygiene practice. General hygiene measures for the handling of chemicals are applicable. Avoid breathing smoke fumes during soldering. Use caution to avoid breathing fumes if a gas torch is used to cut up large pieces. Wash hands before breaks and after work. Do not eat, drink or smoke at the work place.

#### 8.2.2 Individual protection measures, such as personal protective equipment (PPE)

Eye/ face protection

When molten: Goggles or Full face shield.



Skin protection

Hand protection: (When molten) Wear impervious gloves (EN374). The gloves type used must be chosen based on the work activity and duration as well as concentration/quantity of material being handled. Breakthrough time of the glove material: refer to the information provided by the gloves' producer.



Body protection: (When molten) Wear impervious protective clothing, including boots, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Open system(s): Wear suitable respiratory protective equipment.



Thermal hazards

Not applicable.

#### 8.2.3 Environmental Exposure Controls

Avoid release to the environment.

## 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance Silver - Grey metal in wire form  
Odour Not available.  
Odour threshold Not available.  
pH Not available.  
Melting point/freezing point Not available.  
Initial boiling point and boiling range Not available.

# SAFETY DATA SHEET

Revision: 1.1 Date: 06.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 453/2010

www.vishaypg.com

Flash point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Non-flammable.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	>1 (H <sub>2</sub> O = 1)
Solubility(ies)	Insoluble in water.
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	Not available.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

9.2 Other information None.

## 10. SECTION 10: STABILITY AND REACTIVITY

10.1	Stability and reactivity	Stable under normal conditions.
10.2	Chemical stability	Stable under normal conditions.
10.3	Possibility of hazardous reactions	Reacts vigorously with chlorine and oxidising agents.
10.4	Conditions to avoid	None known.
10.5	Incompatible materials	Store away from sources of sulfur. Keep away from: Acids, Chlorine and Strong oxidising agents. When molten: Keep from any possible contact with water.
10.6	Hazardous decomposition product(s)	None known.

## 11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects (Substances in preparations / mixtures)	
	Acute toxicity	
	Ingestion	Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg bw/day.
	Inhalation	Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 >5.0 mg/l.
	Skin Contact	Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg bw/day.
	Skin corrosion/irritation	Based upon the available data, the classification criteria are not met.
	Serious eye damage/irritation	Based upon the available data, the classification criteria are not met.
	Respiratory or skin sensitization	Based upon the available data, the classification criteria are not met.
	Germ cell mutagenicity	Based upon the available data, the classification criteria are not met.
	Carcinogenicity	Based upon the available data, the classification criteria are not met.
	Reproductive toxicity	Based upon the available data, the classification criteria are not met.
	STOT - single exposure	Based upon the available data, the classification criteria are not met.
	STOT - repeated exposure	Based upon the available data, the classification criteria are not met.
	Aspiration hazard	Based upon the available data, the classification criteria are not met.
11.2	Other information	Based upon the available data, the classification criteria are not met.

## 12. SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	Based upon the available data, the classification criteria are not met. Estimated Mixture LC50 >100 mg/l (Fish)
12.2	Persistence and degradability	The product is not biodegradable. (Metals).
12.3	Bioaccumulative potential	The product has low potential for bioaccumulation (metal in wire form).
12.4	Mobility in soil	The product is predicted to have low mobility in soil (metal in wire form).

# SAFETY DATA SHEET



Revision: 1.1 Date: 06.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 453/2010

www.vishaypg.com

12.5 Results of PBT and vPvB assessment Not classified as PBT or vPvB.  
12.6 Other adverse effects None known.

## 13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Solder can be reclaimed. Dispose of contents in accordance with local, state or national legislation.  
13.2 Additional Information Disposal of electrical waste must be in accordance with the Waste Electrical and Electronic Equipment Directive (WEEE Directive, 2012/19/EU).

## 14. SECTION 14: TRANSPORT INFORMATION

**ADR/RID / IMDG / IATA**  
14.1 UN number Not classified as dangerous for transport.  
14.2 Proper Shipping Name Not classified  
14.3 Transport hazard class(es) Not classified  
14.4 Packing group Not classified  
14.5 Environmental hazards Not classified as a Marine Pollutant.  
14.6 Special precautions for user See Section: 2  
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.  
14.8 Additional Information None.

## 15. SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture  
15.1.1 EU regulations SVHCs None  
15.1.2 National regulations Wassergefährdungsklasse (Germany) Water hazard class: 3  
15.2 Chemical Safety Assessment Not available.

## 16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS), and Existing ECHA registration(s) for Tin (CAS# 7440-31-5) and Silver (CAS# 7440-22-4).

### LEGEND

LTEL Long Term Exposure Limit  
STEL Short Term Exposure Limit  
DNEL Derived No Effect Level  
PNEC Predicted No Effect Concentration  
PBT PBT: Persistent, Bioaccumulative and Toxic  
vPvB very Persistent and very Bioaccumulative

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

# SAFETY DATA SHEET



Revision: 1.1 Date: 06.05.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 453/2010

---

[www.vishaypg.com](http://www.vishaypg.com)

Annex to the extended Safety Data Sheet (eSDS)

No information available.

## Disclaimer

ALL PRODUCTS, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. **To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.**

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at [vpgsensors.com](http://vpgsensors.com).

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.