

# SAFETY DATA SHEET

Revision: 2.0 Date: 26.08.2015


ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 2015/830

www.vishaypg.com

## 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier**  
Product Name RS-200-CK Cement (Grip Cement Powder)  
Chemical Name Mixture  
CAS No. Mixture  
EINECS No. Mixture  
REACH Registration No. None assigned.
- 1.2 Relevant identified uses of the substance or mixture and uses advised against**  
Identified Use(s) Adhesives.  
Uses Advised Against None known.
- 1.3 Details of the supplier of the safety data sheet**  
Company Identification VISHAY MEASUREMENTS GROUP UK LTD  
Stroudley Road  
Basingstoke  
Hampshire  
RG24 8FW  
United Kingdom  
Telephone +44 (0) 1256 462131  
Fax +44 (0) 1256 471441  
E-Mail (competent person) mm.uk@vishaypg.com
- 1.4 Emergency telephone number** (00-1) 703-527-3887  
CHEMTREC

## 2. SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture**  
**2.1.1 Regulation (EC) No. 1272/2008 (CLP)** Skin Irrit. 2; H315  
Skin Sens. 1; H317  
Eye Irrit. 2; H319  
Aquatic Acute 1; H400
- 2.2 Label elements**  
Product Name According to Regulation (EC) No. 1272/2008 (CLP)  
RS-200-CK (Grip Cement Powder)
- Hazard Pictogram(s)
- 
- Signal Word(s) Warning
- Contains: Dibenzoyl Peroxide
- Hazard Statement(s)  
H315: Causes skin irritation.  
H317: May cause an allergic skin reaction.  
H319: Causes serious eye irritation.  
H400: Very toxic to aquatic life.
- Precautionary Statement(s)  
P261: Avoid breathing dust.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352: IF ON SKIN: Wash with plenty of water.  
P333+P313: If skin irritation or rash occurs: Get medical advice/attention.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

# SAFETY DATA SHEET

Revision: 2.0 Date: 26.08.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 2015/830

www.vishaypg.com

Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313: If eye irritation persists: Get medical advice/attention.

## 2.3 Other hazards

May form explosive dust/air mixtures.

## 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Direct water jet may spread the fire.

### 3.1 Substances

Not applicable

### 3.2 Mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard Statement(s)
Calcium Tungstate	60 - 70	7790-75-2	232-219-4	None assigned.	Not classified
2-Propenoic acid, 2-methyl-, methyl ester, homopolymer	< 25	9011-14-7	618-466-4	None assigned.	Not classified
2-Butenedioic acid (2Z)-, polymer with chloroethene and ethenyl acetate	5 - 15	9005-09-8	-	None assigned.	Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335
Dibenzoyl Peroxide	< 10	94-36-0	202-327-6	None assigned.	Org. Perox. B; H241 Skin Sens. 1; H317 Eye Irrit. 2; H319 Aquatic Acute 1; H400 (M-factor = 10)

H241: Heating may cause a fire or explosion. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation. H400: Very toxic to aquatic life. M-factor: multiplying factor.

## 4. SECTION 4: FIRST AID MEASURES



### 4.1 Description of first aid measures

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Apply artificial respiration only if patient is not breathing or under medical supervision. Get medical advice/attention if you feel unwell.

Skin Contact

IF ON SKIN: Brush off loose particles from skin. Remove contaminated clothing and wash affected skin with water. Contaminated clothing should be thoroughly cleaned. If skin irritation or rash occurs: Get medical advice/attention.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Do not give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation. Irritation of the skin and eyes. May cause an allergic skin reaction. Mechanical irritation of the respiratory tract.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## 5. SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

Suitable Extinguishing media

As appropriate for surrounding fire. Extinguish with carbon dioxide, dry chemical, foam or waterspray.

Unsuitable extinguishing media

Direct water jet may spread the fire. Avoid dust generation.

# SAFETY DATA SHEET

Revision: 2.0 Date: 26.08.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 2015/830

www.vishaypg.com

- 5.2 **Special hazards arising from the substance or mixture** May form explosive dust/air mixtures. May decompose in a fire giving off toxic fumes. Carbon monoxide, Carbon dioxide, Acrid smoke and Methylmethacrylate.
- 5.3 **Advice for fire-fighters** Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

## 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 **Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation. Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. See Section: 8.
- 6.2 **Environmental precautions** Do NOT wash away into sewer. Spillages or uncontrolled discharges into watercourses must be alerted to the Environment Agency or other appropriate regulatory body.
- 6.3 **Methods and material for containment and cleaning up** Wet the material with water to limit dust emission or explosion. Sweep spilled substances into containers if appropriate moisten first to prevent dusting. Caution - spillages may be slippery. Use only non-sparking tools. Clean up spill with a detergent. Transfer to a container for disposal. Dispose of this material and its container as hazardous waste (2008/98/EEC).
- 6.4 **Reference to other sections** See Section: 8, 13

## 7. SECTION 7: HANDLING AND STORAGE

- 7.1 **Precautions for safe handling** Ensure adequate ventilation. Avoid breathing dust. In case of inadequate ventilation wear respiratory protection. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. See Section: 8. Do not eat, drink or smoke when using this product. Take precautionary measures against static discharge. Protect from light.
- 7.2 **Conditions for safe storage, including any incompatibilities** Keep container tightly closed and in a well-ventilated place. Keep away from heat, sources of ignition and direct sunlight. Take precautionary measures against static discharge.
- Storage temperature 5 - 25 °C  
Storage life Stable under normal conditions.  
Incompatible materials Keep away from: Reducing agent (Amines) and Polymerisation catalysts such as peroxy or azo compounds, strong acids, alkalis, oxidising agents and metal salts.
- 7.3 **Specific end use(s)** Adhesives.

## 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 **Control parameters**  
8.1.1 **Occupational Exposure Limits**

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Dibenzoyl peroxide	94-36-0	-	5	-	-	WEL

Note WEL: Workplace Exposure Limit (UK HSE EH40).




- 8.1.2 **Biological limit value** Not established.
- 8.1.3 **PNECs and DNELs** Not established.
- 8.2 **Exposure controls**  
8.2.1 **Appropriate engineering controls** Ensure adequate ventilation or use appropriate containment. Atmospheric levels should be controlled in compliance with the occupational exposure limit. The

# SAFETY DATA SHEET

Revision: 2.0 Date: 26.08.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 2015/830

www.vishaypg.com

	electrical system should be spark-free. Guarantee that the eye flushing systems and safety showers are located close to the working place.
<b>8.2.2 Individual protection measures, such as personal protective equipment (PPE)</b>	General hygiene measures for the handling of chemicals are applicable. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Wash hands before breaks and after work. Keep work clothes separately. Contaminated clothing should be thoroughly cleaned. Do not eat, drink or smoke at the work place.
Eye/ face protection	Wear eye protection with side protection (EN166).
	
Skin protection	Hand protection: Wear impervious gloves (EN374). Gloves should be changed regularly to avoid permeation problems. Breakthrough time of the glove material: refer to the information provided by the gloves' producer. The gloves type used must be chosen based on the work activity and duration as well as concentration/quantity of material being handled.
	
Respiratory protection	Body protection: Wear dustproof working clothes. Recommended: Wear work clothes with long sleeves.
	In case of inadequate ventilation wear respiratory protection. An approved dust mask should be worn if dust is generated during processing or handling.
Thermal hazards	Not applicable.
<b>8.2.3 Environmental Exposure Controls</b>	Avoid release to the environment.

## 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>9.1 Information on basic physical and chemical properties</b>	
Appearance	White Powder
Odour	Characteristic
Odour threshold	Not available.
pH	Not established.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	5 (H <sub>2</sub> O = 1)
Solubility(ies)	Slightly soluble in: Water
Partition coefficient: n-octanol/water	Not applicable.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Dynamic viscosity	Not applicable.
Explosive properties	Not available.
Oxidising properties	Not oxidising.
<b>9.2 Other information</b>	None.

# SAFETY DATA SHEET

Revision: 2.0 Date: 26.08.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 2015/830

www.vishaypg.com

## 10. SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity	Stable under normal conditions.
10.2	Chemical stability	May polymerise on exposure to light.
10.3	Possibility of hazardous reactions	May form flammable dust clouds in air. Reacts with oxidizing substances.
10.4	Conditions to avoid	Keep away from heat, sources of ignition and direct sunlight.
10.5	Incompatible materials	Keep away from: Reducing agent (Amines) and Polymerisation catalysts such as peroxy or azo compounds, strong acids, alkalis, oxidising agents and metal salts.
10.6	Hazardous decomposition product(s)	May decompose in a fire, giving off toxic and irritant vapours. Acrid smoke, Carbon monoxide, Carbon dioxide and Methylmethacrylate.

## 11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects (Substances in preparations / mixtures)	
	<b>Acute toxicity</b>	
	Ingestion	Based upon the available data, the classification criteria are not met. LC50 > 2000 mg/kg bw/day
	Inhalation	Based upon the available data, the classification criteria are not met. LC50 (Dusts) > 5 mg/kg bw/day
	Dermal	Based upon the available data, the classification criteria are not met. LC50 > 2000 mg/kg bw/day
	<b>Skin corrosion/irritation</b>	Skin Irrit. 2: Irritation of the skin and eyes.
	<b>Serious eye damage/irritation</b>	Eye Irrit. 2: Causes serious eye irritation.
	<b>Respiratory or skin sensitization</b>	Skin Sens. 1: May cause sensitization by skin contact.
	<b>Germ cell mutagenicity</b>	Based upon the available data, the classification criteria are not met.
	<b>Carcinogenicity</b>	Based upon the available data, the classification criteria are not met.
	<b>Reproductive toxicity</b>	Based upon the available data, the classification criteria are not met.
	<b>STOT - single exposure</b>	Based upon the available data, the classification criteria are not met.
	<b>STOT - repeated exposure</b>	Based upon the available data, the classification criteria are not met.
	<b>Aspiration hazard</b>	Based upon the available data, the classification criteria are not met.
11.2	Other information	None.

## 12. SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	Aquatic Acute 1: Very toxic to aquatic life. Estimated Mixture LC50 < 1 mg/l (Fish).
12.2	Persistence and degradability	No information available.
12.3	Bioaccumulative potential	The product has low potential for bioaccumulation.
12.4	Mobility in soil	No information available (Slightly soluble).
12.5	Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
12.6	Other adverse effects	None known.

## 13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	Do not release undiluted and unneutralised to the sewer. This material and its container must be disposed of as hazardous waste (2008/98/EEC).
13.2	Additional Information	Dispose of contents in accordance with local, state or national legislation.

## 14. SECTION 14: TRANSPORT INFORMATION

		<b>ADR/RID / IMDG / IATA</b>
14.1	UN number	UN 3077
14.2	Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S (Dibenzoyl Peroxide)
14.3	Transport hazard class(es)	9
14.4	Packing group	III

# SAFETY DATA SHEET

Revision: 2.0 Date: 26.08.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 2015/830

www.vishaypg.com

14.5	Environmental hazards	Classified as a Marine Pollutant/Environmentally hazardous substance.
14.6	Special precautions for user	See Section: 2
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
14.8	Additional Information	None.

## 15. SECTION 15: REGULATORY INFORMATION

15.1	<b>Safety, health and environmental regulations/legislation specific for the substance or mixture</b>	
15.1.1	<b>EU regulations</b>	
	Substance(s) of Very High Concern (SVHCs)	None.
	Authorisations and/or Restrictions On Use	None.
15.1.2	<b>National regulations</b>	None known.
	Wassergefährdungsklasse (Germany)	Water hazard class: 1
15.2	<b>Chemical Safety Assessment</b>	Not available.

## 16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

**References:** Existing Safety Data Sheet (SDS), Harmonised Classification(s) for Dibenzoyl Peroxide (CAS No.94-36-0), Existing ECHA registration(s) for Dibenzoyl Peroxide (CAS No.94-36-0), and the Classification and Labelling Inventory for Calcium Tungstate (CAS No.7790-75-2), 2-Propenoic acid, 2-methyl-, methyl ester, homopolymer (CAS No.9011-14-7) and 2-Butenedioic acid (2Z)-, polymer with chloroethene and ethenyl acetate (CAS No.9005-09-8).

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Skin Irrit. 2; H315	Threshold Calculation
Skin Sens. 1; H317	Threshold Calculation
Eye Irrit. 2; H319	Threshold Calculation
Aquatic Acute 1; H400	Summation Calculation

### LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	PBT: Persistent, Bioaccumulative and Toxic
vPvB	vPvT: very Persistent and very Toxic

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

### Annex to the extended Safety Data Sheet (eSDS)

No information available.



## Disclaimer

ALL PRODUCTS, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. **To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.**

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at [vpgsensors.com](http://vpgsensors.com).

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.