

# SAFETY DATA SHEET

Revision: 1.1 Date: 17.08.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 2015/830

www.vpgsensors.com

## 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier**  
Product Name Barrier WD  
Chemical Name Petroleum Wax Blend  
CAS No. None assigned.  
EINECS No. None assigned.  
REACH Registration No. None assigned.
- 1.2 Relevant identified uses of the substance or mixture and uses advised against**  
Identified Use(s) Strain gauge installation  
Uses Advised Against None known.
- 1.3 Details of the supplier of the safety data sheet**  
Company Identification VISHAY MEASUREMENTS GROUP UK LTD  
Stroudley Road  
Basingstoke  
Hampshire  
United Kingdom  
RG24 8FW  
Telephone +44 (0) 1256 462131  
Fax +44 (0) 1256 471441  
E-Mail (competent person) mm.uk@vishaypg.com
- 1.4 Emergency telephone number** (00-1) 703-527-3887  
CHEMTREC

## 2. SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture**
- 2.1.1 Regulation (EC) No. 1272/2008 (CLP)** Not classified as dangerous for supply/use.
- 2.2 Label elements** According to Regulation (EC) No. 1272/2008 (CLP)
- Product Name Barrier WD
- Hazard Pictogram(s) None assigned.
- Signal Word(s) None assigned.
- Hazard Statement(s) None assigned.
- Precautionary Statement(s) None assigned.
- 2.3 Other hazards** None.

## 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

- 3.1 Substances**  
100 % Non-hazardous ingredients

## 4. SECTION 4: FIRST AID MEASURES



- 4.1 Description of first aid measures**

# SAFETY DATA SHEET

Revision: 1.1 Date: 17.08.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 2015/830

www.vpgsensors.com

Inhalation	Unlikely route of exposure (Solid).
Skin Contact	Wash skin with soap and water. If skin irritation occurs: Get medical advice/attention. The molten form can cause thermal burns if in contact with skin. If hot wax touches skin, drench or immerse the area in cold water to assist cooling. Do not try to remove wax from burn. Do not put ice on the burn. Remove non-sticking garments carefully. DO NOT attempt to remove portions of clothing glued to burnt skin, but cut around them.
Eye Contact	Flush eyes with water for at least 15 minutes while holding eyelids open. If eye irritation persists, get medical advice/attention. The molten form can cause thermal burns if in contact with eyes. If hot product is splashed into the eye, it should be cooled immediately to dissipate heat, under cold running water. Obtain immediate medical attention.
Ingestion	Do not give anything by mouth to an unconscious person. Do NOT induce vomiting. If symptoms develop, obtain medical attention.
<b>4.2 Most important symptoms and effects, both acute and delayed</b>	Repeated exposure may cause skin dryness or cracking. When molten: Contact with hot liquid causes skinburns.
<b>4.3 Indication of any immediate medical attention and special treatment needed</b>	Unlikely to be required but if necessary treat symptomatically. Obtain medical treatment for thermal burn.

## 5. SECTION 5: FIREFIGHTING MEASURES

<b>5.1 Extinguishing media</b>	Extinguish preferably with dry chemical, sand, foam or carbon dioxide.
Suitable Extinguishing media	Do not use water jet. May spread fire.
Unsuitable extinguishing media	
<b>5.2 Special hazards arising from the substance or mixture</b>	May decompose in a fire giving off toxic fumes. (Carbon oxides and traces of incompletely burned carbon compounds)
<b>5.3 Advice for fire-fighters</b>	Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

## 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

<b>6.1 Personal precautions, protective equipment and emergency procedures</b>	Eliminate all ignition sources if safe to do so. Wear suitable gloves if prolonged skin contact is likely. Use gloves with insulation for thermal protection, when needed. Wash hands thoroughly after handling.
<b>6.2 Environmental precautions</b>	Avoid run off to waterways and sewers.
<b>6.3 Methods and material for containment and cleaning up</b>	Contain spillages. Allow product to cool/solidify and pick up as a solid. Transfer to a container for disposal.
<b>6.4 Reference to other sections</b>	See Section: 8, 13

## 7. SECTION 7: HANDLING AND STORAGE

<b>7.1 Precautions for safe handling</b>	Wear suitable gloves if prolonged skin contact is likely. Use gloves with insulation for thermal protection, when needed. Avoid contact with skin, eyes or clothing. Do not breathe fumes. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.
<b>7.2 Conditions for safe storage, including any incompatibilities</b>	Store in a well-ventilated place. Keep container tightly closed. Keep away from heat, sources of ignition and direct sunlight.
Storage temperature	Ambient. < 48 °C
Storage life	Stable under normal conditions.
Incompatible materials	Keep away from: Oxidizing agents and Acids.
<b>7.3 Specific end use(s)</b>	Strain gauge installation

## 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION




<b>8.1 Control parameters</b>
-------------------------------

# SAFETY DATA SHEET

Revision: 1.1 Date: 17.08.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 2015/830

www.vpgsensors.com

8.1.1	<b>Occupational Exposure Limits</b>	Not established.
8.1.2	<b>Biological limit value</b>	Not established.
8.1.3	<b>PNECs and DNELs</b>	Not established.
8.2	<b>Exposure controls</b>	
8.2.1	<b>Appropriate engineering controls</b>	Ensure adequate ventilation. Provide adequate ventilation, including appropriate local extraction if dusts, fumes or vapours are likely to be evolved. Atmospheric levels should be controlled in compliance with the occupational exposure limit.
8.2.2	<b>Individual protection measures, such as personal protective equipment (PPE)</b>	Use personal protective equipment as required. Wash contaminated clothing before reuse. Avoid contact with skin, eyes or clothing.
	Eye/ face protection	Wear eye protection with side protection (EN166).
		
	Skin protection	Wear impervious gloves (EN374). Use gloves with insulation for thermal protection, when needed.
		
	Respiratory protection	If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.
		
	Thermal hazards	Hot/molten product: If splashing is likely, full head and face protection (protective shield and/or safety goggles) should be used. Wear protective clothing for operations with hot material: heat resistant coveralls (with trousers legs over boots and sleeves over cuffs of gloves), heat resistant heavy duty antiskid boots (e. g. leather).
8.2.3	<b>Environmental Exposure Controls</b>	Avoid release to the environment.

## 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	<b>Information on basic physical and chemical properties</b>	
	Appearance	Yellow semi-solid paste
	Odour	Mild odour/No odour.
	Odour threshold	Not available.
	pH	Not established.
	Melting point/freezing point	48.9-60°C
	Initial boiling point and boiling range	Not available.
	Flash point	>202.4°C
	Evaporation rate	Not available.
	Flammability (solid, gas)	Non-flammable.
	Upper/lower flammability or explosive limits	Not available.
	Vapour pressure	Not available.
	Vapour density	Not available.
	Relative density	<1 (Water = 1)
	Solubility(ies)	Insoluble (Water)
	Partition coefficient: n-octanol/water	Not available.
	Auto-ignition temperature	Not available.
	Decomposition Temperature	Not available.
	Viscosity	Not available.
	Explosive properties	Not explosive.
	Oxidising properties	Not oxidising.
9.2	<b>Other information</b>	None.

# SAFETY DATA SHEET

Revision: 1.1 Date: 17.08.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 2015/830

www.vpgsensors.com

## 10. SECTION 10: STABILITY AND REACTIVITY

10.1	Stability and reactivity	Stable under normal conditions.
10.2	Chemical stability	Stable under normal conditions.
10.3	Possibility of hazardous reactions	Hazardous polymerisation will not occur.
10.4	Conditions to avoid	Keep away from heat, sources of ignition and direct sunlight.
10.5	Incompatible materials	Keep away from: Oxidizing agents and Acids.
10.6	Hazardous decomposition product(s)	May decompose in a fire giving off toxic fumes. Carbon oxides and traces of incompletely burned carbon compounds

## 11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects (Substances in preparations / mixtures)	
	<b>Acute toxicity</b>	
	Ingestion	Based upon the available data, the classification criteria are not met.
	Inhalation	Based upon the available data, the classification criteria are not met.
	Skin Contact	Based upon the available data, the classification criteria are not met.
	Eye Contact	Based upon the available data, the classification criteria are not met.
	<b>Irritation</b>	Based upon the available data, the classification criteria are not met.
	<b>Corrosivity</b>	Based upon the available data, the classification criteria are not met.
	<b>Sensitisation</b>	Based upon the available data, the classification criteria are not met.
	<b>Repeated dose toxicity</b>	Based upon the available data, the classification criteria are not met.
	<b>Carcinogenicity</b>	Based upon the available data, the classification criteria are not met.
	<b>Mutagenicity</b>	Based upon the available data, the classification criteria are not met.
	<b>Toxicity for reproduction</b>	Based upon the available data, the classification criteria are not met.
	<b>Aspiration hazard</b>	Based upon the available data, the classification criteria are not met.
11.2	Other information	None.

## 12. SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	Based upon the available data, the classification criteria are not met. Estimated Mixture LC50 >100 mg/l (Fish)
12.2	Persistence and degradability	The product is not biodegradable.
12.3	Bioaccumulative potential	No data.
12.4	Mobility in soil	The substance may adsorb onto soils and sediments.
12.5	Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
12.6	Other adverse effects	None known.

## 13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	Dispose of contents in accordance with local, state or national legislation.
13.2	Additional Information	None.

## 14. SECTION 14: TRANSPORT INFORMATION

Not classified according to the United Nations 'Recommendations on the Transport of Dangerous Goods'.

		<b>ADR/RID / IMDG / IATA</b>
14.1	UN number	None assigned.
14.2	UN proper shipping name	None assigned.
14.3	Transport hazard class(es)	None assigned.
14.4	Packing group	None assigned.
14.5	Environmental hazards	Not classified as a Marine Pollutant/Environmentally hazardous substance.
14.6	Special precautions for user	See Section: 2
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
14.8	Additional Information	None.

# SAFETY DATA SHEET

Revision: 1.1 Date: 17.08.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),  
1272/2008 (CLP) & 2015/830

www.vpgsensors.com

## 15. SECTION 15: REGULATORY INFORMATION

15.1	<b>Safety, health and environmental regulations/legislation specific for the substance or mixture</b>	
15.1.1	<b>EU regulations</b>	
	Substance(s) of Very High Concern (SVHCs)	None.
15.1.2	<b>National regulations</b>	
	Wassergefährdungsklasse (Germany)	Non-hazardous ingredients
15.2	<b>Chemical Safety Assessment</b>	Not available.

## 16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

**References:** Existing Safety Data Sheet (SDS).

### LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

### Annex to the extended Safety Data Sheet (eSDS)

No information available.



## Disclaimer

ALL PRODUCTS, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. **To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.**

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at [vpgsensors.com](http://vpgsensors.com).

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.