

SAFETY DATA SHEET

Revision: 1.1 Date: 15.09.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

PLM-4R

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product Name	PLM-4R
Chemical Name	Bisphenol A Diglycidyl Ether
CAS No.	25036-25-3
EINECS No.	None assigned.
REACH Registration No.	None assigned.
1.2 Recommended use of the chemical and restrictions on use	
Identified Use(s)	Photostress® measurements.
Uses Advised Against	For professional users only.
1.3 Supplier's details	
Company Identification	VISHAY MEASUREMENTS GROUP UK LTD Stroudley Road Basingstoke Hampshire RG24 8FW United Kingdom
Telephone	+44 (0) 1256 462131
Fax	+44 (0) 1256 471441
E-Mail (competent person)	mm.uk@vishaypg.com
1.4 Emergency Phone No.	(00-1) 703-527-3887 CHEMTREC

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture	
2.1.1 Regulation (EC) No. 1272/2008 (CLP)	Skin Irrit. 2; Causes skin irritation. Skin Sens. 1; May cause sensitization by skin contact. Eye Irrit. 2; Causes serious eye irritation.
2.1.2 Directive 67/548/EEC & Directive 1999/45/EC	Xi; R36/38: Irritating to eyes and skin. R43: May cause sensitization by skin contact.
2.2 Label elements	According to Regulation (EC) No. 1272/2008 (CLP)
Product Name	PLM-4R
Hazard Pictogram(s)	
Signal Word(s)	Warning
Hazard Statement(s)	H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation.
Precautionary Statement(s)	P261: Avoid breathing vapours. P280: Wear protective gloves/protective clothing/eye protection/face protection. P302+P352: IF ON SKIN: Wash with plenty of soap and water. P333+P313: If skin irritation or rash occurs: Get medical advice/attention. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

SAFETY DATA SHEET

Revision: 1.1 Date: 15.09.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313: If eye irritation persists: Get medical advice/attention.

2.3 Other hazards None.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Substances in preparations / mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	Hazard Statement(s)
Bisphenol A Diglycidyl Ether	100	25036-25-3	-	Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319

Directive 67/548/EEC & Directive 1999/45/EC

Chemical identity of the substance	%W/W	CAS No.	EC No.	EC Classification and Risk Phrases
Bisphenol A Diglycidyl Ether	100	25036-25-3	-	Xi; R36/38: Irritating to eyes and skin. R43: May cause sensitization by skin contact.

3.2 Mixtures Not applicable.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin Contact

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration into the lungs. Make victim drink water. Do not give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Contains epoxy constituents. May produce an allergic reaction. Causes irritation to eyes and skin.

4.3 Indication of any immediate medical attention and special treatment needed

None known. Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing Media

Extinguish with carbon dioxide, dry chemical, foam or waterspray.

Unsuitable extinguishing Media

Do not use water jet. Direct water jet may spread the fire.

5.2 Special hazards arising from the substance or mixture

May decompose in a fire giving off toxic fumes.

5.3 Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying

SAFETY DATA SHEET

Revision: 1.1 Date: 15.09.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

with water if exposed to fire. Avoid run off to waterways and sewers.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES



- | | |
|--|--|
| 6.1 Personal precautions, protective equipment and emergency procedures | Ensure adequate ventilation. Avoid breathing vapours. Wear protective gloves/protective clothing/eye protection/face protection. |
| 6.2 Environmental precautions | Do not allow to enter drains, sewers or watercourses. |
| 6.3 Methods and material for containment and cleaning up | Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Dispose of this material and its container as hazardous waste. |
| 6.4 Reference to other sections | See Section: 8, 13 |

7. SECTION 7: HANDLING AND STORAGE

- | | |
|--|---|
| 7.1 Precautions for safe handling | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing fumes. Ensure adequate ventilation. In case of inadequate ventilation wear respiratory protection. Wear protective gloves/protective clothing/eye protection/face protection. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. |
| 7.2 Conditions for safe storage, including any incompatibilities
Storage temperature
Storage life
Incompatible materials | Ensure adequate ventilation.

Ambient.
Stable under normal conditions.
Strong Acids. Strong oxidising agents. |
| 7.3 Specific end use(s) | Photostress® measurements. |

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- | | |
|--|--|
| 8.1 Control parameters | |
| 8.1.1 Occupational Exposure Limits | Not established. |
| 8.1.2 Biological limit value | Not established. |
| 8.1.3 PNECs and DNELs | Not established. |
| 8.2 Exposure controls | |
| 8.2.1 Appropriate engineering controls | Ensure adequate ventilation. |
| 8.2.2 Individual protection measures, such as personal protective equipment (PPE) | Use personal protective equipment as required. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. |
| Eye/face protection
 | Wear protective eye glasses for protection against liquid splashes. Wear eye protection with side protection (EN166). Have available eyewash bottle with clean water. |
| Skin protection
 | Wear impervious gloves (EN374). Breakthrough time of the glove material: refer to the information provided by the gloves' producer. The gloves type used must be chosen based on the work activity and duration as well as concentration/quantity of material being handled. Recommended: Butyl rubber, Nitrile rubber, Neoprene, PVC. |
| Respiratory protection | Do not use in areas without adequate ventilation. In case of inadequate ventilation wear respiratory protection. |

SAFETY DATA SHEET

Revision: 1.1 Date: 15.09.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com



Thermal hazards

Not applicable.

8.2.3 Environmental Exposure Controls

Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Clear Amber Coloured liquid
Odour	Not available.
Odour Threshold	Not available.
pH	Not established.
Melting Point/Freezing Point	Not available.
Initial boiling point and boiling range	327 °C
Flash Point	235 °C (Closed Cup)
Evaporation Rate	Not available.
Flammability (solid, gas)	Non-flammable.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	<1 mmHg
Vapour density	Not available.
Relative density	1.17 (H ₂ O = 1) (Mixture)
Solubility(ies)	Insoluble.
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidising properties	Not oxidising.

9.2 Other information

None.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Combustion or thermal decomposition will evolve toxic and irritant vapours.
10.4 Conditions to avoid	Avoid contact with heat and ignition sources and oxidizers.
10.5 Incompatible materials	Strong Oxidizing agents and Nitrates. Strong Acids and Alkalis.
10.6 Hazardous decomposition product(s)	Decomposes in a fire giving off toxic fumes: Carbon monoxide, Carbon dioxide, and Aldehydes.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects (Substances in preparations / mixtures)

Acute toxicity

Ingestion	Not classified.
Inhalation	Not classified.
Skin Contact	May cause an allergic skin reaction. Causes skin irritation.
Eye Contact	Causes serious eye irritation.
Irritation	Eye Irrit. 2; Skin Irrit. 2 Causes serious eye irritation. Causes skin irritation.

Corrosivity

Not classified.

Sensitisation

Skin Sens. 1; May cause an allergic skin reaction.

Repeated dose toxicity

Not classified.

Carcinogenicity

Not classified.

Mutagenicity

Not classified.

Toxicity for reproduction

Not classified.

SAFETY DATA SHEET

Revision: 1.1 Date: 15.09.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

12. SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	Not classified as a Marine Pollutant.
12.2	Persistence and degradability	Part of the components are biodegradable.
12.3	Bioaccumulative potential	The product has no potential for bioaccumulation.
12.4	Mobility in soil	The product has low mobility in soil.
12.5	Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
12.6	Other adverse effects	None known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	This material and its container must be disposed of as hazardous waste (2008/98/EEC). Send after pre-treatment to an appropriate hazardous waste incinerator facility according to legislation. Dispose of contents in accordance with local, state or national legislation.
13.2	Additional Information	None.

14. SECTION 14: TRANSPORT INFORMATION

		ADR/RID / IMDG / IATA
14.1	UN number	UN 3316
14.2	Proper Shipping Name	CHEMICAL KIT
14.3	Transport hazard class(es)	9
14.4	Packing group	III
14.5	Environmental hazards	None.
14.6	Special precautions for user	See Section: 2
14.7	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
14.8	Additional Information	None.

15. SECTION 15: REGULATORY INFORMATION

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	
15.1.1	EU regulations	
	Authorisations and/or Restrictions On Use	None.
15.1.2	National regulations	None known.
15.2	Chemical Safety Assessment	Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS), the Classification and Labelling Inventory for Bisphenol A Diglycidyl Ether (CAS# 25036-25-3).

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Skin Irrit. 2; H315	Threshold Calculation
Skin Sens. 1; H317	Threshold Calculation
Eye Irrit. 2; H319	Threshold Calculation

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration

SAFETY DATA SHEET



Revision: 1.1 Date: 15.09.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 453/2010

www.vishaypg.com

PBT PBT: Persistent, Bioaccumulative and Toxic
vPvB vPvT: very Persistent and very Toxic

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.

Disclaimer

ALL PRODUCTS, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. **To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.**

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at vpgsensors.com.

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.