

SAFETY DATA SHEET

Revision: 3.0 Date: 28.09.2015


ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier**
Product Name MCoat JA Part A
Chemical Name Mixture
CAS No. Mixture
EINECS No. Mixture
REACH Registration No. None assigned.
- 1.2 Relevant identified uses of the substance or mixture and uses advised against**
Identified Use(s) Sealants
Uses Advised Against For professional users only.
- 1.3 Details of the supplier of the safety data sheet**
Company Identification VISHAY MEASUREMENTS GROUP UK LTD
Stroudley Road
Basingstoke
Hampshire
RG24 8FW
United Kingdom
Telephone +44 (0) 1256 462131
Fax +44 (0) 1256 471441
E-Mail (competent person) mm.uk@vishaypg.com
- 1.4 Emergency telephone number** (00-1) 703-527-3887
CHEMTREC

2. SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture**
- 2.1.1 Regulation (EC) No. 1272/2008 (CLP)** Acute Tox. 4; H302
Skin Irrit. 2; H315
Skin Sens. 1; H317
Eye Irrit. 2; H319
Aquatic Chronic 2; H411
- 2.2 Label elements**
Product Name According to Regulation (EC) No. 1272/2008 (CLP)
MCoat JA Part A
- Hazard Pictogram(s)

- Signal Word(s) Warning
- Contains: Bis (piperidinothiocarbonyl) tetrasulphide, Manganese dioxide
- Hazard Statement(s)
H302: Harmful if swallowed.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H319: Causes serious eye irritation.
H411: Toxic to aquatic life with long lasting effects.
- Precautionary Statement(s)
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

SAFETY DATA SHEET

Revision: 3.0 Date: 28.09.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313: If eye irritation persists: Get medical advice/attention.
P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

2.3 Other hazards

None

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Not applicable.

3.2 Mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard classification
Manganese dioxide	< 50	1313-13-9	215-202-6	None assigned.	Acute Tox. 4; H302 Acute Tox. 4; H332
Terphenyl, hydrogenated	< 50	61788-32-7	262-967-7	None assigned.	Aquatic Chronic 4; H413
Bis (piperidinothiocarbonyl) tetrasulphide	< 3	120-54-7	204-406-0	None assigned.	Skin Sens. 1; H317
Terphenyl	< 2	26140-60-3	247-477-3	None assigned.	Aquatic Chronic 1; H410 (M-factor: 10) Aquatic Acute 1; H400
Sodium hydroxide	< 1	1310-73-2	215-185-5	01-2119457892-27	Skin Corr. 1A; H314 (SCL \geq 5%) Skin Corr. 1B; H314 (SCL \geq 2 < 5%) Skin Irrit. 2; H315 (\geq 0.5 < 2%) Eye Irrit. 2; H319 (\geq 0.5 < 2%)
Poly(oxy-1,2-ethanediyl), α -[(1,1,3,3-tetramethylbutyl)phenyl]- ω -hydroxy-	< 0.5	9036-19-5	-	None assigned.	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412

For full text of H/P Statements see section 16.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF exposed or concerned: Get medical advice/attention.

Skin Contact

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If irritation (redness, rash, blistering) develops, get medical attention.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

IF SWALLOWED: Rinse mouth. Do not induce vomiting unless instructed to do so by medical personnel. Call a POISON CENTER/doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SAFETY DATA SHEET

Revision: 3.0 Date: 28.09.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

5. SECTION 5: FIREFIGHTING MEASURES

- 5.1 Extinguishing media**
Suitable Extinguishing media As appropriate for surrounding fire. Extinguish with carbon dioxide, dry chemical, foam or waterspray.
Unsuitable extinguishing media Do not use water jet. Direct water jet may spread the fire.
- 5.2 Special hazards arising from the substance or mixture** May decompose in a fire giving off toxic fumes. Decomposes in a fire giving off toxic fumes: Carbon monoxide, Carbon dioxide, Nitrogen oxides, Sulphur oxides, metal oxides.
- 5.3 Advice for fire-fighters** Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures** Avoid breathing vapours. Avoid all contact. Ensure adequate ventilation. Stop leak if safe to do so. Use personal protective equipment as required. See Section: 8.
- 6.2 Environmental precautions** Avoid release to the environment. Do not allow to enter drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be alerted to the Environment Agency or other appropriate regulatory body.
- 6.3 Methods and material for containment and cleaning up**
Small spillages: Stop leak if safe to do so. Dilute with water. Adsorb spillages onto sand, earth or any suitable adsorbent material. Ventilate the area and wash spill site after material pick-up is complete. Transfer to a container for disposal. Dispose of this material and its container as hazardous waste (2008/98/EEC).
Large spillages: Stop leak if safe to do so. Keep upwind. Adsorb spillages onto sand, earth or any suitable adsorbent material. Ventilate the area and wash spill site after material pick-up is complete. Transfer to a container for disposal. Dispose of this material and its container as hazardous waste (2008/98/EEC).
- 6.4 Reference to other sections** See Section: 8, 13

7. SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling** Avoid all contact. Do not breathe vapour. Do not ingest. Ensure adequate ventilation. Use personal protective equipment as required. See Section: 8. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.
- 7.2 Conditions for safe storage, including any incompatibilities**
Storage temperature Store in a well-ventilated place. Keep container tightly closed. Keep cool. Keep away from heat, sources of ignition and direct sunlight.
Storage life Store above (°C): 5 (41 °F)
Unsuitable containers: Stable under normal conditions.
Incompatible materials: None known.
- 7.3 Specific end use(s)** Keep away from: Oxidizing agents and Acids. Keep from direct sunlight.
Sealants. See Section: 1.2

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters**
8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Terphenyls, all isomers	26140-60-3	-	-	0.5	4.8	WEL
Sodium hydroxide	1310-73-2	-	-	-	2	WEL




Note: WEL: Workplace Exposure Limit (UK HSE EH40)

SAFETY DATA SHEET

Revision: 3.0 Date: 28.09.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

8.1.2	Biological limit value	Not established.
8.1.3	PNECs and DNELs	Not established.
8.2	Exposure controls	
8.2.1	Appropriate engineering controls	Ensure adequate ventilation. Atmospheric levels should be controlled in compliance with the occupational exposure limit. Guarantee that the eye flushing systems and safety showers are located close to the working place.
8.2.2	Individual protection measures, such as personal protective equipment (PPE)	General hygiene measures for the handling of chemicals are applicable. Avoid all contact. Do not breathe vapour. Wash hands before breaks and after work. Keep work clothes separately. Do not eat, drink or smoke at the work place.
	Eye/ face protection	Wear protective eye glasses for protection against liquid splashes. Wear eye protection with side protection (EN166).
		
	Skin protection	Hand protection: Wear impervious gloves (EN374). Gloves should be changed regularly to avoid permeation problems. Breakthrough time of the glove material: refer to the information provided by the gloves' producer.
		
	Respiratory protection	Body protection: Wear impervious protective clothing, including boots, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
		
	Thermal hazards	In case of inadequate ventilation wear respiratory protection. Open system(s): Wear suitable respiratory protective equipment.
		Not applicable.
8.2.3	Environmental Exposure Controls	Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemical properties	
	Appearance	Black, Liquid
	Odour	Not determined.
	Odour threshold	Not available.
	pH	Not established.
	Melting point/freezing point	Not available.
	Initial boiling point and boiling range	> 37.78 °C
	Flash point	98.89 °C [Closed cup]
	Evaporation rate	Not established.
	Flammability (solid, gas)	Not applicable - Liquid
	Upper/lower flammability or explosive limits	Not applicable
	Vapour pressure	0.27 kPa (2.03 mm Hg) @ 20°C
	Vapour density	Terphenyl, hydrogenated: 7.95 (Air = 1)
	Relative density	1.65 g/cm ³
	Solubility(ies)	Insoluble in cold water.
	Partition coefficient: n-octanol/water	Not available.
	Auto-ignition temperature	Not available.
	Decomposition Temperature	Not available.
	Viscosity	> 0.21 cm ² /s @ 40°C
	Explosive properties	Not explosive.
	Oxidising properties	Not oxidising.
9.2	Other information	None

SAFETY DATA SHEET

Revision: 3.0 Date: 28.09.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

10. SECTION 10: STABILITY AND REACTIVITY

10.1	Stability and reactivity	Stable under normal conditions.
10.2	Chemical stability	Stable under normal conditions.
10.3	Possibility of hazardous reactions	Hazardous polymerisation will not occur.
10.4	Conditions to avoid	Keep away from heat, sources of ignition and direct sunlight.
10.5	Incompatible materials	Keep away from: Oxidizing agents and Acids.
10.6	Hazardous decomposition product(s)	Decomposes in a fire giving off toxic fumes: Carbon monoxide, Carbon dioxide, Nitrogen oxides, Sulphur oxides, metal oxides.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects (Substances in preparations / mixtures)	
	Acute toxicity	
	Ingestion	Acute Tox. 4; Harmful if swallowed. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 994.4 mg/kg bw/day.
	Inhalation	Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 22 mg/l.
	Skin Contact	Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg bw/day.
	Skin corrosion/irritation	Skin Irrit. 2; Causes skin irritation.
	Serious eye damage/irritation	Eye Irrit. 2; Causes eye irritation.
	Respiratory or skin sensitization	Skin Sens. 1: May cause an allergic skin reaction.
	Germ cell mutagenicity	Based upon the available data, the classification criteria are not met.
	Carcinogenicity	Based upon the available data, the classification criteria are not met.
	Reproductive toxicity	Based upon the available data, the classification criteria are not met.
	STOT - single exposure	Based upon the available data, the classification criteria are not met.
	STOT - repeated exposure	Based upon the available data, the classification criteria are not met.
	Aspiration hazard	Based upon the available data, the classification criteria are not met.
11.2	Other information	None.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	Aquatic Chronic 2; Toxic to aquatic life with long lasting effects. Estimated Mixture LC50 >1 ≤ 10 mg/l (Fish)
12.2	Persistence and degradability	No data for the mixture as a whole.
12.3	Bioaccumulative potential	No data for the mixture as a whole.
12.4	Mobility in soil	The product is predicted to have low mobility in soil. Insoluble in cold water.
12.5	Results of PBT and vPvB assessment	Not classified as PBT or vPvB.
12.6	Other adverse effects	None known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	This material and its container must be disposed of as hazardous waste (2008/98/EEC). Send after pre-treatment to a appropriate hazardous waste incinerator facility according to legislation.
13.2	Additional Information	Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

		ADR/RID / IMDG / IATA
14.1	UN number	UN 3082
14.2	UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Terphenyl)
14.3	Transport hazard class(es)	9
14.4	Packing group	III
14.5	Environmental hazards	Classified as a Marine Pollutant.

SAFETY DATA SHEET

Revision: 3.0 Date: 28.09.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

14.6	Special precautions for user	See Section: 2
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
14.8	Additional Information	None

15. SECTION 15: REGULATORY INFORMATION

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	
15.1.1	EU regulations	
	Authorisations and/or Restrictions On Use	None
	Substance(s) of Very High Concern (SVHCs)	None
15.1.2	National regulations	
	Wassergefährdungsklasse (Germany)	Water hazard class: 2
15.2	Chemical Safety Assessment	Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS), Harmonised Classification(s) for Sodium hydroxide (CAS No. 1310-73-2), Manganese dioxide (CAS No. 1313-13-9). Existing ECHA registration(s) for Manganese dioxide (CAS No. 1313-13-9), Terphenyl, hydrogenated (CAS No. 61788-32-7), Terphenyl (CAS No. 26140-60-3), Sodium hydroxide (CAS No. 1310-73-2), the Classification and Labelling Inventory for Poly(oxy-1,2-ethanediyl), α -[(1,1,3,3-tetramethylbutyl)phenyl]- ω -hydroxy- (CAS No. 9036-19-5), Bis (piperidinothiocarbonyl) tetrasulphide (CAS No. 120-54-7).
EU Classification: This Safety Data Sheet was prepared in accordance with EC Regulation (EC) 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830.

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Acute Tox. 4; H302	Acute Toxicity Estimate Mixture Calculation
Skin Irrit. 2; H315	Threshold Calculation
Skin Sens. 1; H317	Threshold Calculation
Eye Irrit. 2; H319	Threshold Calculation
Aquatic Chronic 2; H411	Summation Calculation

LEGEND

LTEL: Long Term Exposure Limit
STEL: Short Term Exposure Limit
DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative

Hazard Statement(s)

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

H410: Very toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

H413: May cause long lasting harmful effects to aquatic life.

M-factor: multiplying factor

SCL: Specific Concentration Limit

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

SAFETY DATA SHEET



Revision: 3.0 Date: 28.09.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

Annex to the extended Safety Data Sheet (eSDS)

No information available.

Disclaimer

ALL PRODUCTS, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. **To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.**

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at vpgsensors.com.

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.