

SAFETY DATA SHEET

Version: 2.2
Date of Issue: 7-May-2019
Date of First Issue: 31-Oct-2012


www.vishaypg.com

ACCORDING TO OSHA HCS (29 CFR 1910.1200)

SECTION 1: IDENTIFICATION

Product identifier used on the label	RTC Epoxy Part A	
Other means of identification		
Chemical Name	Bisphenol A Diglycidyl Ether	
CAS No.	25085-99-8	
EINECS No.	607-537-5	
Recommended use of the chemical and restrictions on use		
Recommended use	PC14 Metal surface treatment products, including galvanic and electroplating products	
Restrictions on use	Anything other than the above.	
Details of the supplier of the safety data sheet		
Supplier	VISHAY MEASUREMENTS GROUP, INC.	
Address of Supplier	Post Office Box 27777 Raleigh, NC 27611 USA	
Telephone	+1 919-365-3800	
Fax	+1 919-365-3945	
E-Mail (competent person)	mm.us@vishaypg.com	
Emergency telephone number	1-800-424-9300	CHEMTREC (24 hours)

SECTION 2: HAZARD(S) IDENTIFICATION

Classification of the substance or mixture in accordance with paragraph (d) of 29 CFR 1910.1200		
Physical hazards	Not classified	
Health hazards	Skin corrosion/irritation, Category 2 Skin Sensitisation, Category 1 Eye Irritation, Category 2	
Environmental hazards	Hazardous to the aquatic environment, Chronic, Category 2	
Hazard Symbol		
Signal Word(s)	Warning	
Hazard Statement(s)	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.	
Precautionary Statement(s)	Wash hands and exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapours/spray. Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation occurs, get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.	

SAFETY DATA SHEET

Version: 2.2
Date of Issue: 7-May-2019
Date of First Issue: 31-Oct-2012

www.vishaypg.com

ACCORDING TO OSHA HCS (29 CFR 1910.1200)

Other hazards None known.

Percent of the mixture consists of ingredient(s) of unknown acute toxicity: 0%

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Chemical identity of the substance	%W/W	CAS No.	EC No.	Hazard classification
Bisphenol A Diglycidyl Ether	100	25085-99-8	607-537-5	Skin corrosion/irritation, Category 2 Skin Sensitisation, Category 1 Eye Irritation, Category 2 Hazardous to the aquatic environment, Chronic, Category 2

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Self-protection of the first aider

Use personal protective equipment as required. Wear appropriate personal protective equipment, avoid direct contact.

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms occur obtain medical attention.

Skin Contact

IF ON SKIN: Remove contaminated clothing immediately and wash affected skin with soap and water. Wash contaminated clothing before reuse. If irritation develops and persists, get medical attention.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Get medical attention if eye irritation develops or persists.

Ingestion

Unlikely route of exposure. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. If symptoms occur obtain medical attention.

Most important symptoms and effects, both acute and delayed

Causes irritation to eyes and skin. May cause sensitization by skin contact.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Notes to a physician:

Repeated or prolonged contact may cause defatting of the skin resulting in dryness, cracking and dermatitis.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Extinguish with carbon dioxide, dry chemical, foam or waterspray.

Unsuitable extinguishing Media

Do not use water jet.

Special hazards arising from the substance or mixture

Not flammable. May decompose in a fire giving off toxic fumes. Epoxy resins release phenolics, carbon monoxide, and water.

Special protective equipment and precautions for fire fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

SAFETY DATA SHEET

Version: 2.2
Date of Issue: 7-May-2019
Date of First Issue: 31-Oct-2012

www.vishaypg.com

ACCORDING TO OSHA HCS (29 CFR 1910.1200)

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not breathe fumes/vapour from heated product. Stop leak if safe to do so. Use personal protective equipment as required. See Section: 8. Avoid breathing vapours. Avoid contact with skin and eyes.

Methods and material for containment and cleaning up

Contain spillages. Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Dispose of this material and its container as hazardous waste. Residual resin may be removed using steam or hot soapy water.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Ensure operatives are trained to minimise exposures. Ensure adequate ventilation. Do not breathe fumes/vapour from heated product. Avoid breathing vapours. In case of inadequate ventilation wear respiratory protection. Wear protective gloves/protective clothing/eye protection/face protection. Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product. Keep only in original container. Keep container tightly closed and in a well-ventilated place. Keep away from naked flames and hot surfaces.

Conditions for safe storage, including any incompatibilities

Storage temperature
Incompatible materials

Ambient.
None known.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Not established

Biological Exposure Indices

Not established

Appropriate engineering controls

Ensure operatives are trained to minimise exposures. Ensure adequate ventilation.

Individual protection measures, such as personal protective equipment (PPE)

General hygiene measures for the handling of chemicals are applicable. Keep good industrial hygiene. Avoid contact with skin and eyes. Do not breathe fumes/vapour from heated product. Avoid breathing vapours. Wash hands before breaks and after work. Keep work clothes separately. Do not eat, drink or smoke at the work place. IF exposed: Flush with fresh water if contact with skin or eyes.

Eye/face protection



Wear protective eye glasses for protection against liquid splashes. Wear eye protection with side protection.

Skin protection



Wear suitable chemical resistant protective gloves for frequent or prolonged operations tested with an acceptable permeation test. Contaminated gloves should be carefully rinsed with water before reuse. Breakthrough time of the glove material: refer to the information provided by the gloves' producer.

Respiratory protection



Normally no personal respiratory protection is necessary. In case of inadequate ventilation wear respiratory protection.

SAFETY DATA SHEET

Version: 2.2
Date of Issue: 7-May-2019
Date of First Issue: 31-Oct-2012

www.vishaypg.com

ACCORDING TO OSHA HCS (29 CFR 1910.1200)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Colourless to yellowish liquid.
Odor	Faint Epoxy Odour
Odor Threshold	Not available.
pH	Not established.
Melting Point/Freezing Point	Not established.
Initial boiling point and boiling range	Not applicable.
Flash Point	252°C (Method: PMCC)
Evaporation rate (Butyl acetate = 1)	Not known.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	1.16 (H ₂ O=1)
Solubility(ies)	Insoluble in water.
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	Not available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	Phenolics, Carbon monoxide and Water.
Conditions to avoid	Temperature > 300°C. Decomposes at temperatures above (°C): 350. Generation of gas during decomposition can cause pressure in closed systems. Pressure buildup can be rapid.
Incompatible materials	Alkalis (strong bases). Acids. Amines and Oxidizing agents.
Hazardous decomposition product(s)	Will not occur by itself, but masses of more than 500 grams of product plus an aliphatic amine will cause irreversible polymerization with considerable heat buildup.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects (Substances in preparations / mixtures)

Acute toxicity - Ingestion	Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg bw/day.
Acute toxicity - Inhalation	Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 >20.0 mg/l.
Acute toxicity - Skin Contact	Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg bw/day.
Skin corrosion/irritation	Skin corrosion/irritation, Category 2: Causes skin irritation. Test Result: Irritating to skin. (Jolanki R et al, 1986)
Serious eye damage/irritation	Eye Irritation, Category 2: Causes serious eye irritation. Test Result: Causes serious eye irritation. (EPA/OTS; Doc #878212416)
Respiratory or skin sensitization	Skin Sensitisation, Category 1: May cause an allergic skin reaction. Test Result: Skin sensitisation has been reported in studies with guinea pigs. (EPA/OTS; Doc #878212421)
Germ cell mutagenicity	Based upon the available data, the classification criteria are not met.
Carcinogenicity	Based upon the available data, the classification criteria are not met.
Reproductive toxicity	Based upon the available data, the classification criteria are not met.
STOT - single exposure	Based upon the available data, the classification criteria are not met.
STOT - repeated exposure	Based upon the available data, the classification criteria are not met.
Aspiration hazard	Based upon the available data, the classification criteria are not met.

SAFETY DATA SHEET

Version: 2.2
Date of Issue: 7-May-2019
Date of First Issue: 31-Oct-2012

www.vishaypg.com

ACCORDING TO OSHA HCS (29 CFR 1910.1200)

Information on likely routes of exposure

Inhalation	Possible – accidental exposure
Ingestion	Unlikely – accidental exposure
Skin Contact	Possible – accidental exposure
Eye Contact	Unlikely – accidental exposure

Early onset symptoms related to exposure

Causes irritation to eyes and skin.

Delayed health effects from exposure

Allergic contact dermatitis

Other information

NTP Report on Carcinogens	Not listed
IARC Monographs	Not listed
OSHA Designated Carcinogen	Not listed

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Hazardous to the aquatic environment, Chronic, Category 2; Toxic to aquatic life with long lasting effects.

Estimated Mixture LC50 > 1 to ≤ 10 mg/l (Fish)

Persistence and degradability

Readily biodegradable.

Bioaccumulative potential

The product has low potential for bioaccumulation.

Mobility in soil

The product is predicted to have low mobility in soil.

Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Dispose of this material and its container as hazardous waste. Send after pre-treatment to a appropriate hazardous waste incinerator facility according to legislation.

Additional Information

Dispose of contents in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

	ADR/RID	IMDG	IATA/ICAO
UN number	UN 3077	UN 3077	UN 3077
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (BISPHENOL A DIGLYCIDYL ETHER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (BISPHENOL A DIGLYCIDYL ETHER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (BISPHENOL A DIGLYCIDYL ETHER)
Transport hazard class(es)	9	9	9
Packing group	III	III	III
Environmental hazards	Environmentally hazardous substance	Classified as a Marine Pollutant.	Environmentally hazardous substance
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable		
Special precautions for user	See Section: 2		

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

US Federal Regulations

TSCA (Toxic Substance Control Act)	Not listed
EPCRA/SARA Section 302 Extremely Hazardous Substances	Not listed
EPCRA Section 313 Toxics Release Inventory (TRI) Program	Not listed
NIOSH Occupational Carcinogen List	Not listed
OSHA List of highly hazardous chemicals, toxics and	Not listed

SAFETY DATA SHEET



Version: 2.2
Date of Issue: 7-May-2019
Date of First Issue: 31-Oct-2012

www.vishaypg.com

ACCORDING TO OSHA HCS (29 CFR 1910.1200)

reactives	
NTP Report on Carcinogens (RoC) List	Not listed
Poison Prevention Packaging Act	Not listed
US State Regulations	
California State, Proposition 65 List	Not listed
California State, Safer Consumer Products Regulations	Not listed
Maine State, Toxic Chemicals in Children's Products Act	Not listed
New Jersey State Worker and Community RTK Act	Not listed
Pennsylvania State, Worker and Community RTK Act	Not listed
Rhode Island State, Hazardous Substances RTK Act	Not listed
Non-Regional	
IARC Monographs, List of Classifications	Not listed

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: Updated Section 15 data. Please review SDS with care

Section 14: Changed classification from liquid to solid to align with UN number.
Transport Information

Version 2.2
Revision Date 7-May-2019
Date of First Issue 31-Oct-2017

References:

Existing Safety Data Sheet (SDS) and the EU Classification and Labelling Inventory for Bisphenol A Diglycidyl Ether (CAS No. 25085-99-8)

Literature References:

"Bisphenol A Diglycidyl Ether". In TOXLINE®: Toxic Substances Control Act Test Submissions. ToxPlanet, a division of Timberlake Ventures, Inc. Cornelius, NC. 2017

GHS Classification of the substance or mixture	Classification Procedure
Skin corrosion/irritation, Category 2	Threshold Classification
Skin Sensitisation, Category 1	Threshold Classification
Eye Irritation, Category 2	Threshold Classification
Hazardous to the aquatic environment, Chronic, Category 2	Threshold Classification

LEGEND

ACGIH: American Conference of Governmental Industrial Hygienists
BEI: Biological Exposure Indices (ACGIH)
IARC: International Agency for Research on Cancer
Irr: Irritation
NIOSH: National Institute of Occupational Safety and Health
NTP: National Toxicology Program
OSHA: The Occupational Safety & Health Administration
PBT: Persistent, Bioaccumulative and Toxic
PEL: Permissible exposure limit

REL: Recommended exposure limit
SCL: Specific Concentration Limit
Skin*: Risk of overexposure via dermal contact
STEL: Short Term Exposure Limit
TLV: Threshold Limit value
TSCA: Toxic Substance Control Act
TWA: Time Weighted Average
URT: Upper respiratory tract
vPvB: very Persistent and very Bioaccumulative

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Disclaimer

ALL PRODUCTS, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. **To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.**

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at vpgsensors.com.

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.