

SAFETY DATA SHEET

Revision: 2.0 Date: 29.09.2015



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier**
Product Name CSM-3
Chemical Name Mixture
CAS No. Mixture
EINECS No. Mixture
REACH Registration No. None assigned.
- 1.2 Relevant identified uses of the substance or mixture and uses advised against**
Identified Use(s) Metal surface treatment products, including galvanic and electroplating products.
Uses Advised Against None known.
- 1.3 Details of the supplier of the safety data sheet**
Company Identification VISHAY MEASUREMENTS GROUP UK LTD
Stroudley Road
Basingstoke
Hampshire
United Kingdom
RG24 8FW
Telephone +44 (0) 1256 462131
Fax +44 (0) 1256 471441
E-Mail (competent person) mm.uk@vishaypg.com
- 1.4 Emergency telephone number** (00-1) 703-527-3887
CHEMTREC

2. SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture**
2.1.1 Regulation (EC) No. 1272/2008 (CLP) Flam. Aerosol 1; H222
Acute Tox. 4; H332
Aquatic Chronic 3; H412
- 2.2 Label elements**
Product Name According to Regulation (EC) No. 1272/2008 (CLP)
CSM-3
- Hazard Pictogram(s)

- Signal Word(s) Danger
- Contains: Trans-Dichloroethylene
- Hazard Statement(s)
H222: Extremely flammable aerosol.
H229: Pressurised container: May burst if heated.
H332: Harmful if inhaled.
H412: Harmful to aquatic life with long lasting effects.
- Precautionary Statement(s)
P261: Avoid breathing spray.
P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312: Call a POISON CENTER/doctor if you feel unwell.
P273: Avoid release to the environment.
- ADD Label elements P210: Keep away from heat, hot surfaces, sparks, open flames and other

SAFETY DATA SHEET

Revision: 2.0 Date: 29.09.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

ignition sources. No smoking.
P211: Do not spray on an open flame or other ignition source.
P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.
P251: Do not pierce or burn, even after use.

Additional Information

None.

2.3 Other hazards

None.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Not applicable.

3.2 Mixtures

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard classification
Trans-Dichloroethylene	> 90	156-60-5	205-860-2	None assigned	Flam. Liq. 2; H225 Acute Tox. 4; H332 Aquatic Chronic 3; H412
Carbon dioxide	1- 10	124-38-9	204-696-9	None assigned	Press. Gas; H280

For full text of H/P Statements see section 16.

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Call a POISON CENTER/doctor if you feel unwell.

Skin Contact

IF ON SKIN: Gently wash with plenty of soap and water. Remove contaminated clothing and wash clothing before reuse. If symptoms develop, obtain medical attention.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Flush eyes with water for at least 15 minutes. Get medical attention if eye irritation develops or persists.

Ingestion

IF SWALLOWED: Rinse mouth. Do not give anything by mouth to an unconscious person. Do not induce vomiting. If symptoms develop, obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Harmful if inhaled. Ingestion may cause irritation of the gastrointestinal tract. May cause dizziness.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media

As appropriate for surrounding fire. Extinguish preferably with foam, carbon dioxide or dry chemical. Keep container(s) exposed to fire cool, by spraying with water.

Unsuitable extinguishing media

Do not use water jet. Do not direct a solid stream of water or foam into hot,

SAFETY DATA SHEET

Revision: 2.0 Date: 29.09.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

- 5.2 **Special hazards arising from the substance or mixture** burning pools; this may cause spattering and increase fire intensity. Extremely flammable aerosol. Thermal decomposition will evolve toxic and corrosive vapours. Carbon dioxide, Carbon monoxide, Phosgene and Hydrogen chloride. Vapours are heavier than air and may travel considerable distances to a source of ignition and flashback. Sealed containers may rupture explosively if hot.
- 5.3 **Advice for fire-fighters** Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 **Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation. Stop leak if safe to do so. Eliminate all ignition sources if safe to do so. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing mist/vapours/spray. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. See Section: 8. The vapour is heavier than air; beware of pits and confined spaces.
- 6.2 **Environmental precautions** Avoid release to the environment. Do not allow to enter drains, sewers or watercourses.
- 6.3 **Methods and material for containment and cleaning up** Ensure suitable personal protection during removal of spillages. Use non-sparking equipment when picking up flammable spill. Adsorb spillages onto sand, earth or any suitable adsorbent material. Do NOT absorb in saw-dust or other combustible absorbents. Transfer to a lidded container for disposal or recovery. Ventilate the area and wash spill site after material pick-up is complete. Dispose of this material and its container as hazardous waste (2008/98/EEC). Allow small spillages to evaporate provided there is adequate ventilation.
- 6.4 **Reference to other sections** See Section: 8, 13

7. SECTION 7: HANDLING AND STORAGE

- 7.1 **Precautions for safe handling** Ensure adequate ventilation. Avoid breathing mist/vapours/spray. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. See Section: 8. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Do not use sparking tools. Do not spray on an open flame or other ignition source. Pressurised container - Do not pierce or burn, even after use. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.
- 7.2 **Conditions for safe storage, including any incompatibilities** Store in a cool/low-temperature, well-ventilated (dry) place away from heat and ignition sources. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from direct sunlight. Do not reuse empty containers.
- Storage temperature Keep cool. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Storage life Stable under normal conditions.
Incompatible materials Isolate from reducers and flammable/ combustible materials etc in storage. Keep away from: Strong oxidising agents, Acids and Alkalis.
- 7.3 **Specific end use(s)** Metal surface treatment products, including galvanic and electroplating products.

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 **Control parameters**
8.1.1 **Occupational Exposure Limits**

SAFETY DATA SHEET




Revision: 2.0 Date: 29.09.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Carbon dioxide	124-38-9	5000	9000	-	-	EU IOELV
		5000	9150	15000	27400	WEL

Note: WEL: Workplace Exposure Limit (UK HSE EH40). IOELV: Indicative Occupational Exposure Limit Value.

- 8.1.2 Biological limit value** Not established.
- 8.1.3 PNECs and DNELs** Not established.
- 8.2 Exposure controls**
- 8.2.1 Appropriate engineering controls** Ensure adequate ventilation or use appropriate containment. Atmospheric levels should be controlled in compliance with the occupational exposure limit. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems.
- 8.2.2 Individual protection measures, such as personal protective equipment (PPE)** General hygiene measures for the handling of chemicals are applicable. Avoid contact with skin, eyes or clothing. Avoid breathing mist/vapours/spray. Wash hands before breaks and after work. Keep work clothes separately. Contaminated clothing should be thoroughly cleaned. Do not eat, drink or smoke at the work place.
- Eye/ face protection  Wear eye protection with side protection (EN166).
- Skin protection  Hand protection: Not normally required. Wear suitable gloves if prolonged skin contact is likely. Breakthrough time of the glove material: refer to the information provided by the gloves' producer.
- Body protection: Wear impervious protective clothing, including boots, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Recommended: Wear work clothes with long sleeves.
- Respiratory protection  Use only in well-ventilated areas. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid inhalation of high concentrations of vapours.
- High concentrations: Wear suitable respiratory equipment. Recommended: Self-contained breathing apparatus (DIN EN 137)
- Thermal hazards Not applicable.
- 8.2.3 Environmental Exposure Controls** Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Colourless liquid
Odour	Sharp, Harsh
Odour threshold	17 ppm
pH	Not established.
Melting point/freezing point	- 50 °C
Initial boiling point and boiling range	48 °C
Flash point	2 – 4 °C
Evaporation rate	2.80
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	9.7 – 12.8 %

SAFETY DATA SHEET

Revision: 2.0 Date: 29.09.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	1.28 g/ml @ 20 °C
Solubility(ies)	Soluble in water. 6.3 mg/ml @ 25 °C
Partition coefficient: n-octanol/water	Not established.
Auto-ignition temperature	Not established.
Decomposition Temperature	Not established.
Viscosity	Not established.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

9.2 Other information Volatile Organic Compound Content (%): 96

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Stability and reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Extremely flammable aerosol. Vapours are heavier than air and may travel considerable distances to a source of ignition and flashback.
10.4 Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep from direct sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Do not spray on an open flame or other ignition source. Take precautionary measures against static discharge.
10.5 Incompatible materials	Isolate from reducers and flammable/ combustible materials etc in storage. Keep away from: Strong oxidising agents, Acids and Alkalis.
10.6 Hazardous decomposition product(s)	Thermal decomposition will evolve toxic and corrosive vapours. Carbon dioxide, Carbon monoxide, Phosgene and Hydrogen chloride.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects (Substances in preparations / mixtures)	
Acute toxicity	
Ingestion	Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg bw/day.
Inhalation	Acute Tox. 4; Harmful if inhaled. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 11 mg/l.
Skin Contact	Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg bw/day.
Skin corrosion/irritation	Based upon the available data, the classification criteria are not met.
Serious eye damage/irritation	Based upon the available data, the classification criteria are not met.
Respiratory or skin sensitization	Based upon the available data, the classification criteria are not met.
Germ cell mutagenicity	Based upon the available data, the classification criteria are not met.
Carcinogenicity	Based upon the available data, the classification criteria are not met.
Reproductive toxicity	Based upon the available data, the classification criteria are not met.
STOT - single exposure	Based upon the available data, the classification criteria are not met.
STOT - repeated exposure	Based upon the available data, the classification criteria are not met.
Aspiration hazard	Based upon the available data, the classification criteria are not met.
11.2 Other information	None.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Aquatic Chronic 3: Harmful to aquatic life with long lasting effects. Estimated Mixture LC50 >10 ≤ 100 mg/l (Fish)
12.2 Persistence and degradability	No data for the mixture as a whole.
12.3 Bioaccumulative potential	No data for the mixture as a whole.
12.4 Mobility in soil	The product is predicted to have high mobility in soil (Highly volatile. May

SAFETY DATA SHEET

Revision: 2.0 Date: 29.09.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

12.5	Results of PBT and vPvB assessment	evaporate quickly.)
12.6	Other adverse effects	Not classified as PBT or vPvB. None known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	This material and its container must be disposed of as hazardous waste (2008/98/EEC). Dispose of contents in accordance with local, state or national legislation. Containers of this material may be hazardous when empty since they retain product residue. Dispose of wastes in an approved waste disposal facility.
13.2	Additional Information	Do not reuse empty containers. Do not pierce or burn container, even after use.

14. SECTION 14: TRANSPORT INFORMATION

		ADR/RID / IMDG / IATA/ICAO
14.1	UN number	UN 1950
14.2	UN proper shipping name	AEROSOLS, flammable
14.3	Transport hazard class(es)	2
14.4	Packing group	None assigned.
14.5	Environmental hazards	Not classified as a Marine Pollutant / Environmentally hazardous substance
14.6	Special precautions for user	See Section: 2
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
14.8	Additional Information	Recommended: Road/Rail/Sea transport only.

15. SECTION 15: REGULATORY INFORMATION

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	
15.1.1	EU regulations	Aerosol is packaged in accordance with Aerosol Dispensers Directive Council Directive 75/324/EEC, as amended. Inverted epsilon labelling '3' certifies conformity.
	Substance(s) of Very High Concern (SVHCs)	None.
	Authorisations and/or Restrictions On Use	None.
15.1.2	National regulations	
	Wassergefährdungsklasse (Germany)	Water hazard class: 2
15.2	Chemical Safety Assessment	Not available.

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

References: Existing Safety Data Sheet (SDS), Harmonised Classification(s) for Trans-Dichloroethylene (CAS# 156-60-5), and the Classification and Labelling Inventory for Carbon dioxide (CAS# 124-38-9).

EU Classification: This Safety Data Sheet was prepared in accordance with EC Regulation (EC) 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830.

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Flam. Aerosol 1; H222	In accordance with Regulation (EC) No. 1272/2008 (CLP) 2.3.2.2
Acute Tox. 4; H332	Acute Toxicity Estimate Mixture Calculation
Aquatic Chronic 3; H412	Summation Calculation

LEGEND

LTEL: Long Term Exposure Limit
STEL: Short Term Exposure Limit

PNEC: Predicted No Effect Concentration
PBT: Persistent, Bioaccumulative and Toxic

SAFETY DATA SHEET



Revision: 2.0 Date: 29.09.2015

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

DNEL: Derived No Effect Level

vPvB: very Persistent and very Bioaccumulative

Hazard Statement(s)

H222: Extremely flammable aerosol.

H332: Harmful if inhaled.

H229: Pressurised container: May burst if heated.

H412: Harmful to aquatic life with long lasting effects.

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Annex to the extended Safety Data Sheet (eSDS)

No information available.

Disclaimer

ALL PRODUCTS, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. **To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.**

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at vpgsensors.com.

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.