

SAFETY DATA SHEET

Revision: 1.0 Date: 29 September 2016


ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier**
Product Name NCC-3 Cermaic Cement
- 1.2 Relevant identified uses of the substance or mixture and uses advised against**
Identified Use(s) Bonding strain gages to a component
Uses Advised Against Anything other than the above.
- 1.3 Details of the supplier of the safety data sheet**
Company Identification VISHAY MEASUREMENTS GROUP UK LTD
Stroudley Road
Basingstoke
Hampshire
RG24 8FW
United Kingdom
Telephone +44 (0) 1256 462131
Fax +44 (0) 1256 471441
E-Mail (competent person) mm.uk@vishaypg.com
- 1.4 Emergency telephone number**
Emergency Phone No. (00-1) 703-527-3887 CHEMTREC (24 hours)
Languages spoken All official European languages.

SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture**
- 2.1.1 Regulation (EC) No. 1272/2008 (CLP)**
Carc. 1A; H350
STOT RE 1; H372
STOT SE 3; H335
- 2.2 Label elements**
Product Name NCC-3 Ceramic Cement
Contains: Quartz
Hazard Pictogram(s)

Signal Word(s) DANGER
Hazard Statement(s) H350: May cause cancer.
H372: Causes damage to organs through prolonged or repeated exposure.
H335: May cause respiratory irritation.
Precautionary Statement(s) P201: Obtain special instructions before use.
P261: Avoid breathing mist/vapours/spray.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308+P313: IF exposed or concerned: Get medical advice/attention.
P403+P233: Store in a well-ventilated place. Keep container tightly closed.
- 2.3 Other hazards**
None known.

SAFETY DATA SHEET

Revision: 1.0 Date: 29 September 2016

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 **Substances** Not applicable

3.2 **Mixtures**

EC Classification Regulation (EC) No. 1272/2008 (CLP)

Chemical identity of the substance	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard classification
Quartz (Silica, respirable Crystalline)	45 - 50	14808-60-7	238-878-4	Not yet assigned in the supply chain	Carc. 1A; H350 STOT RE 1; H372 STOT SE 3; H335

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Self-protection of the first aider

Use personal protective equipment as required. Wear appropriate personal protective equipment, avoid direct contact. Ensure adequate ventilation. Avoid breathing vapours. Avoid breathing dust. Avoid all contact.

Inhalation

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Apply artificial respiration if breathing has ceased or shows signs of failing. Get medical advice/attention if you feel unwell.

Skin Contact

IF ON SKIN (or hair): After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of soap and water. If irritation (redness, rash, blistering) develops, get medical attention.

Eye Contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation develops and persists, get medical attention.

Ingestion

Rinse mouth with water (do not swallow). Do NOT induce vomiting. If vomiting occurs turn patient on side. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. IF exposed or concerned: Call a POISON CENTER/doctor.

4.2 Most important symptoms and effects, both acute and delayed

May cause cancer. May cause respiratory irritation. Causes damage to organs through prolonged or repeated exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Notes to a physician:

IF INHALED: Breathing difficulties may appear with several hours delay.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing Media

As appropriate for surrounding fire. Extinguish preferably with foam, carbon dioxide or dry chemical.

Unsuitable extinguishing Media

Do not use water jet. Direct water jet may spread the fire.

5.2 Special hazards arising from the substance or mixture

Not flammable. May decompose in a fire giving off toxic fumes. Combustion products: Carbon monoxide, Carbon dioxide,

5.3 Advice for fire-fighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

SAFETY DATA SHEET

Revision: 1.0 Date: 29 September 2016

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

SECTION 6: ACCIDENTAL RELEASE MEASURES

- | | | |
|------------|--|---|
| 6.1 | Personal precautions, protective equipment and emergency procedures | Use personal protective equipment as required. Wear appropriate personal protective equipment, avoid direct contact. Contaminated clothing should be laundered before reuse. Ensure adequate ventilation. Avoid breathing vapours. Avoid breathing dust. Avoid all contact. |
| 6.2 | Environmental precautions | Avoid release to the environment. Do not allow to enter drains, sewers or watercourses. |
| 6.3 | Methods and material for containment and cleaning up | Contain spillages with sand, earth or any suitable adsorbent material. Transfer to a container for disposal or recovery. |
| 6.4 | Reference to other sections | See Section: 8, 13 |

SECTION 7: HANDLING AND STORAGE

- | | | |
|------------|---|--|
| 7.1 | Precautions for safe handling | Ensure operatives are trained to minimise exposures. Ensure adequate ventilation. Wear appropriate personal protective equipment, avoid direct contact. Avoid breathing vapours. Avoid breathing dust. Avoid all contact. In case of insufficient ventilation, wear suitable respiratory equipment. Keep away from: Elevated temperature. Keep good industrial hygiene. Wash hands thoroughly after handling. Contaminated clothing should be thoroughly cleaned. Do not eat, drink or smoke at the work place. Keep from direct sunlight. |
| 7.2 | Conditions for safe storage, including any incompatibilities | Keep only in original container. Store in a cool/low-temperature, well-ventilated (dry) place away from heat and ignition sources. |
| 7.3 | Specific end use(s) | Store at ambient temperature. 4 – 26 °C
Strong oxidising agents, Acids and Bases
See Section: 1.2 |

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Quartz (Silica, respirable Crystalline)	14808-60-7	-	0.1	-	-	WEL

Source: WEL: Workplace Exposure Limit (UK HSE EH40)

8.1.2 Biological limit value Not established.

8.1.3 PNECs and DNELs Not established.

8.2 Exposure controls

8.2.1 Appropriate engineering controls Ensure adequate ventilation. Store in a cool/low-temperature, well-ventilated (dry) place away from heat and ignition sources. Atmospheric levels should be controlled in compliance with the occupational exposure limit.

8.2.2 Individual protection measures, such as personal protective equipment (PPE) Keep good industrial hygiene. Wear appropriate personal protective equipment, avoid direct contact. Avoid breathing dust. Avoid breathing vapours. Avoid all contact. IF exposed: Wash immediately with water. Wash contaminated clothing before reuse. Do not eat, drink or smoke at the work place.

Eye/face protection

Wear protective eye glasses for protection against liquid splashes. Wear eye protection with side protection (EN166).

Revision: 1.0 Date: 29 September 2016

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com



Skin protection

**Hand protection:**

Wear impervious gloves (EN374). Protective index 6, corresponding > 480 minutes of permeation time according to EN 374 Gloves should be changed regularly to avoid permeation problems. Breakthrough time of the glove material: refer to the information provided by the gloves' producer.

Body protection:

Wear impervious protective clothing, including boots, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection



In case of inadequate ventilation wear respiratory protection. Open system(s): Wear suitable respiratory protective equipment. A suitable mask with filter type A (EN141 or EN405) may be appropriate.

Thermal hazards

Not applicable

8.2.3 Environmental Exposure Controls

Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Clear Liquid with White Slurry
Odour	Odourless
Odour threshold	Not established
pH	Not established
Melting point/freezing point	Not established
Initial boiling point and boiling range	100°C
Flash point	Not established
Evaporation rate (Water = 1)	1
Flammability (solid, gas)	Not flammable
Upper/lower flammability or explosive limits	Not applicable
Vapour pressure	Not applicable
Vapour density	Not applicable
Relative density	Not established
Solubility(ies)	Partly soluble in water.
Partition coefficient: n-octanol/water	Not established
Auto-ignition temperature	Not established
Decomposition Temperature	Not established
Viscosity	Not established
Explosive properties	Not established
Oxidising properties	Not established

9.2 Other information

None known

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Stable under normal conditions. Hazardous polymerisation will not occur.
10.4 Conditions to avoid	Heat
10.5 Incompatible materials	Strong oxidising agents, Acids and Bases
10.6 Hazardous decomposition product(s)	Combustion products: Carbon monoxide, Carbon dioxide

Revision: 1.0 Date: 29 September 2016

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

SECTION 11: TOXICOLOGICAL INFORMATION

<p>11.1 Information on toxicological effects</p> <p>Acute toxicity Ingestion</p> <p>Inhalation</p> <p>Skin Contact</p> <p>Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Quartz (Silica, respirable Crystalline):</p> <p>Reproductive toxicity STOT - single exposure Quartz (Silica, respirable Crystalline): STOT - repeated exposure</p> <p>Quartz (Silica, respirable Crystalline):</p> <p>Aspiration hazard</p>	<p>All test data taken from existing ECHA registrations for the substances mentioned.</p> <p>Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg bw/day.</p> <p>Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 >20.0 mg/l.</p> <p>Based upon the available data, the classification criteria are not met. Acute Toxicity Estimate Mixture Calculation: Estimated LC50 > 2000 mg/kg bw/day.</p> <p>Based upon the available data, the classification criteria are not met.</p> <p>Based upon the available data, the classification criteria are not met.</p> <p>Based upon the available data, the classification criteria are not met.</p> <p>Based upon the available data, the classification criteria are not met.</p> <p>Carc. 1A; May cause cancer. IARC Classification: Group 1. NTP Report on Carcinogens Suspected of causing cancer by inhalation. (Checkoway et al., 1993)(Rice et al., 2001)(Rafnsson V et al, 1997) Route of Exposure: Inhalation into Lungs Causes irritation. Inflammation. Leading to Silicosis and eventually tumour formation. (SIAM 32, 19-21 April 2011)</p> <p>Based upon the available data, the classification criteria are not met. STOT SE 3; May cause respiratory irritation. Irritating to respiratory system. (IARC (1997) and SITTIG (4th, 2002))</p> <p>STOT RE 1; Causes damage to organs through prolonged or repeated exposure. Inhalation into Lungs</p> <p>Prolonged and/or massive exposure to fine fraction crystalline silica-containing dust may cause silicosis, a nodular pulmonary fibrosis caused by deposition in the lungs of fine respirable particles of crystalline silica. (Ziskind et al., 1976; IARC, 1987)</p> <p>Based upon the available data, the classification criteria are not met.</p>
<p>11.2 Other information</p>	<p>None known.</p>

SECTION 12: ECOLOGICAL INFORMATION

<p>12.1 Toxicity</p> <p>12.2 Persistence and degradability</p> <p>12.3 Bioaccumulative potential</p> <p>12.4 Mobility in soil</p> <p>12.5 Results of PBT and VPVB assessment</p> <p>12.6 Other adverse effects</p>	<p>Based upon the available data, the classification criteria are not met. Estimated Mixture LC50 >100 mg/l (Fish)</p> <p>No data for the mixture as a whole.</p> <p>No data for the mixture as a whole.</p> <p>The substance is predicted to have low mobility in soil. Partly soluble in water.</p> <p>Not classified as PBT or vPvB.</p> <p>None known.</p>
--	---

SECTION 13: DISPOSAL CONSIDERATIONS

<p>13.1 Waste treatment methods</p> <p>13.2 Additional Information</p>	<p>Dispose of this material and its container as hazardous waste. Send after pre-treatment to a appropriate hazardous waste incinerator facility according to legislation.</p> <p>Dispose of contents in accordance with local, state or national legislation.</p>
--	--

SAFETY DATA SHEET



Revision: 1.0 Date: 29 September 2016

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

SECTION 14: TRANSPORT INFORMATION

Not classified according to the United Nations 'Recommendations on the Transport of Dangerous Goods'.

	ADR/RID	IMDG	IATA/ICAO
14.1 UN number	Not classified	Not classified	Not classified
14.2 UN proper shipping name	Not classified	Not classified	Not classified
14.3 Transport hazard class(es)	Not classified	Not classified	Not classified
14.4 Packing group	Not classified	Not classified	Not classified
14.5 Environmental hazards	Not classified	Not classified	Not classified
14.6 Special precautions for user	See Section: 2		
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable		

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture	
15.1.1 EU regulations	
Authorisations and/or Restrictions On Use	Not restricted
15.1.2 National regulations	
15.2 Chemical Safety Assessment	A REACH chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: Not applicable – V1.0

References:

The Classification and Labelling Inventory for Quartz (CAS No. 14808-60-7).

Literature References:

1. Checkoway, H., Heyer, N.J., Demers, P.A. & Breslow, N.E. (1993) Mortality among workers in the diatomaceous earth industry. Br. 1. ind. Med., 50, 586-597
2. Rice, F.L., Park, R., Stayner, L., Smith, R., Gilbert, S., and Checkoway, H. 2001. Crystalline silica exposure and lung cancer mortality in diatomaceous earth industry workers: a quantitative risk assessment. Occup Environ Med, 58(1):38-45.
3. Rafnsson V & Gunnarsdottir H, 1997, Lung cancer incidence among an Icelandic cohort exposed to diatomaceous earth and cristobalite., Scand J Work Environ Health, 23: 187 – 192. PMID:9243728.
4. INITIAL TARGETED ASSESSMENT PROFILE (Human Health), SIAM 32, 19-21 April 2011, OECD
5. Silica, Some Silicates, Coal Dust and para-Aramid Fibrils, IARC MONOGRAPHS ON THE EVALUATION OF CARCINOGENIC RISKS TO HUMANS, Volume 68 (1997)
6. 13th Report on Carcinogens, National Toxicology Program, 2014
7. Ziskind M, Jones RN, Weill H, 1976, Silicosis. American review of respiratory disease, 113:643-665.
8. Richard P Pohanish; Marshall Sittig, 2002, Sittig's handbook of toxic and hazardous chemicals and carcinogens, Norwich, N.Y., U.S.A. : Noyes Publications, ©2002.

EU Classification: This Safety Data Sheet was prepared in accordance with EC Regulation (EC) 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830.

Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)	Classification Procedure
Carc. 1A; H350 - Inhalation	Threshold Calculation
STOT RE 1; H372 – Lungs	Threshold Calculation
STOT SE 3; H335	Threshold Calculation

LEGEND

LTEL: Long Term Exposure Limit

STEL: Short Term Exposure Limit

SAFETY DATA SHEET



Revision: 1.0 Date: 29 September 2016

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH),
1272/2008 (CLP) & 2015/830

www.vishaypg.com

DNEL: Derived No Effect Level

PBT: PBT: Persistent, Bioaccumulative and Toxic

PNEC: Predicted No Effect Concentration

vPvB: very Persistent and very Bioaccumulative

Hazard classification / Classification code:

Carc. 1A; Carcinogen, category 1A

STOT SE 3; Specific target organ toxicity — single exposure, Category 3

STOT RE 1; Specific target organ toxicity — repeated exposure, Category 1

Hazard Statement(s)

H350: May cause cancer.

H335: May cause respiratory irritation.

H372: Causes damage to organs through prolonged or repeated exposure.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Vishay Precision Group gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Vishay Precision Group accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.



Disclaimer

ALL PRODUCTS, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Vishay Precision Group, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "VPG"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product.

The product specifications do not expand or otherwise modify VPG's terms and conditions of purchase, including but not limited to, the warranty expressed therein.

VPG makes no warranty, representation or guarantee other than as set forth in the terms and conditions of purchase. **To the maximum extent permitted by applicable law, VPG disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.**

Information provided in datasheets and/or specifications may vary from actual results in different applications and performance may vary over time. Statements regarding the suitability of products for certain types of applications are based on VPG's knowledge of typical requirements that are often placed on VPG products. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. You should ensure you have the current version of the relevant information by contacting VPG prior to performing installation or use of the product, such as on our website at vpgsensors.com.

No license, express, implied, or otherwise, to any intellectual property rights is granted by this document, or by any conduct of VPG.

The products shown herein are not designed for use in life-saving or life-sustaining applications unless otherwise expressly indicated. Customers using or selling VPG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify VPG for any damages arising or resulting from such use or sale. Please contact authorized VPG personnel to obtain written terms and conditions regarding products designed for such applications.

Product names and markings noted herein may be trademarks of their respective owners.

Copyright Vishay Precision Group, Inc., 2014. All rights reserved.